

Issuing Date 01-Dec-2010

# SAFETY DATA SHEET

Revision Date 02-Jul-2013

Version 2.0

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 Product identifier

Product name Pure substance/mixture	Sentinel X200 Mixture.			
1.2 Relevant identified uses of th	e substance or mixture and uses advised against			
Recommended Use	Eliminates boiler noise and restores system efficiency.			
Uses advised against	None known.			
1.3 Details of the supplier of the	safety data sheet			
Company Information	SENTINEL PERFORMANCE SOLUTIONS LTD			
	The Heath Business & Technical Park Runcorn Cheshire WA7 4QX United Kingdom			
Telephone Fax	+44 (0) 1928 588 330 +44 (0) 1928 588 368			
For further information, please conta	ct:			
E-mail Address info.uk@sentinel-solutions.net				
1.4 Emergency telephone				
Emergency telephone	+44 (0) 1928 588 339 (24 hours/ 7 days)			

# Section 2: HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Not classified

## Classification according to EU Directives 67/548/EEC or 1999/45/EC

Not classified

## 2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP/GHS)

Signal Word None

Hazard Statements None

Precautionary statements None

## 2.3 Other hazards

May cause skin and eye irritation. Ingestion may cause irritation of the gastrointestinal tract.

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT) This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

Chemical Name	EC-No	CAS-No	w/w%	Classification (67/548/EEC)	Classification (EU Reg. 1272/2008)	REACH Registration Number
Potassium hydroxide	215-181-3	1310-58-3	<1	Xn; R22 C; R35	Acute Tox. 4 (H302) Skin Corr. 1A (H314)*	01-2119487136-33- XXXX

For the full text of R-phrases and H-Statements see Section 16

\* Substance with Workplace Exposure Limit. See Section 8.

# Section 4: FIRST AID MEASURES

## 4.1 Description of first aid measures

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms develop obtain medical attention.		
Skin contact	Remove contaminated clothing and shoes. Wash off immediately with soap and plenty of water. If symptoms develop obtain medical attention.		
Ingestion	Do NOT induce vomiting. Wash out mouth with water and give 100 - 200 ml of water to drink. If symptoms develop obtain medical attention.		
Inhalation	Remove patient from exposure, keep warm and at rest. If symptoms develop obtain medical attention.		
4.2 Most important symptoms an	d effects, both acute and delayed		
Main Symptoms	May cause skin and eye irritation. Ingestion may cause irritation of the gastrointestinal tract.		
4.3 Indication of any immediate medical attention and special treatment needed			

Notes to physician Treat symptomatically.

# Section 5: FIRE-FIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable Extinguishing Media

Water spray, Foam, Dry powder, Carbon dioxide (CO<sub>2</sub>).

## **Extinguishing media which shall not be used for safety reasons** Do not use water jet.

## 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx), Phosphorus oxides.

## 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Cool containers / tanks with water spray.

# Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with the skin and the eyes. Avoid inhalation of mists or vapor. Use personal protective equipment.

## 6.2 Environmental precautions

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

## 6.3 Methods and materials for containment and cleaning up

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

## 6.4 Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

## Section 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Ensure adequate ventilation. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

Do not eat, drink or smoke during work. Wash thoroughly after handling.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in the original container/package in a cool well-ventilated place. Keep away from heat and sources of ignition. Keep away from direct sunlight. Protect from frost.

## 7.3 Specific end use(s)

Eliminates boiler noise and restores system efficiency.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Chemical Name	Potassium hydroxide	
	1310-58-3	
The United Kingdom	STEL: 2 mg/m <sup>3</sup>	
France	STEL: 2 mg/m <sup>3</sup>	
Spain	STEL: 2 mg/m <sup>3</sup>	
Portugal	Ceiling: 2 mg/m <sup>3</sup>	
Finland	STEL: 2 mg/m <sup>3</sup>	
	Ceiling: 2 mg/m <sup>3</sup>	
Denmark	Ceiling: 2 mg/m <sup>3</sup>	
Austria	TWA: 2 mg/m <sup>3</sup>	
Switzerland	TWA: 2 mg/m <sup>3</sup>	
Poland	STEL: 1 mg/m <sup>3</sup>	
	TWA: 0.5 mg/m <sup>3</sup>	
Norway	Ceiling: 2 mg/m <sup>3</sup>	
Ireland	STEL: 2 mg/m <sup>3</sup>	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available (PNEC)

8.2	Exposure	controls

Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction, to ensure that occupational exposure limits are not exceeded.
Personal protective equipment Eye Protection Hand Protection Skin and body protection Respiratory protection	Goggles (EN 166) Protective gloves (EN 374) Long sleeved clothing Not normally required. In case of insufficient ventilation wear suitable respiratory equipment
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls Avoid release to the environment

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	Aqueous solution	
Odor	Characteristic	
Color	Yellow or Amber	
Odor Threshold	No information available	
Property Values		Remarks • Methods
рН	10.2	@ 25 °C
Melting/freezing point	-1.5 °C	
Freezing Point		No information available
Boiling point/boiling range		No information available
Flash Point		Not flammable
Evaporation rate		No information available
Flammability (solid, gas)		Not applicable
Flammability Limits in Air		Not flammable
upper flammability limit		
lower flammability limit		
Vapor pressure		No information available
Vapor density		No information available
Relative density	1.02	@ 25 °C
Water solubility		Miscible
Solubility in other solvents		No information available
Partition coefficient:		No information available
n-octanol/water		
Auto-ignition temperature		Not flammable
Decomposition temperature		No information available
Viscosity, kinematic		No information available
Viscosity, dynamic		No information available
Explosive properties	Not explosive	
Oxidizing properties	Not oxidizing	
9.2 Other information		

No information available

# Section 10: STABILITY AND REACTIVITY

## 10.1 Reactivity

No data available.

## 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

No information available.

## 10.4 Conditions to avoid

Heat, flames and sparks. Do not freeze.

## 10.5 Incompatible materials

Oxidizing agents.

## 10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx), Phosphorous oxides.

# Section 11: TOXICOLOGICAL INFORMATION

Inhalation	No known effect based on information supplied.
Eye contact	May cause eye irritation.
Skin contact	May cause skin irritation.
Ingestion	Ingestion may cause irritation of the gastrointestinal tract.

## 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral:	> 2000 mg/kg (rat)			
Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Potassium hydroxide	365mg/kg (Rat)	-	-	
Skin corrosion/irritation	Based on available data,	classification criteria are not met.		
Serious eye damage/irritation	Based on available data,	classification criteria are not met.		
Respiratory or skin sensitisatio	n Based on available data,	classification criteria are not met.		
Mutagenicity	Based on available data,	Based on available data, classification criteria are not met.		
Carcinogenicity	Based on available data, classification criteria are not met.			
Reproductive toxicity	Based on available data,	classification criteria are not met.		
STOT - Single exposure	Based on available data, classification criteria are not met.			
STOT - Repeated exposure	Based on available data,	classification criteria are not met.		
Aspiration hazard	Based on available data,	classification criteria are not met.		

Other information

No information available.

# Section 12: ECOLOGICAL INFORMATION

## 12.1 Toxicity

WGK Classification 1

## 12.2 Persistence and degradability

Product is biodegradable.

## 12.3 Bioaccumulative potential

Does not bioaccumulate.

Chemical Name	Bioconcentration factor (BCF)	log Pow
Potassium hydroxide	-	0.65
		0.83

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## 12.6 Other adverse effects

No information available.

# Section 13: DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

Waste from residues / unused products	Disposal should be in accordance with local, state or national legislation.
Contaminated packaging	Clean container with water. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# Section 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

		ADR/RID/ADN	ICAO/IATA	IMDG / IMO
14.1	UN Number	-	-	-
14.2	UN proper shipping name	-	-	-
14.3	Transport hazard class(es)	-	-	-
14.4	Packing group	-	-	-
14.5	Environmental Hazards	Not Classified	Not Classified	Not Classified
14.6	Special precautions for user	No special pre	cautions are needed in handling	this material
	Transport in bulk according mex II of MARPOL 73/78 and		-	

#### the IBC Code

# Section 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulations (EC) No. 1907/2006 and No. 453/2010

WGK Classification 1

## 15.2 Chemical Safety Assessment

Chemical Safety Assessment has not been carried out.

## Section 16: OTHER INFORMATION

## Full text of R-phrases referred to under sections 2 and 3

R22 - Harmful if swallowed R35 - Causes severe burns

## Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage

Issuing Date	01-Dec-2010
Revision Date	02-Jul-2013
Revision Note	All sections.

## Disclaimer

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391 and 98/24.

Sentinel X200