MATERIAL SAFETY DATA SHEET

MONOXIDE.

HMIS CODES: H F R P

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. U.S. Department of Labor Occupational Safety and Health Administrator (Non-Mandatory Form) Form Approved OMB No. 1218-0072

| must be consulted for specific requirer | Form Approved OMB No. 1218-0072 | | | | |
|---|--|---|-----------------------------|------------------|-------------|
| IDENTITY (AS USED ON LABEL AND | NOTE: Blank spaces are not permitted. If any item is | | | | |
| GLUE-WASH HAND CLEANER | not applicable, or no information is available, the space must be marked to indicate that. | | | | |
| Section I | | | | | |
| Manufacturer's Name: J.C. WHITLAM MANUFACTURING C | Emergency Telephone Number: (330) 334 - 2524 | | | | |
| Address (Number, Street, City, State, 200 WEST WALNUT STREET | Telephone Number for Information: (330) 334 - 2524 | | | | |
| P.O. BOX 380 | Date Prepared: January 24, 2014 | | | | |
| WADSWORTH, OHIO 44282-0380 | Signature of Preparer (optional): | | | | |
| Section II - Hazardous Ingredients/Id | dentity Information | | | | |
| HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY: CO | OSHA PEL | ACGIH TLV | OTHER LIMITS Recommended | % (optional) | |
| Continue III. Diversion I/Ohamian I Oham | | | | | |
| Section III - Physical/Chemical Chara | 1 | Conscition Cro | itr. (1100 - 4 | \. | 1.00 |
| Boiling Point: Vapor Pressure (mm Hg): | 437°F .20 mm Hg | Specific Gravity (H20 =1): | | | 1.08 N/A |
| Vapor Pressure (IIIII rig). Vapor Density (AIR = 1): | > 1.0 | Melting Point: Evaporation Rate (Butyl Acetate = 1): | | | < .10 |
| Solubility in Water: | MISCIBLE | VOC Conter | Accidic = 1). | 0 g/l | |
| Appearance and Odor: WHITE LOTIO | <u>I</u> | v o o o o mo. | | | |
| Section IV - Fire and Explosion Haza | | | | | |
| Flash Point (Method Used): 212°F (100°C) (TTC) | Flammable Limits: | | LEL: .9 % | UEL: 8.0% | |
| Extinguishing Media: REGULAR FOA | M, WATER FOG, CA | ARBON DIOXI | IDE, OR DR | Y CHEMICAL. | |
| Special Fire Fighting Procedures: WE PIECE IN THE POSITIVE PRESSURE | | | | ATUS WITH A FULL | FACE |
| Unusual Fire and Explosion Hazards: | HAZARDOUS GASI | S/VAPORS F | PRODUCED | IN FIRE ARE CARE | BON |

| Section V - Reactivity Data | | | | GLUE-WASH HAND CLEANER GW | | | | |
|---|--------------------------|---------------------------|-------------------|-------------------------------|----------------------|----------------------|--|--|
| 0. 1 111 | Unstable: | | | Conditions to Assist | | | | |
| Stability: | | Stable: | | Χ | Conditions to Avoid: | | | |
| Incompatibility (Mat | erials to A | void): INCOMF | PATIE | BLE WITH | STRONG OXIDANTS, | ACIDS, AND ALKALIES. | | |
| Hazardous Decomposition or Byproducts: N/A | | | | | | | | |
| Hazardous Polymerization: | May Occur: | | | Conditions to Avoid: | | | | |
| Hazardous i orymenzation. | | Will Not Occur: | | Χ | Conditions to Avoid. | | | |
| Section VI - Health | Hazard D | ata | | | | | | |
| Route(s) of Entry: Inhalation | | n? YES | | Skin? YES | | Ingestion? YES | | |
| Health Hazards (Acute and Chronic): EYES: MAY CAUSE SLIGHT IRRITATION, TEARING, OR BLURRING OF VISION. SKIN: PROLONGED OR REPEATED EXPOSURE MAY CAUSE IRRITATION AND DERMATITIS. BREATHING: MAY CAUSE IRRITATION OF UPPER RESPIRATORY PASSAGES. INGESTION: MAY CAUSE GASTROINTESTINAL IRRITATION. | | | | | | | | |
| Carcinogenicity: | NTP? | NO IA | | IARC Monographs? NO | | OSHA Regulated? NO | | |
| Signs and Symptoms of Exposure: SKIN: MAY CAUSE IRRITATION OR DERMATITIS. EYES: MAY CAUSE TEARING OR SLIGHT BLURRING OF VISION. | | | | | | | | |
| Medical Conditions Generally Aggravated by Exposure: NONE KNOWN | | | | | | | | |
| Emergency and First Aid Procedures: EYES: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. INGESTION: DO NO INDUCE VOMITING. IMMEDIATELY DRINK TWO GLASSES OF WATER. CALL PHYSICIAN. INHALED: MOVE INDIVIDUAL TO FRESH AIR. | | | | | | | | |
| Section VII - Preca | utions for | · Safe Handling | g and | d Use | | | | |
| Steps to Be Taken in Case Material is Released or Spilled: ABSORB LIQUID WITH VERMICULITE, FLOOR ABSORBENT, OR OTHER ABSORBENT MATERIAL AND TRANSFER TO HOOD. | | | | | | | | |
| Waste Disposal Method: FOLLOW LOCAL, STATE, AND FEDERAL LANDFILL RESTRICTIONS. | | | | | | | | |
| Precautions to Be T | | | | ONTAINEI | R TIGHTLY CLOSED. | | | |
| Other Precautions: KEEP OUT OF REA | ACH OF C | HILDREN. | | | | | | |
| Section VIII - Cont | rol Measu | res | | | | | | |
| Respiratory Protect | ion (Specif | y Type): N/A | | | | | | |
| Ventilation: | Local Exhaust: NORMAL RO | | ROOM VENTILATION. | | Special: N/A | | | |
| | Mechani | Mechanical (General): N/A | | | | Other: N/A | | |
| | | | | e Protection: FETY GOGGLES | | | | |
| Other Protective Cl | othing or E | quipment: N/A | | | | | | |
| Work/Hygienic Prag | rtices: \MA | SH LID WITH S | OΔP | ΔΝΟ ΜΔ | TER AFTER LISE | | | |