

MATERIAL SAFETY DATA SHEET

MSDS 0258

Section 1 -- PRODUCT AND COMPANY IDENTIFICATION

<p>PRODUCT NAME Odorgon Powder</p> <p>PRODUCT CODES 68512, 68514</p> <p>CHEMICAL FAMILY: Inorganic</p> <p>USE Deodorizer & Fuel Oil Absorber</p> <p>MANUFACTURER'S NAME The RectorSeal Corporation 2601 Spenwick Drive Houston, Texas 77055 USA</p> <p>VALIDATION DATE July 5, 2007</p> <p>REVISION DATE July 5, 2007</p>	<p style="text-align: center;">HMIS CODES</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Health</td> <td style="width: 50%; text-align: right;">:</td> </tr> <tr> <td>Flammability</td> <td style="text-align: right;">(</td> </tr> <tr> <td>Reactivity</td> <td style="text-align: right;">)</td> </tr> <tr> <td>PPI</td> <td style="text-align: right;">1</td> </tr> </table> <p>EMERGENCY TELEPHONE NO. Chemtrec 24 Hours (800) 424-9300</p> <p>TECHNICAL SERVICE TELEPHONE NO. (800) 231-3345</p>	Health	:	Flammability	(Reactivity)	PPI	1
Health	:								
Flammability	(
Reactivity)								
PPI	1								

Section 2 -- COMPOSITION/INFORMATION ON INGREDIENTS

% by WT	CAS No.	INGREDIENT	UNITS
39.9	8031-18-3	Silica	
		ACGIH TLV	10 mg/m3
		OSHA PEL	6 mg/m3
9.98	7631-86-9	Amorphous Silica	
		ACGIH TLV	10 mg/m3
		OSHA PEL	6 mg/m3
49.87	7631-86-9	Silicon Dioxide	
		ACGIH TLV	30 mg/m3
		OSHA PEL	0.1 mg/m3

Section 3 -- HAZARDS IDENTIFICATION

SUMMARY OF ACUTE HAZARDS

Repeated inhalation may cause respiratory irritation. Avoid inhaling powder.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS INHALATION

Dust may cause irritation to lungs and respiratory tract. Avoid inhaling powder.

EYE CONTACT

Contact may cause eye irritation.

SKIN CONTACT

None known.

INGESTION

May cause irritation of the digestive tract.

SUMMARY OF CHRONIC HAZARDS

SUMMARY OF CHRONIC HAZARDS

None known.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Individuals with pre-existing or chronic diseases of the eyes and respiratory system may have increased susceptibility to excessive exposure.

Section 4 -- FIRST AID MEASURES

If INHALED: Remove to fresh air; administer oxygen, or artificial respiration if needed. Seek immediate medical attention.

If on SKIN: Wash with soap and water.

If in EYES: Immediately flush with large amounts of water. If irritation occurs, seek medical attention.

If SWALLOWED: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Section 5 -- FIRE FIGHTING MEASURES

FLASH POINT	LEL	UEL
None	N/A	N/A

EXTINGUISHING MEDIA

Non-combustible. Use agents appropriate for surrounding fires.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Sweep up to prevent footing hazard.

Section 7 -- HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in dry place.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION (SPECIFY TYPE): None required.

VENTILATION - LOCAL EXHAUST: N/A

SPECIAL: N/A

MECHANICAL (GENERAL): N/A

OTHER: N/A

PROTECTIVE GLOVES: N/A

EYE PROTECTION: Safety glasses (ANSI Z-87.1 or equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.

WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A

SPECIFIC GRAVITY (H2O = 1): Solid
VAPOR PRESSURE (mm Hg): N/A
MELTING POINT: N/A
VAPOR DENSITY (AIR = 1): N/A
EVAPORATION RATE (ETHYL ACETATE = 1): N/A
APPEARANCE/ODOR: Powder / Mild Odor
SOLUBILITY IN WATER: Insoluble

VOLATILE ORGANIC COMPOUNDS(VOC)Content
(Theoretical Percentage By Weight): 0% or (0 g/L)

=====
Section 10 -- STABILITY AND REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID: None known.
INCOMPATIBILITY (MATERIALS TO AVOID): None known.
HAZARDOUS DECOMPOSITION PRODUCTS: None known.
HAZARDOUS POLYMERIZATION: Will not occur.
=====

Section 11 -- TOXICOLOGY INFORMATION

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

TOXICOLOGY DATA

Ingredient Name

Silica

Oral-Rat LD50:N/D

Inhalation-Rat LC50:N/D

Amorphous Silica

Oral-Rat LD50:3160 mg/kg

Inhalation-Rat TCLo:50 mg/m3/6H/2Y-I

Silicon Dioxide

Intraperitoneal-Rat LDLo:400 mg/kg

Inhalation-Rat LC50:N/D
=====

Section 12 -- Ecological Information

ECOLOGICAL DATA

Ingredient Name

Silica

Food Chain Concentration Potential N/D

WATERFOWL TOXICITY N/D

BOD N/D

AQUATIC TOXICITY N/D

Amorphous Silica

Food Chain Concentration Potential N/D

WATERFOWL TOXICITY N/D

BOD N/D

AQUATIC TOXICITY N/D

Silicon Dioxide

Food Chain Concentration Potential N/D

WATERFOWL TOXICITY	N/D
BOD	N/D
AQUATIC TOXICITY	N/D

=====
Section 13 -- DISPOSAL CONSIDERATIONS

Waste Classification: Non-regulated solid waste

Disposal Method: Approved landfill

Waste from this product is not considered hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with Federal, State, and Local regulation regarding pollution.
=====

Section 14 -- TRANSPORTATION INFORMATION

DOT: Non-Regulated

OCEAN (IMDG): Non-Regulated

AIR (IATA): Non-Regulated

WHMIS (CANADA): Non-Regulated
=====

Section 15 -- REGULATORY INFORMATION

REGULATORY DATA

Ingredient Name

Silica

SARA 313	N/A
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A

Amorphous Silica

SARA 313	N/A
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A

Silicon Dioxide

SARA 313	N/A
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A

This product has been classified according to the hazard criteria of the CFR and the MSDS contains all the information required by the CFR.
=====

Section 16 -- OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001