




Westwood

# CAST IRON TOP FUEL FILTERS


WITH **EPOXY** COATING INSIDE!



- Exact Replacement for popular CAST IRON top filters
- Heavy gage canister with EPOXY COATING on the inside - FIRST in the industry!
- UL GPH and pressure ratings EXCEED comparable OEM filters
- 360° screwdriver slot makes disassembly for element changing easy
- Service environment: Indoors, 20° to 105° F



## COMPLETE CAST IRON TOP FILTERS with EPOXY coated canister


 No.	Element Type	GPH	PSI	Exact Replacement for:
F20 F25	Pure-Oil™ CLASSIC FELT™	17	52	General 1A-25A
F65 F70	Pure-Oil™ CLASSIC FELT™	32	52	General 2A-700A

All filters have 3/8" NPT pipe connections



Take a look . . .

UL Recognized CANISTER UPGRADE KITS on page F11  
Individual FILTER GASKETS on page F10

Please order by  No.


rev. 9-1-13

**F1**



Westwood

# HIGH CAPACITY CAST IRON TOP FUEL FILTERS

WITH **EPOXY** COATING INSIDE!




- Exact Replacement for popular CAST IRON top filters
- Heavy gage canister with EPOXY COATING on the inside - FIRST in the industry!
- UL GPH and pressure ratings EXCEED comparable OEM filters
- 360° screwdriver slot makes disassembly for element changing easy
- **BIG GUY™** element holds twice as much as standard elements
- Service environment: Indoors, 20° to 105° F



## COMPLETE CAST IRON TOP FILTERS with EPOXY coated canister

**BIG GUY™**  
ELEMENT  
HOLDS TWICE  
AS MUCH!

 No.	Element Type	GPH	PSI	Exact Replacement for:
F80	Pure-Oil™ <b>BIG GUY™</b>	30	52	Fulflo FB4
F84	CLASSIC YARN™	22	52	

All filters have 3/8"- NPT pipe connections



UL Recognized CANISTER UPGRADE KITS on page F11  
Individual FILTER GASKETS on page F10

# F2

Westwood

the NEW industry leader in Spin-Ons!

1/8"-NPT tapping for vacuum gauge &amp; bleeding

ALL heads tapped for bracket

Cast aluminum top

Seamless one piece  
canister (drawn steel)

Epoxy coated inside

Ultra-10™ 10 Micron media

Plated steel end caps (media  
embedded in thermo setting adhesive)

Spring pad (no metal to epoxy contact)

biofuels  
COMPATIBLE

B5

SEE STATEMENT ON INSIDE COVER

#1


The FIRST Epoxy  
Coated UL LISTED  
Spin-On!LISTED  
US and Canada

Perforated metal center support tube



Precision coil spring

For Every Service Need...

Residential

Ultra-10™  
10 MICRON FILTER MEDIA

Commercial

COMMERCIAL DUTY  
30 MICRON FILTER MEDIAMounting  
Bracket  
KitFLI™  
Filter Life Indicator  
with Gauge Mount  
& Bleeder fittingSee the following page for a  
complete listing of the entire  
Spin-On line, replacement  
elements, and accessories.

All Westwood Spin-On filters and replacement elements are either UL Listed or UL Recognized Components

All Spin-On filters have 3/8"-NPT pipe connections and a 1/8"-NPT bleeder/gauge port. Service environment: Indoors, 20° to 105° F.

**biofuels**  
COMPATIBLE



**B5**

SEE STATEMENT ON INSIDE COVER

## RESIDENTIAL - 17 GPH, 40 PSI, 10 Micron



**Ultra-10™**  
10 MICRON FILTER MEDIA


No. F100  
Complete Filter



No. F100-2  
Complete Filter with  
bracket kit



No. F100-4  
Complete Filter with  
bleeder fitting and **FLI™**  
gauge



No. F100-6  
Complete Filter with  
bracket kit, bleeder fitting  
and **FLI™** gauge



**Ultra-10™**  
10 MICRON FILTER MEDIA

No. F100-10  
Replacement Element,  
individually boxed  
with "O" ring

## COMMERCIAL - 37 GPH, 20 PSI, 30 Micron



**COMMERCIAL DUTY**  
30 MICRON FILTER MEDIA


No. F100-1  
Complete Filter



No. F100-3  
Complete Filter with  
bracket kit



No. F100-5  
Complete Filter with  
bleeder fitting and **FLI™**  
gauge




No. F100-7  
Complete Filter with  
bracket kit, bleeder fitting  
and **FLI™** gauge




**COMMERCIAL DUTY**  
30 MICRON FILTER MEDIA

No. F100-11  
Replacement Element,  
individually boxed  
with "O" ring

## SPIN-ON PARTS & ACCESSORIES




No. F100-8  
Replacement filter top only  
with holes for bracket



No. F100-12  
Mounting bracket Kit  
(includes screws)



No. F100-14  
**FLI™** (Filter Life Indicator)  
color coded compound gauge




No. F100-16  
Gauge mount and bleeder  
fitting (allows filter bleeding  
without removing gauge)



No. F100-18  
Spin-On filter wrench  
(fits all popular filters)

Need help identifying what you need? See cross reference on next page.

## SPIN-ON CROSS REFERENCE - Westwood to others


 No.	Description	Gar-Ber	Sid Harvey (Mitco)	Crown
<b>F100</b>	Filter - Residential	11V-R	290, 264-SO	41439
<b>F100-1</b>	Filter - Commercial	-	292-2, 264-92	-
<b>F100-2</b>	Filter - Residential w/bracket	11BV-R	-	-
<b>F100-3</b>	Filter - Commercial w/bracket	11BV-M	292-2B, 264-92B	-
<b>F100-4</b>	Filter - Residential w/gauge	11V-RK	-	-
<b>F100-5</b>	Filter - Commercial w/gauge	-	292-2G, 264-92G	-
<b>F100-6</b>	Filter - Residential w/bracket & gauge	11BV-RK	-	-
<b>F100-7</b>	Filter - Commercial w/bracket & gauge	11BV-MK	292-2GB, 264-92GB	-
<b>F100-8</b>	Replacement spin-on filter top only	-	290-SO, 290-SOM	-
<b>F100-10</b>	Spin-On element only - Residential	R	290-6, 264-91	41436
<b>F100-11</b>	Spin-On element only - Commercial	M	292-1, 264-93	-
<b>F100-14</b>	Filter Life Indicator (FLI) color coded gauge, 1/8"-NPT	F.R.I.	-	-
<b>F100-16</b>	Gauge mount and bleeder fitting	-	-	-
<b>F100-18</b>	Spin-on filter wrench	-	-	-

This cross-reference is provided as an aid in identifying which Westwood part numbers most closely replace those part numbers shown. It was accurate at the time it was created, to the extent that the information was publically available. Since manufacturers may sometimes change specs or discontinue products altogether, some inaccuracies may develop over time. Further, the Westwood parts shown will provide an equivalent, or superior, level of performance and service. However, due to differences among manufacturers, physical size and dimensions may vary.

# FLI™


## FILTER LIFE INDICATOR GAUGE AND FITTINGS

The **FLI™** gauge is a color coded compound gauge that predicts filter life by showing the running vacuum as the filter loads up. The fittings may also be used as a diagnostic tool wherever a gauge needs to be inserted into the system.




 No. F100-50

Piping: 3/8" Copper  
Use at: Pump, OSV,  
Tigerloop




 No. F100-60


Piping: 3/8" Copper  
Use at: Filter



 No. F100-70


Piping: Flexible oil Line  
Use at: Pump, OSV,  
Tigerloop



 No. F100-80


Piping: Buderus flexible  
oil line between Tigerloop  
and pump inlet port




 No. F100-85

Piping: Buderus flexible  
oil line between pump  
return port and Tigerloop



 No.	Description	System Piping	Typically Installed At
<b>F100-14</b>	<b>FLI™</b> Filter Life Indicator color coded gauge, 1/8"-NPT	-	-
<b>F100-50</b>	<b>FLI™</b> fitting, 3/8" flare x 1/4"- NPT(M)	3/8" OD Copper	Pump, OSV, Tigerloop
<b>F100-55</b>	F100-50 fitting with <b>FLI™</b> gauge	3/8" OD Copper	Pump, OSV, Tigerloop
<b>F100-60</b>	<b>FLI™</b> fitting, 3/8" flare x 3/8"- NPT(M)	3/8" OD Copper	Filter
<b>F100-65</b>	F100-60 fitting with <b>FLI™</b> gauge	3/8" OD Copper	Filter
<b>F100-70</b>	<b>FLI™</b> fitting, 1/4"- NPT(F) x 1/4"- NPT(M)	Flexible Oil Line	Pump, OSV, Tigerloop
<b>F100-75</b>	F100-70 fitting with <b>FLI™</b> gauge	Flexible Oil Line	Pump, OSV, Tigerloop
<b>F100-80</b>	<b>FLI™</b> fitting, 3/8"- BSPP* x 1/4"- NPT(M), with <b>FLI™</b> gauge	Buderus Oil Line	Tigerloop to pump
<b>F100-85</b>	Buderus-Tigerloop pump return fitting, 3/8"- BSPP* x 1/4"- NPT(M)	Buderus Oil Line	Pump to Tigerloop

\*BSPP = British Standard Pipe Parallel. The thread used on Buderus flexible oil lines.

Please order by  No.

rev. 5-1-07


# F5




Westwood

## SECONDARY FILTRATION ASSEMBLIES

Fully assembled filter assemblies combining Westwood's premium cast iron top filters with Westwood's ultra fine spin-on filter. Connected in series, the **PRIMARY** filter catches most contamination; the **SECONDARY** filter traps the small nozzle plugging particles. All filters used in the secondary filtration assemblies are UL Listed. Service environment: Indoors, 20° to 105° F.



W/P No.	Primary Filter No.	Primary Element	Secondary Filter No.	Secondary Element
F20-100	F20	Pure-Oil™	F100	10 micron spin-on
F65-100	F65		F100	
F80-100	F80		F100	



All filters have 3/8" - NPT pipe connections




UL Recognized CANISTER UPGRADE KITS on page F11  
Individual FILTER GASKETS on page F10

# F6

rev. 9-1-13

Please order by No.



## USE ONLY UL RECOGNIZED replacement elements



An industry first! Westwood's new line of replacement filter elements are UL Recognized for use in the General 1A-25A, 2A-700A; Unifilter 77, 99; Sid Harvey (Mitco) 264, 265; Fulflo FB4; and Firomatic C-40, C-50



**Be Safe! Always look for the UL Recognized Component symbol**




# Pure Oil™ FILTER ELEMENTS

- ▶ Latest Computer Designed Shape
- ▶ Largest surface area with most filtering ribs
- ▶ Greater capacity - highest in it's class!
- ▶ Fiber-welded for shed free performance
- ▶ Environmentally friendly processed plant fiber
- ▶ Popular elements UL Recognized Components

The Most Advanced Design...  
With the Most Advanced Material!



 No.	Reference No.	Description	Fits	QTY PKG
F10-48*	PA-25	Pure-Oil™ Individually bagged with gaskets	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F	48
F30-24*	-	Pure-Oil™ Individually bagged with gaskets	General 2A-700A; Unifilter 99; Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	24
F80-24*	-	Pure-Oil™ <b>BIG GUY</b> ™ Ind. bag w/gaskets	Fulflo FB4; Westwood F80, F84	24
F80-30*	-	Pure-Oil™ bulk packed less gaskets	Fulflo FB4; Westwood F80, F84	30
F80-36*	P4FO-IB	Pure-Oil™ Individually boxed with gaskets	Fulflo FB4; Westwood F80, F84	36
F80-48*	-	Pure-Oil™ Individually bagged with gaskets	Fulflo FB4; Westwood F80, F84	48
F81-10	-	Pure-Oil™ Individually bagged with gaskets	Fulflo FB6	10
F82-6	-	Pure-Oil™ Individually bagged with gaskets	Fulflo FB8	6
F83-4	-	Pure-Oil™ Individually bagged with gaskets	Fulflo FB10	4
F90-6*	-	Pure-Oil™ Individually bagged with gaskets	Firomatic C-40 (RC-20)	6
F90-12*	-	Pure-Oil™ <b>BIG GUY</b> ™ Ind. bag w/gaskets	Firomatic C-40 (RC-20)	12
F90-36*	PF-20	Pure-Oil™ Individually bagged with gaskets	Firomatic C-40 (RC-20)	36
F91-6*	-	Pure-Oil™ Individually bagged with gaskets	Firomatic C-50 (RC-30)	6
F91-12*	-	Pure-Oil™ <b>BIG GUY</b> ™ Ind. bag w/gaskets	Firomatic C-50 (RC-30)	12
F91-36*	PF-30	Pure-Oil™ Individually bagged with gaskets	Firomatic C-50 (RC-30)	36
F92-6	-	Pure-Oil™ Individually bagged with gaskets	Purolator PF2002	6
F92-36	PP-20	Pure-Oil™ Individually bagged with gaskets	Purolator PF2002	36

\* UL Recognized Component



HOLDS TWICE  
AS MUCH!

Individual FILTER GASKETS on page F10


# F8







## 10 MICRON FILTER ELEMENTS

Upgrades any standard filter to the performance of a SPIN-ON!



- 10 Micron rating for super fine filtration
- Same type element as used in Spin-Ons
- Advanced collapse-proof design
- UL Recognized Component



No. **F12-12**

No. **F32-12**


No.	Description	Fits	QTY PKG
<b>F12-12*</b>	Ultra-10™ Indiv. bagged with gaskets	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F	12
<b>F32-12*</b>	Ultra-10™ Indiv. bagged with gaskets	General 2A-700A; Unifilter 99; Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	12

\* UL Recognized Component


CLASSIC



## STACKED SEGMENT ELEMENTS



- Premium quality precision cut wool felt
- Economical time proven classic design
- UL Recognized Component



No. **F15-36, -48**

No. **F35-12, -24**

No.	Reference No.	Description	Fits	QTY PKG
<b>F15-36*</b>	AO25	CLASSIC FELT™ Indiv. boxed with gaskets	General 1A-25A; Unifilter 77;	36
<b>F15-48*</b>	AO25B	CLASSIC FELT™ Indiv. bagged with gaskets	Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F	48
<b>F35-12*</b>	-	CLASSIC FELT™ Indiv. bagged with gaskets	General 2A-700A; Unifilter 99;	12
<b>F35-24*</b>	AO70	CLASSIC FELT™ Indiv. boxed with gaskets	Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	24

\* UL Recognized Component

## COMMERCIAL ELEMENT for General Filters 2A-300

- Original **Hard to find** sealed can design

No.	Reference No.	Description	Fits	QTY PKG
<b>F75-12</b>	AO30	Original sealed can design, individually boxed with gaskets	General 2A-300	12



No. **F75-12**


Individual FILTER GASKETS on page F10

Please order by No.


rev. 9-1-13

**F9**


# CLASSIC YARN™ WOUND ELEMENTS




- Premium quality tightly wound yarn
- Economical time proven design
- Popular elements UL Recognized

 No.	Reference No.	Description	Fits	QTY PKG
F84-30*	4FO-30	Bulk (no gaskets)	Fulflo FB4;	30
F84-36*	4FO-IB	Boxed with gaskets	Westwood	36
F84-48*	4FO-IBG	Bagged with gaskets	F80, F84	48
F85-10	-	Bagged with gaskets	Fulflo FB6	10
F85-30	6FO-30	Bulk (no gaskets)		30
F86-6	-	Bagged with gaskets	Fulflo FB8	6
F86-30	8FO-30	Bulk (no gaskets)		30
F87-4	-	Bagged with gaskets	Fulflo FB10	4
F87-30	10FO-30	Bulk (no gaskets)		30


\* UL Recognized Component




 No. **F84** (SERIES)  
for Fulflo FB4;  
Westwood F80, F84



 No. **F85** (SERIES)  
for Fulflo FB6



 No. **F86** (SERIES)  
for Fulflo FB8




 No. **F87** (SERIES)  
for Fulflo FB10

## FUEL FILTER GASKETS

UL Recognized material - Same as used in Westwood's UL Listed filters



 No.	Reference No.	Description / Filter Manufacturer and Model Information	Where Used	Material	QTY PKG
<b>New!</b> F80-60	-	Gasket set for Fulflo FB4, FB6, FB8, FB10; Westwood F80, F84 filters; (1 ea. cover, nut, vent), bagged	Cover	Rubber	1
			Nut	Fiber	1
			Vent	Fiber	1
F10-50	CG-25	General 1A-25A; Unifilter 77;	Cover	Rubber	100
F10-52	BG-25	Westwood F10, F12, F15, F20, F25;	Bolt	Fiber	100
F10-54	-	Sid Harvey (Mitco) 264, 264F	Vent	Fiber	100
F10-55	VG-25	Westwood S-254	Vent	Fiber	100
F30-50	CG-70	General 2A-700A; Unifilter 99;	Cover	Rubber	100
F10-52	BG-25	Westwood F30, F32, F35, F65, F70;	Bolt	Fiber	100
F10-54	-	Sid Harvey (Mitco) 265, 265F	Vent	Fiber	100
F75-50	CG-300	General 2A-300	Cover	Rubber	100
F75-56	LG-300		Lower Can	Rubber	100
F80-50	CG-B4	Fulflo FB4, FB6, FB8, FB10;	Cover	Rubber	100
F80-52	BG-4	Westwood F80, F84	Nut	Fiber	100
F80-54	VG-4		Vent	Fiber	100
F90-50	CG-20	Firomatic C-40 (RC-20), C-50 (RC-30)	Cover	Rubber	100
F90-52	BG-20	<b>DISCONTINUED</b>	Bolt	Fiber	100
F92-50	CG-2002	Purolator PF2002	Cover	Rubber	100
F92-52	BG-2002		Bolt	Rubber	100
F92-54	VG-2002		Vent	Fiber	100

# F10



## USE ONLY UL RECOGNIZED replacement canisters

Another industry first! Westwood's new line of replacement canisters are UL Recognized for use on General 1A-25A, 2A-700A; Unifilter 77, Unifilter 99; Sid Harvey (Mitco) 264, 264F, 265, 265F; and Fulflo FB4.


**Be Safe! Always look for the UL Recognized Component symbol**




### CANISTER UPGRADE KITS\*

Epoxy coated canister, element, center bolt, gasket, fiber washers

Service environment: Indoors, 20° to 105° F



 No.	Element Type	Upgrades
F10-5 F15-5	Pure-Oil™ CLASSIC FELT™	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F
F30-5 F35-5	Pure-Oil™ CLASSIC FELT™	General 2A-700A; Unifilter 99; Westwood F30, F32, F35; Sid Harvey (Mitco) 265, 265F
F80-5 F84-5	Pure-Oil™ <b>BIG GUY</b> ™ CLASSIC YARN™	FULFLO FB4; Westwood F80, F84

\* All kits contain UL Recognized Component canisters and elements

Please order by  No.

rev. 9-1-13

# F11