

NuTone®

VENTILATION FANS



WHEREVER YOU DWELL,
LIVE MORE COMFORTABLY

A preferred choice of electrical pros since 1936.

NUTONE. HOME COMFORT AND CONV

What started with the world's first door chime eight decades ago is now the NuTone you know and trust for products that contribute to more comfortable lifestyles.

You'll find America's leading brand of convenience products in homes across the country, including ventilation fans, door chimes, central vacuum systems and home automation systems. We clear the air in any room, greet your guests when they arrive at your door, make floors and carpets spotless, and enable you to confirm your garage door is closed, and close it, from anywhere in the world.

We're continually refining our comprehensive product line that homeowners interact with every day. And when a product is installed, our award-winning technical support team is ready to answer any question. At NuTone, we bring peace of mind to contractors and homeowners. Consider this; 86 percent of contractors would recommend NuTone products. That can only happen when customers are satisfied. And that's why we proudly say, **NuTone is the preferred choice of electrical pros since 1936.**




OVER 80 YEARS OF INNOVATING LIFE AT HOME



Doorbells



Door Chimes



Ventilation Fan/Lights




Ventilation Fans




Ceiling Fans

ENIENCE SOLUTIONS.



Central Vacuums



Intercoms



Ironing Centers



Home Automation



Backyard Lighting & Mosquito Repellency

CLEAN AIR, COMFORT AND CONVENIENCE IS IMPORTANT IN EVERY ROOM OF THE HOME, NOT JUST THE BATHROOM.

- 2-3 INTRODUCTION
- 6-7 CODES
- 8-13 ULTRA™ SERIES
- 14-19 QTXE SERIES
- 20-23 INVENT™ SERIES
- 24-25 LOPROFILE™
- 26-29 CLASSIC VENTILATION
- 30-35 ARCHITECTURAL LIGHTING
- 36-39 SPECIALTY
- 40-45 HEATER-FAN-LIGHTS
- 46-49 WALL CONTROLS
- 50-51 ACCESSORIES
- 52-53 FAQs
- 54-55 INSTALLATION NOTES
- 56-57 SPECIFICATIONS





NUTONE KNOWS TODAY'S STRINGENT VENTILATION CODES AND STANDARDS.

Because today's homes are built tighter than ever before, what gets in stays in, unless mechanically ventilated out. Premium ventilation solutions from NuTone dramatically reduce moisture as well as airborne pollutants from off-gassing building materials, adhesives and household cleaners. They also help eliminate allergens, dust, pet dander and cooking effluents—everything that contributes to poor indoor air quality.

Both spot and whole house ventilation are important. Spot ventilation products remove pollutants at the source when they occur—think bathroom fans and kitchen range hoods—quickly eliminating humidity, odor and cooking effluents.

Whole-house ventilation, also known as continuous or dwelling unit ventilation (DUV), continually removes what's not captured by spot ventilation for a more healthy and comfortable home.

Understanding today's ventilation requirements.

The American Society of Heating, Refrigeration and Air Conditioning Engineers (ASHRAE) set the industry standard for ventilation and acceptable indoor air quality for low-rise residential buildings with ASHRAE 62.2. It sets the minimum standard for spot or local ventilation of individual bathrooms of 50 Cubic Feet per Minute (CFM) delivered airflow at 3.0 sones or less. It also specifies the requirements for whole house ventilation of an entire dwelling at the maximum sound rating of 1.0 sone for ventilation fans.

Code Adoption Growing Rapidly.

California was a leader in this area with their Title 24 Code. Other state and city governments are quickly adopting similar codes such as the International Energy Conservation Codes (IECC 2012) to improve energy efficiency as well as indoor air quality.

Above-code green building programs such as ENERGY STAR® for Homes, ENERGY STAR® Indoor Air Plus, the Leadership in Energy and Environment Design (LEED) Certification Building Program and the National Association of Home Builders (NAHB) Green Building Standard are certified green building programs that promote human health and conserve natural resources. Let NuTone help you meet the goals of these programs.

You've come to the right place for product solutions.

With NuTone's extensive product line-up, including exhaust and balanced ventilation options such as Heat Recovery Ventilators (HRVs) and Energy Recovery Ventilators (ERVs), you're sure to find the ideal solution to meet your needs.

SELECTING THE PROPER WHOLE HOUSE RESIDENTIAL VENTILATION SOLUTION.

Sizing your solution is a factor of square footage and the number of bedrooms in the dwelling to meet requirements. These charts are based on ASHRAE 62.2. Note that the 2010 and 2013 versions are different. Most states still operate under 62.2-2010 rates. Before specifying, check local building codes to ensure it meets requirements.

2010 Required Continuous Ventilation Rate (CFM)

Floor Area Sq. Ft.	0-1 BR	2-3 BR	4-5 BR	6-7 BR	>7 BR
<1500	30	45	60	75	90
1501-3000	45	60	75	90	105
3001-4500	60	75	90	105	120
4501-6000	75	90	105	120	135
6001-7500	90	105	120	135	150
>7500	105	120	135	150	165

2013 Required Continuous Ventilation Rate (CFM)

Floor Area Sq. Ft.	0-1 BR	2-3 BR	4-5 BR	6-7 BR	>7 BR
<500	30	40	45	55	60
500-1000	45	55	60	70	75
1001-1500	60	70	70	85	90
1501-2000	75	85	90	100	105
2001-2500	90	100	105	115	120
2501-3000	105	115	120	130	135
3001-3500	120	130	135	145	150
>3501	135	145	150	160	165

AN ALTERNATIVE FORMULA APPROACH TO THE TABLES GIVEN ABOVE

An alternative formula approach to the tables given above also exists which typically results in a lower, more precise CFM requirement. Under the more common 62.2-2010 version, continuous CFM requirements can be calculated using a formula as follows.
 $CFM = .01 \times \text{floor area (in square feet) plus } 7.5 \times (\text{number of bedrooms} + 1).$

Example: A 3,500 square foot home with 4 bedrooms would require 73 CFM
 $.01 \times 3,500 = 35$
 $7.5 \times (4+1) = 38$
 Add together for a total of 73 CFM
 (as compared to the 90 from the table)

The 62.2-2013 version increases the multiplier for floor area from .01 to .03. Note however that infiltration credits can be taken if blower door testing is conducted.

Whole House Ventilation Options


Fan Series	Model	CFM	0.25" CFM	Sones	Motor Type	Sensing	Duct Size	Page No.
UltraGreen Multi Speed	ZN80	80	80	<0.3	DC	—	6" or 4"	11
	ZN80M	80	80	<0.3	DC	Motion	6" or 4"	11
	ZN110	110	110	<0.3	DC	—	6"	11
	ZN110H	110	110	<0.3	DC	Humidity	6"	11
	ZN110M	110	110	<0.3	DC	Motion	6"	11
UltraGreen Single Speed	XN50	50	50	<0.3	DC	—	6" or 4"	11
	XN80	80	80	<0.3	DC	—	6" or 4"	11
	XN110	110	110	<0.3	DC	—	6"	11
	XN110H	110	110	<0.3	DC	Humidity	6"	11
UltraPro	RN80	80		<0.3	PSC	—	4"	13
	RN110	110		0.6	PSC	—	4"	13
QTXEN	QTXEN080	80		0.3	PSC	—	6"	16
	QTXEN110	110		0.7	PSC	—	6"	16
LoPro	LPN80	80		1.0	PSC	—	4" or 3"	25
InVent	AEN80	80		0.8	PSC	—	4"	22
	AEN50	50		0.5	PSC	—	4"	22

Fan/Light Series	Model	CFM	0.25" CFM	Sones	Motor Type	Sensing	Duct Size	Page No.
UltraGreen Multi Speed	ZN80L	80	80	<0.3	DC	—	6" or 4"	11
	ZN80ML	80	80	<0.3	DC	Motion	6" or 4"	11
	ZN110L	110	110	<0.3	DC	—	6"	11
	ZN110HL	110	110	<0.3	DC	Humidity	6"	11
	ZN110ML	110	110	<0.3	DC	Motion	6"	11
UltraGreen Single Speed	XN50L	50	50	<0.3	DC	—	6" or 4"	11
	XN80L	80	80	<0.3	DC	—	6" or 4"	11
	XN110L	110	110	<0.3	DC	—	6"	11
	XN110HL	110	110	<0.3	DC	Humidity	6"	11
UltraPro	RN80L	80		<0.3	PSC	—	4"	13
	RN110L	110		0.8	PSC	—	4"	13
QTXE	QTXEN110SFLT	110		0.7	PSC	—	6"	18
	QTXEN150FLT	150		1.4	PSC	—	6"	17
InVent	AEN80L	80		0.8	PSC	—	4"	22
	AN80L	80		1.0	PSC	—	4"	22

NUTONE CODE KEY

The exclusive online tool that ensures compliant ventilation selection.

Specifying a dwelling unit ventilation (DUV) system for residences is complicated. Code Key from NuTone is the only online resource that helps you select the right product in minutes. Choose the dwelling's state, home size facts and user preferences and receive a list of recommended ventilation products. Change parameters to instantly see a range of options. Code Key requires no software and works on mobile devices. It's another way NuTone—the pioneer in ventilation for more than 80 years—leads the ventilation industry with forward-thinking products and customer service.



A REVOLUTION IN
VENTILATION FAN TECHNOLOGY
***ENGINEERED TO SIMPLIFY
INSTALLATION.***

WE DIDN'T JUST CHANGE ONE THING TO MAKE INSTALLATIONS FASTER, WE CHANGED EVERYTHING. From a unique telescoping mounting frame that installs room-side on retrofits to an easy-to-insert housing and blower that snap into place, we designed the ULTRA™ Series to be the fastest, easiest, most universal installation in new construction or retrofit. No matter what's behind the drywall on your next retrofit job, you'll never have another difficult installation. And just as important, the ULTRA™ Series meets whole-house mechanical ventilation codes and green building program requirements. It's a revolutionary way to install and a revolutionary way to ventilate.






SOUND TECHNOLOGY

Reduce sound levels and improve sound quality in real-world installations. The innovative, patent-pending QStream™ technology utilizes airflow-smoothing baffles that reduce turbulence which means the blower can turn more slowly and quietly—without airflow loss.*

*Not available on 110 CFM UltraGreen Models




Inside/outside wiring capability provides flexible new or retrofit installation

Pre-installed screws in the mounting frame enable quick installation

Vertical positioning tabs ensure the housing is in the right place

The expandable mounting frame adjusts from 14"–24" and fits any type of joist, I-joist or truss construction



ULTRAQUICK™ INSTALLATION TECHNOLOGY

ULTRA™ Series Ventilation Fans are engineered to be the fastest, easiest, most universal installation in remodel, retrofit and new construction—in any type of joist or truss system. Exclusive features simplify room-side installation to save valuable time and money.

For energy saving options see ULTRA GREEN on page 10

RDFU PREMIUM RADIATION DAMPER FOR ULTRA GREEN™ AND ULTRA PRO™ FANS.

When the air temperature passing through the damper exceeds 165°F the fusible link melts, triggering the thermal fabric to automatically close across the damper. Airflow is interrupted by a flame and heat barrier, preventing the rapid spread of fire to other areas.

- Motor serviceable without disturbing drywall
- Galvanized steel frame
- High temperature, non-asbestos, reinforced fiber thermal fabric
- Stainless steel closure springs
- 165°F fusible link
- Use the same grille provided with the ULTRA™ Series fan
- Use Model RDFU with RDJUMPU for ULTRA Green™ and ULTRA Pro™ models with lighting and/or sensing
- UL Standard 555C Classified



THE PERFECT SOLUTION TO MEET TODAY'S CONTINUOUS VENTILATION REQUIREMENTS.

Built for easy installation in either new construction or retrofit applications, the ULTRA Green™ Series makes it simple to ventilate any room in the house. In today's tightly built homes, unhealthy pollutants and excess humidity stay trapped inside unless they are mechanically vented away. Exclusive ULTRA Smart™ DC Motor and Control Technology enables fans to maintain their powerful operation—even at high static pressures—and provide required air movement levels for whole-house ventilation, all while meeting spot ventilation needs on demand. Continuous CFM levels can be precisely adjusted to meet the specific needs of each home.

- HVI certified at <0.3 Sones, ULTRA Silent™ Sound Technology provides the quietest sound rating obtainable
- 50, 80 or 110 CFM
- Intermittent and continuous ventilation
- ULTRA Smart™ DC Motor and Control Technology monitors performance and adjusts motor speed to ensure rated air movement
- ENERGY STAR® qualified
- ULTRA Quick™ Installation Technology saves time with the fastest, easiest, most universal installation
- XN and ZN models feature 6" ducting—50 and 80 CFM models include an optional 6" to 4" duct reducer
- Bright, energy efficient 36 watt fluorescent lighting
- UL Listed for use over bathtub or shower when connected to a GFCI protected branch circuit
- Type IC
- Fits 2" x 8" ceiling construction
- Optional RDFU Premium Radiation Damper Kit available for all XN and ZN models



XN50 | XN80 | XN110 | ZN80 | ZN110 FANS




XN110H | ZN110H HUMIDITY SENSING FANS



ZN80M | ZN110M MOTION SENSING FANS



XN50L | XN80L | XN110L | ZN80L | ZN110L FAN/LIGHTS



XN110HL | ZN110HL HUMIDITY SENSING FAN/LIGHTS




ZN80ML | ZN110ML MOTION SENSING FAN/LIGHTS




Humidity Sensing



Motion Sensing





ULTRASMART™ DC MOTOR AND CONTROL TECHNOLOGY

To virtually ensure full-rated performance—regardless of the ducting situation—ULTRA™ Green Series fans automatically monitor and adjust CFM output. For continuous ventilation needs, multi-speed models may be precisely set as low as 30 CFM to avoid costly over-ventilating. A second dial controls runtime at maximum CFM. Our DC motor is the most efficient in our line—80 CFM models use only 5.8 watts.

ULTRASILENT™ SOUND TECHNOLOGY

ULTRA™ Green Series Ventilation Fans are HVI certified at a remarkable <0.3 Sones; the quietest sound rating obtainable. A dynamically balanced DC motor mounted behind the wheel, a state-of-the-art blower that reduces turbulence, and a free-flowing 6" duct outlet opening that won't inhibit airflow make it possible. There's no quieter fan available.

POWERFUL MOTION & SENSING TECHNOLOGIES

ULTRA Fans with SensAire humidity sensing technology detect the rapid rise in humidity at the ceiling level. This means that they will react to shower humidity much faster than competitive fans or wall controls. Multi-speed models turn the fan speed up from the lower continuous CFM level. Single-speed models turn the fan on automatically.

ULTRA Fans with motion sensing and multi-speed capability automatically turn the fan up to maximum speed from the lower continuous setting when motion is detected which is ideal for family members who forget to turn the fan on.

Model	CFM	Sones	Light/Night Light	Humidity Sensing	Motion Sensing	Ducting	Grill Dims (in)		ENERGY STAR®
							L	W	
Single-speed Fans									
XN50	50	<0.3	—	—	—	6" to 4" reducer	13	14	Yes
	50	<0.3							
XN80	80	<0.3	—	—	—	6" to 4" reducer	13	14	Yes
	80	0.3							
XN110	110	<0.3	—	—	—	6"	13	14	Yes
XN110H	110	<0.3	—	Yes	—	6"	13½	14	Yes
Single-speed Fan/Lights									
XN50L	50	<0.3	2- 18W GU24 / 4W	—	—	6" to 4" reducer	13	14	Yes
	50	<0.3							
XN80L	80	<0.3	2- 18W GU24 / 4W	—	—	6" to 4" reducer	13	14	Yes
	80	0.3							
XN110L	110	<0.3	2- 18W GU24 / 4W	—	—	6"	13	14	Yes
XN110HL	110	<0.3	2- 18W GU24 / 4W	Yes	—	6"	13½	14	Yes
Multi-speed Fans									
ZN80	80	<0.3	—	—	—	6" to 4" reducer	13	14	Yes
	80	0.3							
ZN80M	80	<0.3	—	—	Yes	6" to 4" reducer	13½	14	Yes
	80	0.3							
ZN110	110	<0.3	—	—	—	6"	13	14	Yes
ZN110H	110	<0.3	—	Yes	—	6"	13½	14	Yes
ZN110M	110	<0.3	—	—	Yes	6"	13½	14	Yes
Multi-speed Fan/Lights									
ZN80L	80	<0.3	2- 18W GU24 / 4W	—	—	6" to 4" reducer	13	14	Yes
	80	0.3							
ZN80ML	80	<0.3	2- 18W GU24 / 4W	—	Yes	6" to 4" reducer	13½	14	Yes
	80	0.3							
ZN110L	110	<0.3	2- 18W GU24 / 4W	—	—	6"	13	14	Yes
ZN110HL	110	<0.3	2- 18W GU24 / 4W	Yes	—	6"	13½	14	Yes
ZN110ML	110	<0.3	2- 18W GU24 / 4W	—	Yes	6"	13½	14	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



* Compared to a central fan-integrated system when used for continuous ventilation; based on software calculations and analysis conducted by Broan-NuTone

QFLOW™ TECHNOLOGY MEANS SMOOTHER AIRFLOW **AND OPTIMAL BACKDRAFT SEALING.**


QFlow™ Damper Technology Patent-pending QFlow technology helps achieve desired building airtightness scores when the fan is off. It also removes the duct damper flap from the airstream path, reducing static pressure and noise when the fan is on.

FAN OFF



Without QFlow, outdoor air can intrude past the damper edges.

With QFlow, outdoor air intrusion is blocked with its edge-to-edge design.




FAN ON



Pre-installed screws in the mounting frame enable quick installation

Without QFlow, the flap impedes airflow which increases static pressure, turbulence and noise.


With QFlow, the flap lifts out of the way, minimizing turbulence for more quiet operation.




REDUCE SOUND LEVELS AND IMPROVE SOUND QUALITY IN REAL-WORLD INSTALLATIONS.



The innovative, patent-pending QStream™ technology utilizes airflow-smoothing baffles that reduce turbulence which means the blower can turn more slowly and quietly—without airflow loss.



With QStream™ Technology



Without QStream™ Technology

ULTRAQUICK™ INSTALLATION TECHNOLOGY

ULTRA™ Series Ventilation Fans are engineered to be the fastest, easiest, most universal installation in remodel, retrofit and new construction—in any type of joist or truss system. Exclusive features simplify room-side installation to save valuable time and money.

Inside/outside wiring capability provides flexible new or retrofit installation

Pre-installed screws in the mounting frame enable quick installation

Vertical positioning tabs ensure the housing is in the right place

The expandable mounting frame adjusts from 14"–24" and fits any type of joist, I-joist or truss construction



ULTRA PRO FEATURES

- Provide your customers extremely quiet operation with innovative sound reduction technologies
- QStream™ technology features airflow-smoothing baffles to reduce turbulence
- Optional RDFU Premium Radiation Damper Kit available for all XN and ZN models

The preferred install choice for professionals to deliver quiet performance



Ultra Pro Series

Model	Duct Size	CFM	Sones	Light/Night Light	ENERGY STAR®	Housing Dims (in)			Grille Dims (in)		Grille Finish	UL Listed for Tub/Shower use
						W	L	H	L	W		
Single-Speed Fans												
RN80	4"	80	<0.3	—	Yes	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	Yes
RN110	4"	110	0.6	—	Yes	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	Yes
Single-Speed Fan/Lights												
RN80L	4"	80	<0.3	2- 18W GU24 / 4W	Yes	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	Yes
RN110L	4"	110	0.8	2- 18W GU24 / 4W	Yes	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates





NUTONE QT SERIES.

SO QUIET, YOU MIGHT EASILY FORGET






IT'S ON.

PEACEFUL MOMENTS CAN BE ENJOYED EVEN MORE WITH VENTILATION FROM A QUIET, QT SERIES FAN.


The very quiet NuTone QT Series is the ideal solution for any room that benefits from ventilation. Most QT models operate at less than one sone—the sound of a quiet running refrigerator. But quiet operation doesn't mean less power. Installed properly, the QT Series maintains full-rated airflow in real-world installations. So choose a QT Series bath fan, fan/light or heater/fan/light for your application. NuTone has the perfect solution for every room.

QTXEN FAN FEATURES



- Very quiet operation 0.3 to 1.4 sones
- 80 CFM to 150 CFM
- 6" ducting for superior performance
- ENERGY STAR® qualified
- HVI Certified
- UL Listed for use over tub or shower when installed in a GFCI protected branch circuit
- Housing Packs include hanger bar system for fast and flexible installation for all types of construction
- Fits 2" x 8" ceiling construction
- Motor engineered for continuous operation
- Radiation damper Model RDFQF available separately



Models QTXEN080, QTXEN110



Models QTXEN150



NuTone QT Series™ Bath Fans. A bath fan needn't call attention to itself, especially when you don't want it to overpower the design of your bath or powder room. More important, it shouldn't call attention to itself when it's working. So we developed the QT Series to provide our quietest bath fans yet. With an energy efficient option, it simply does its job quietly, in every sense of the word.

Model	CFM	Sones	Bath Sq. Ft.	Ducting [▲]	ENERGY STAR®
QTXEN080	80	0.3	75	6"	Yes
QTXEN110	110	0.7	100	6"	Yes
QTXEN150	150	1.4	140	6"	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates




▲See page 50 for ducting product specifications

QTXEN FAN LIGHT FEATURES



- Nearly silent operation 0.3 to 1.4 sones
- 80 CFM to 150 CFM
- 6" ducting for superior performance
- ENERGY STAR® qualified
- Bright, energy efficient 36 watt fluorescent lighting (2- 18 watt GU24 based bulbs) included
- 4 watt night light on all models
- Housing Packs include hanger bar system for fast and flexible installation for all types of construction
- UL Listed for use over tub or shower when installed in a GFCI protected branch circuit
- HVI Certified
- Motor engineered for continuous operation
- Type IC
- Fits 2" x 8" ceiling construction
- Models RDFQL (radiation damper) and RDJUMPQ (jumper kit) available separately



Models QTXEN080FLT, QTXEN110FLT



Models QTXEN150FLT



NuTone QT Series™ Fan/Lights. The QT Series is the ultimate bath fan solution for today's homes. Select a QT Series fan/light to bring simple elegance to any bath or powder room. By sight or by sound, you'll barely notice a QT Series fan. Except, of course, when you need just the right amount of ventilation and light at the touch of a switch.

Model	CFM	Sones	Light/Night Light	Ducting [▲]	ENERGY STAR®
QTXEN080FLT	80	0.3	36W♦ / 4W	6"	Yes
QTXEN110FLT	110	0.7	36W♦ / 4W	6"	Yes
QTXEN150FLT	150	1.4	36W♦ / 4W	6"	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates

♦ 2- 18 watt GU24 based fluorescent bulbs included

▲See page 50 for ducting product specifications





QTXEN AND QTXN SENSING FAN AND FAN/LIGHT FEATURES

- Detects a rapid rise in humidity
- Humidity is sensed at the ceiling level
- Easily accessible sensitivity adjustment
- Easy-to-set shut-off timer: 5–60 minutes
- Fits 2" x 8" ceiling construction
- UL Listed for use over bathtub and shower when connected to a GFCI protected branch circuit
- Includes hanger bar system for fast and flexible installation for all types of construction
- ENERGY STAR® qualified
- HVI Certified
- Radiation dampers available (see below)

QTXEN110S

QTXN110SL | QTXEN110SFL



QT Series™ Humidity Sensing Fans with SensAire® Technology. NuTone SensAire® technology is a hands-free solution to fighting excess humidity and possible mold problems. Unlike competitive fans or wall controls that wait for a relative humidity set-point to be reached, SensAire® technology detects rapid increases in moisture levels at the ceiling, where steam and humidity naturally rise, and automatically turns the fan on. This means the fan reacts more quickly and clears the mirrors more quickly. With a fan this quiet, we included automatic shutoff to save worry, and money. NuTone SensAire® technology is a perfect solution for high traffic bathrooms, the kids' bathroom, or for anyone who leaves the house before humidity is properly vented.


Model	CFM	Sones	Light/ Night Light	Bath Sq. Ft.	Ducting [▲]	ENERGY STAR®
QTXEN110S	110	0.7	—	100	6"	Yes
QTXEN110SFLT	110	0.7	(2) 18W / 4W		6"	Yes
QTXN110SL*	110	0.9	100W / 4W		6"	—

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates.



*Does not work with Radiation Dampers

▲ See page 50 for 6" ducting (DT6W) product specifications.



Premium Radiation Dampers

When the air temperature passing through the damper exceeds 165°F the fusible link melts, triggering the thermal fabric to automatically close across the damper. Airflow is interrupted by a flame and heat barrier, preventing the rapid spread of fire to other areas.

- Motor serviceable without disturbing drywall
- Galvanized steel frame
- High temperature, non-asbestos, reinforced fiber thermal fabric
- Stainless steel closure springs
- 165°F fusible link
- Use the same grille provided with the QT Series™ fan
- UL Standard 555C Classified

Radiation Dampers	Description
RDFQF	For QTXEN080 & QTXEN110
RDFQL	For QTXEN080FLT & QTXEN110FLT
RDFQF plus RDJUMPQ	For QTXEN110S
RDFQL plus RDJUMPQ	For QTXEN110SFLT

FLEXIBILITY FOR

NEW CONSTRUCTION AND



FoldAway™ Mounting Ears are precisely positioned for new construction and fold flat for room-side retrofits. Every installation can be handled more efficiently.



With our TrueSeal™ Damper Technology, InVent fans reduce air leakage by up to 50% compared to competitive models; resulting in better home performance via blower door tests.



EzDuct™ Connector enables room-side installation without attic access. Attach the housing, pull the duct through, attach the EzDuct™ Connector and reset it with one screw.



*Compared to competitive fans; based on software calculations and analysis conducted by Broan-NuTone Testing reflects total fan housing air tightness. †See NuTone.com/InVent for details




ROOM-SIDE RETROFIT FROM ONE FAN.

VERSATILE INSTALLATION. AIRTIGHT PERFORMANCE. LED LIGHTING.

InVent Series gives professionals smart options for new construction or room-side retrofits in one, hard-working product line. InVent is about innovations such as FoldAway™ mounting ears and TrueSeal™ Damper Technology that improves building airtightness like never before. With fresh grille designs and a full range of operating points, there's an InVent Series solution for every installation.

InVent™ SERIES

LED Lighting offers greater energy efficiency and longevity, and adds a unique design detail to this hard-working fan. 11 watt, 800 Lumens integrated LED module lasts up to 25,000 hours.



INVENT FAN/LIGHT FEATURES

AEN50, AEN80, AEN110, AEN80B, AN110

- Foldable mounting ears allow for easy installation in both new construction and room-side replacement
- EZDuct™ Connector allows room-side installation with no attic access required
- New damper technology forms a tighter seal to reduce backdrafts

- Effective ventilation clears humidity and odors
- Attractive grille styling
- ENERGY STAR® qualified

AEN80L, AEN80BL, AEN110L

- LED Fan/Light with 11 watt, 800 Lumens, 3000K, 80 CRI integrated module
- LED lasts up to 25,000 hours for maintenance-free convenience

AN70L, AN80L, AN110L

- Incandescent Fan/Light with A19 Base (bulb not included)

AEN50 | AEN80 | AEN110 | AEN80B | AN110

AEN80L | AEN80BL | AEN110L

AN70L | AN80L | AN110L



INVENT Fan Models

Model	CFM	Sones	ENERGY STAR®
AEN50	50	0.5	Yes
AEN80	80	0.8	Yes
AEN110	110	1.3	Yes
AEN80B	80	1.5	Yes
AN110	110	3.0	No

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



INVENT Fan/Light Models

Model	CFM	Sones	Lighting	ENERGY STAR®
AN70L	70	2.0	A19 Base**	No
AN80L	80	1.0	A19 Base**	No
AN110L	110	1.3	A19 Base**	No
AEN80BL	80	1.5	LED	Yes
AEN80L	80	0.8	LED	Yes
AEN110L	110	1.3	LED	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



**Bulb Not Included

INVENT™ SERIES ACCESSORIES

A range of accessories ensures a custom fit in any application. Choose optional duct connectors, a radiation damper and a metal grille for commercial installations, and hanger bars for exact positioning.

MQF4

With our QFlow™ Duct Connector, InVent fans reduce air leakage by up to 65% compared to competitive models¹, offering an extremely tight seal when closed and completely open airflow when open. See NuTone.com/InVent for details.

RDM1 RADIATION DAMPER


For fans and ENERGY STAR® fan/lights only. InVent incandescent models are not compatible with radiation dampers.




MQF4 DUCT CONNECTOR



MMG METAL GRILL



MHB4 HANGER BARS



MMD4 METAL DUCT CONNECTOR



NuTone InVent™ Series Project Packs.

Keep your job on schedule and your inventory safe. Even if the final fan or fan/light product has not been selected, a project pack enables you to install a fan or fan/light housing now and choose the right-sized finish pack later. You won't have an open box on the job site with a motor and grille that could be lost or damaged.

INVENT Fan Finish Packs

Model	CFM	Sones	ENERGY STAR®
AN110F	110	3.0	No
AN80HDF*	80	2.0	No
AEN50F	50	0.5	Yes
AEN80F	80	0.8	Yes
AEN110F	110	1.3	Yes
AEN80BF	80	1.5	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



*Metal Grille

INVENT Fan/Light Finish Packs

Model	CFM	Sones	Lighting	ENERGY STAR®
AN70LF	70	2.0	A19 Base**	No
AEN80LF	80	0.8	LED	Yes
AEN80BLF	80	1.5	LED	Yes


ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates




**Bulb Not Included

INVENT Housing Packs

Model	CFM	Description
A000HF	50/80	Fan Housing
A000HL	—	Fan/Light Housing



¹Testing reflects total fan housing air tightness. See NuTone.com/InVent for details.



A WELL VENTILATED ROOM IS A

HEALTHIER



LOOK TO NUTONE, THE VENTILATION EXPERTS, TO KEEP EVERY ROOM OF YOUR HOUSE FRESH.

NuTone engineers the right product to fit every application, room size and need. Select from a variety of features that best meet your spot ventilation needs. Begin by assessing how powerful the fan should be or whether you could use additional lighting in your space. Think about what product style, finish or shape would look best. Rest assured, if you're concerned about saving money and energy, NuTone bath fans that feature the ENERGY STAR® logo can reduce energy consumption by as much as 65%. NuTone has the perfect product designed around your needs.



Wall or ceiling mount, LoProfile is the right fan for a tight fit. The new NuTone LoProfile™ Fan is our latest solution for installations where conventional ventilation simply won't fit. Where multi-family applications require it, the LoProfile™ fan is narrow enough to be installed in a wall between 2x4 studs. When plumbing or electrical obstructions are found behind the drywall in ceiling remodel applications our LoProfile™ fan can still fit without having to move anything. And that means most any room with space constraints can have powerful, quiet, efficient ventilation.

ROOM.




LPN80

The oval connector accepts standard 4" duct, or 3" duct with the supplied adapter.

Electrical connections can be made through the top or the side of the housing.

LOPROFILE™



Model	CFM	Sones	ENERGY STAR®
LPN80	80	1.0	Yes


ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



FEATURES

- Fits in 2x4 ceiling or wall construction
- 80 CFM with 4" duct ensures ample air movement; 70 CFM with 3" duct reducer
- >50 CFM at 0.25" static pressure meets ASHRAE 62.2 local ventilation requirements (with 4" oval duct or 3" round duct)
- Only 1.0 sones for quiet operation (4" duct)
- 4" oval or 3" round duct connection for installation flexibility
- Efficient operation lowers utility bills

- Ideal for multi-family applications
- Compatible with RDF1 Premium Radiation Damper
- Project Packs available



FAN/LIGHT FEATURES

668RP

- White polymeric grille
- Rectangular fan light
- Fits in 2" x 6" ceiling construction
- 24" adjustable hanger bars
- Mounting brackets that adjust for ceiling thickness up to 3/4"

FAN/LIGHT FEATURES





8663RP, 8664RP

- Round design eliminates squaring with bathroom walls
- Fits 2" x 6" ceiling construction
- 8663RP features bright 100W incandescent lighting with 7W night light for security and safety (bulbs not included)
- 8664RP features bright 100W incandescent lighting (bulb not included)
- 24" adjustable hanger bars

668RP



8663RP | 8664RP



Model	CFM	Sones	Lighting	Finish
668RP	70	4.0	100W	White
8663RP	100	3.5	100 / 7W	White
8664RP	100	3.5	100W	White

FAN/LIGHT FEATURES

763

- White polymeric grille
- Fits in 2" x 6" ceiling construction
- All models available in Project Packs

FAN/LIGHT FEATURES


695, 696N

- 50 to 70 CFM centrifugal blower wheel
- Double-strength steel mounting flanges with keyhole slots for fast installation
- Metal grille kits for 695, 696N and Service Part Number S97011308
- UL Listed for use over tub or shower when installed in a GFCI protected branch circuit
- All models available in Project Packs




763



695 | 696N



Model 763 only



Model	CFM	Sones	Notes	Finish
763	50	2.5	100W	White
695	70	6.0	Wall/Ceiling mount	White
696N	50	4.0	Wall/Ceiling mount	White

Available in single packs or project packs

690NT BATH FAN UPGRADE KIT

The NuTone bath fan upgrade kit lets you convert your old bath fan to a brand new unit in just 10 minutes. Improve performance, reduce the sound level, and upgrade the appearance of your economy fan in minutes.

- Cut sound levels up to 50%
- Boost air movement up to 20%
- 10 minute installation
- 60 CFM, 3.0 Sones
- Modern white grille
- No special tools

690NT



Included: Grille; two motor plates, depending on your fan model; wrench; quieter plug-in fan motor




1. Remove old grille



3. Attach new fan and new motor plate. Install into existing housing






2. Remove old fan assembly





4. Install new grille

Measure your existing fan housing to ensure proper fit

For use only with these bath fan models.*	Measurements	Yes	No
 NuTone 693, 695, 696N	7½" x 7¼" 8" x 7¼"	•	
 Broan 670, 671, 688, 689	7½" x 7¼" 8" x 8¼"	•	•
 Nautilus N671, N688	7½" x 7¼" 8" x 8¼"	•	•

*No other usage has been tested or authorized by Broan-NuTone LLC.


NuTone 690NT Upgrade Kit replaces the models below

If your grille looks like this:	The fan is very likely one of these models:	Housing dimensions:
	NuTone 693, 695, 696N	7½" x 7¼" or 8" x 7¼"
	Broan 670, 671, 688, 689 Nautilus N671, N688	7½" x 7¼" Not compatible with 8" x 8¼"



682NT DUCT FREE FAN

- Patented, fast snap-in metal housing installation
- Fan circulates air past replaceable activated charcoal filter
- Fits 2" x 4" ceiling or wall construction



Model	CFM	Sones	Lighting	Notes
682NT	—	—	—	Duct-free Circulation
S97009563	—	—	—	Replacement filter

Duct-free. This easy-to-install solution is ideal where air circulation is needed but ducting is impossible or impractical. Use it as a solution for half baths or rooms where humidity isn't a concern.




QUALITY VENTILATION THAT COMPLEMENTS YOUR DÉCOR.

Every room needs ventilation, from closets to bedrooms to baths. But adding a fan/light combination that complements or enhances the room décor has been challenging. That's why the NuTone Architectural products are perfect. Imagine a fan/light combination fixture that unobtrusively blends into the ceiling. Or a statement fan/light with a stunning LED perimeter glow that showcases your unique décor. The Architectural series helps you meet your decorating challenges without compromising your style.

VENTILATION THAT MOVES IN RATHER



THE AIR MOVING WAYS.




744 SERIES RECESSED FAN/LIGHT FEATURES

- High efficiency centrifugal fan
- 70 CFM at 1.5 sones
- Trim matched to designs of major recessed light manufacturers
- Put multiple units in larger rooms
- Model 744 uses a standard A19 base (R30 or BR30 for standard applications)
- Models 744FL and 744SFL include a 16 watt, GU24 based, R30 shaped CFL bulb (included)
- Model 744LED includes a 14 watt, GU24 based LED bulb (included)
- All models UL Listed for use over bathtub or shower when connected to a GFCI protected branch circuit. Model 744 requires a PAR30L or PAR30LN type bulb (not included)
- 6 $\frac{7}{8}$ " high housing appropriate for new construction and 2" x 8" ceiling joists
- 4" round duct connector
- Optional wall control switches available
- Type IC, sealed housing
- Not for use over cooking surfaces


Humidity Sensing Model 744SFL Features

- SensAire® technology detects the rapid rise in humidity and automatically turns the fan on and off
- Humidity is sensed at the ceiling level
- Easily accessible sensitivity adjustment
- Easy-to-set 5-60 minute shut-off timer



**YOU'D NEVER KNOW
IT'S A FAN, AND THAT'S THE POINT**

SensAire® technology behind the trim detects changes in humidity and automatically turns the fan on and off.



Model	CFM	Sones	Lighting	Humidity Sensing	Ducting	ENERGY STAR®
744NT	70	1.5	75W MAX	—	4"	—
744FLNT	70	1.5	16W Fluor.	—	4"	Yes
744LEDNT	70	1.5	14W LED	—	4"	Yes
744SFLNT	70	1.5	16W Fluor.	Yes	4"	Yes


ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



FAN WITH SOFT SURROUND™ TECHNOLOGY FEATURES

- LED lasts up to 25,000 hours, nearly eliminating the hassle of bulb replacement
- 9 watt lighting for extreme energy efficiency
- Bright 800 lumen integrated LED light engine for energy efficiency
- 3000K color temperature provides bright, soft light ideal for bathrooms
- Minimum 80 Color Rendering Index (CRI) which meets ENERGY STAR® requirements
- Fits in 2"x 6" ceiling construction
- 110 CFM for strong air movement
- 1.5 sones for quiet operation
- ENERGY STAR® qualified
- 4" duct connector balances powerful, quiet operation with easy installation
- UL listed for use over bathtubs and showers when connected to a GFCI protected branch circuit
- Type IC for use in direct contact with thermal insulation

791LEDNTM



Model	CFM	Sones	Lighting	HVI	Ducting	ENERGY STAR®
791LEDNTM	110	1.5	9W LED	Yes	4"	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



A unique design that's attractive and efficient.

The new NuTone® ventilation fan with Soft Surround™ LED lighting technology is our latest innovation in lighting technology. Soft lighting is a result of high quality lens diffusion, eliminating typical LED hotspots for even, consistent and bright illumination. The unique perimeter lens surrounds the grille to provide broader light coverage, better illuminating the entire room. The LEDs last up to 25,000 hours, nearly eliminating the hassle of bulb replacement. Additionally, the grille's distinctly low-profile design installs close to the ceiling for an unobtrusive look that is perfect for an upgrade to your current fan light.

NuTone LunAura™ Collection. Transform any room into a unique, calming space.

The transitional design of the NuTone LunAura™ Collection is apparent the moment you see it with a green-tinted light panel suspended below the ventilation fan. When the LED night light is activated, the plate turns blue with a stunning glowing edge. Blue was selected for its calming effect, and with Ultra Silent™ ventilation, NuTone LunAura™ Collection is a perfect way to create a spa-like environment. It also provides safety and navigation for nighttime tasks while still allowing you to return to restful sleep. For stunning ventilation in any room, nothing's quite as flexible as the NuTone LunAura™ Collection, because there's never been anything like it.



Transform any room into a unique, calming space.

Long-life, energy-efficient blue LED.



Two fluorescent bulbs provide the output of two 75 watt incandescent bulbs.

NUTONE LUNAURA COLLECTION FAN/LIGHT FEATURES

- 110 CFM at 0.7 Sones
- ENERGY STAR® qualified
- Bright 36 watt fluorescent main lighting (2- 18 watt GU24 bulbs included)
- 6" or 4" ducting connections
- Blue LED night light
- HVI certified
- Motor engineered for continuous operation
- UL listed for use over bathtub or shower when connected to a GFCI protected branch circuit
- Fits 2" x 8" ceiling construction
- Use with 78V or 78W switch





QTNLEDB FAN/LIGHT



QTNLEDA FAN/LIGHT



Rotate the green-tinted plate 45° to create a jewel-like diamond appearance.



Model	CFM 0.1"	Sones	Lighting	Ducting
QTNLEDA*	110	0.7	Two 18 watt, GU24 fluorescent bulbs	6" or 4"
QTNLEDB*	110	0.7	Two 18 watt, GU24 fluorescent bulbs	6" or 4"

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates

*0.9 sones with 4" ducting





EVERY ROOM CAN BE MORE COMFORTABLE WITH A LITTLE VENTILATION.

THERE'S A NUTONE VENTILATION SOLUTION FOR EVERY ROOM IN YOUR HOME.

Without doubt, every room needs ventilation. That's why our specialty lines deliver clean, fresh air where you need it most—including your bathrooms, laundry room, recreation room, workshop or nursery. Look to our room-to-room, wall/ceiling mount, through-wall or vertical discharge utility fans for powerful spot ventilation. Or, install our remote mounted in-line ventilation system for a quiet whole-house solution. Our recessed fan/lights perfectly match other recessed fixtures, including humidity sensing options that start automatically when a rapid rise in humidity is detected. Elegant, simple, practical and powerful. Exactly what you've come to expect from NuTone.

Wall/Ceiling Mount—Vertical/Horizontal Discharge Eliminate humidity or tobacco smoke from recreation rooms or workshops with these powerful utility ventilators. All feature powerful, permanently lubricated motors and rugged steel housings.

WALL/CEILING MOUNT—VERTICAL/HORIZONTAL DISCHARGE FEATURES

8210 Ceiling Mount, Vertical Discharge

- Ventilates directly through the roof with round ducting
- Paintable engineered resin grille installs with a single screw
- Adjustable hanger bars for 16" or 24" O.C. joists
- Motor mounting bracket has two slots that slide over two mounting screws on sleeve for faster installation
- Specially designed transition-type housing reduces diameter of discharge opening to fit 7" round duct; no reducer is needed
- UL Listed for use in cooking areas

8310 Wall/Ceiling Mount, Side discharge only

- 3¼" x 10" duct, side discharge
- Paintable engineered resin grille installs easily
- Motor assembly offers fast easy "twist-lock" installation
- Specially designed fan blade stays in balance—will not distort
- Installs easily in walls or ceiling
- Built-in backdraft damper
- Adjustable mounting brackets span from 14" to 24" O.C. joist
- UL Listed for use in cooking areas

QT200 & QT300 Ceiling Mount

- Sturdy galvanized steel housing is lined with sound-deadening foam for quiet operation
- Low RPM motor plugs into prewired junction box
- Motor and twin blowers dynamically balanced for smooth, quiet operation
- Vents horizontally or vertically with 3¼" x 10" duct
- Duct collar with quiet backdraft damper included
- Installs easily between 16" O.C. joist with slotted mounting bracket. Slots on housing sides provide alternative mounting
- Wiring knockouts located on top and back of housing




8210 CEILING MOUNT, VERTICAL DISCHARGE



8310 WALL/CEILING MOUNT, SIDE DISCHARGE ONLY



QT200 | QT300 CEILING MOUNT



Wall/Ceiling	CFM	Sones	Ducting	Notes
8210	210	6.5	7"	Vertical Discharge Only
8310	160	5.0	3¼" x 10"	Rectangular Duct
QT200	200	2.0	3¼" x 10"	Rectangular Duct
QT300	300	4.5	3¼" x 10"	Rectangular Duct

IN-LINE VENTILATORS FEATURES

- Energy-efficient, permanently lubricated motors
- High pressure centrifugal blowers easily accommodate long duct runs
- Designed for quick, easy installation
- HVI certified
- Suitable for intermittent or continuous ventilation applications
- Removable panel offers easy access to the electrical connections

ILF120, ILRF In-Line Fans / Radon Mitigation

- Great solution for large, open spaces
- Install in virtually any orientation
- Radon Mitigation
- UL Listed for commercial applications



With an In-line ventilation solution, the blower is mounted away from the living area for virtually silent operation. These fans are ideal for ventilating larger rooms with multiple inlet ports.

ILF120



ILRF



Model	CFM	Ducting	ENERGY STAR®
ILF120	110	4"	Yes
ILF130	120	5"	Yes
ILF250	230	6"	Yes
ILF360	360	8"	—
ILF530	530	10"	—
ILRF*	140	4" or 5"	—


ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



*ILRF rated 140 CFM at 0.2" WG, 43 CFM at 1.5" WG

Remote Mounted In-Line Ventilation Fans are quiet and efficient residential solutions. The concept is simple: mount a high-performance ventilator in an out-of-the-way spot and you get the power with virtually no sound. Install the housing in the attic or the basement, wherever it's most convenient and discrete.

Model	A: Duct Collar	B: Height	C: Fan Diameter
ILF120	37/8"	10"	10"
ILF130	47/8"	73/4"	10"
ILF250	57/8"	93/8"	12"
ILF360	77/8"	135/8"	131/2"
ILF530	97/8"	111/4"	131/2"
ILRF	37/8"/47/8"	10"	10"



IN-LINE FAN KITS FEATURES

- Kits include all components to install a single exhaust system (except wall control, wire and ducting)
- Each kit includes fan, grille, sleeve with damper and duct clamps
- Model ILFK2502 contains 2 grilles (model CVG6) and a 3-way 6" Y adapter (model FY6)

ILFK2502




In-Line Fan Kits

Model	CFM	Ducting	ENERGY STAR®
ILFK120	110	4"	Yes
ILFK130	120	5"	Yes
ILFK250	230	6"	Yes
ILFK2502	230	6"	Yes

ENERGY STAR® fans use 70% less energy, on average, than standard models and may qualify for local utility rebates



Model	A: Duct Collar	B: Height	C: Fan Diameter
ILFK120	3 ⁷ / ₈ "	10"	10"
ILFK130	4 ⁷ / ₈ "	7 ³ / ₄ "	10"
ILFK250	5 ⁷ / ₈ "	9 ³ / ₈ "	12"
ILFK2502	5 ⁷ / ₈ "	9 ³ / ₈ "	12"



ACCESSORIES

ILFK2502



Accessories

	Ducting	Size	Notes
Y Adapter			
FY6		6" x 6" x 6"	—
Grilles/Intakes			
CVG4*	4"	6" Dia.	Round Grille
CVG6*	6"	7 ³ / ₄ " Dia	Round Grille
Sleeves			
CVLD4	4"	—	Sleeve with Damper
CVLD6	6"	—	Sleeve with Damper
CVL4	4"	—	Sleeve without Damper
CVL6	6"	—	Sleeve without Damper

*Available in six packs only



INSTANT HEAT, RIGHT WHEN YOU AND ONLY WHERE YOU WANT IT.

POWERFUL HEATING, LIGHT AND VENTILATION AT THE TOUCH OF A SWITCH.


No matter where you live your house can become chilled. Maybe it's early fall before the furnace is on, or maybe the cool desert nights mean colder rooms. And there's certainly one room you never want to be chilly—the bathroom. Whether it's taking a morning shower, or relaxing in a whirlpool at the end of a long day, your family appreciates a warm, comfortable bathroom. NuTone heater/fan/lights are the perfect solution. You have instant heat to quickly warm up the room, a quiet ventilation fan to remove excess humidity and a convenient light—all in one fixture. Each one can be operated separately, or they can be used simultaneously when needed, no furnace required.



NEED IT.

QT SERIES FEATURES

- Efficient PowerHeat™ heater design
- Choice of standard A19 base lighting (bulb not included) or energy-efficient 36 watt GU24 fluorescent (bulbs included)—see chart below
- Fan motor is engineered for continuous operation
- HVI Certified
- Type IC
- Requires a dedicated 20 amp circuit
- Switches sold separately



PowerHeat™ is a NuTone design that maximizes heat output per watt. With the heater element close to the forced air exit grille, the internal components are not heated. Heat is delivered into the room and does not escape into the ceiling or attic space.

Heater/Fan/Light

Model	CFM	Sones	Bath Sq Ft.	Lighting/ Night Light	Heater Watts	Ducting
QTXN110HL	110	0.9	100	2- 60 watt max Std. A19 Base**/ 7W**	1500	6"
QTXN110HFLT	110	0.9	100	36W Fluorescent (2- 18W)* / 7W	1500	6"

*Bulbs included


**Bulbs not included



DIRECTIONALLY ADJUSTABLE HEATER/FAN LIGHT FEATURES:

- Heater/Fan/Light brings convenient, comforting warmth to your bathroom
- Quiet, high-output heater with exclusive directionally adjustable design (see below)
- 4" ducting for new construction or retrofit
- Multi-function wall switches sold separately
- Choice of standard A19 base or energy-efficient 27 watt GU24 (bulb included) fluorescent lighting
- Fan motor is engineered for continuous operation
- HVI Certified
- Type IC
- Requires a dedicated 20 amp circuit
- Fits 2" x 6" ceiling construction

765HL | 765HFL



Heater/Fan/Lights

Model	CFM	Sones	Bath Sq. Ft.	Lighting/ Night Light	Heater Watts	Ducting
765HL*	100	2.0	90	100W Incandescent	1500	4"
765HFL*	100	2.0	90	27W, GU24 Fluorescent	1500	4"


*Switch not included. See selection guide on pages 46-49



HEATER/FAN LIGHT FEATURES:

- Fits in 2" x 6" ceiling construction
- 1300W heating element provides optimum performance in smaller spaces
- Bright 100W incandescent light capacity
- Designer white polymeric grilles complement virtually any décor
- Fan, light and heater function independently or together


665RP



HEATER/FAN FEATURES:

- Fits in 2" x 6" ceiling construction
- 1300W heating element provides optimum performance in smaller space
- Improved hanger bar locks position after securing unit to rafters

605RP



Model	CFM	Sones	Lighting	Heat	Finish
665RP	70	4.0	100	1300W	White Polymeric
605RP	70	4.0	—	1300W	White Polymeric

COMBINATION HEATER FANS FEATURES:

9905

- Fan-forced heat and exhaust fan only
- Includes two-function switch
- 1500 watts

9960

- Fan-forced heat, ceiling and night light
- Includes one multi-function control and one single-function control
- 1500 watts

9965

- Fan-forced heat, exhaust fan, ceiling and night light
- Includes two multi-function controls
- 1500 watts




9905



9960



9965



Model	CFM	Sones	Lighting	Heat	Wall Switch
9905	70	4.0	—	1500W	2-function
9960	—	—	100 / 7	1500W	3-function
9965	70	4.0	100 / 7	1500W	4-function



9093 SERIES FEATURES

- Powerful ventilation
- Extra-quiet operation
- Bright ceiling light
- Convenient night light
- White enamel grille
- 1500 watts of powerful heat
- Includes a four-function wall switch
- Fits 2" x 8" ceiling construction

QT9093WH



9093WH



Model	CFM	Sones	Lighting	Heat
QT9093WH	110	3.0	100/7	1500W
9093WH	70	3.5	100/7	1500W

BULB HEATER/FAN FEATURES

- Quiet, highly efficient polymeric blower wheels
- Polymeric dampers prevent backdrafts and eliminate mechanical noise
- Polymeric 4" round duct connectors with tapered sleeves simplify ducting
- Operate fan and heater independently or together
- Attractive white polymeric grilles
- Compact steel housings with adjustable mounting brackets with keyhole slots that span up to 24"
- 250 watt R40 or BR40 size infrared bulbs (not included)
- Type IC, UL Listed for 60°C wiring (retrofits)
- **9417DN:** One-Bulb Heater/Fan
- **9427P:** Two-Bulb Heater/Fan, Two-function control (available separately)

ONE OR TWO-BULB HEATERS—NO FAN

- Infrared bulbs deliver energy-saving warmth
- Get instant comfort in the bathroom without turning up the central thermostat
- 250 watt R40/BR40 size infrared bulbs (not included)
- Attractive, white polymeric grilles
- Compact steel housings
- Adjustable mounting brackets with keyhole slots span up to 24"
- **9412D:** One-Bulb Heater, UL Listed for 75°C wiring
- **9422P:** Two-Bulb Heater, Type IC

9417DN







9427P



9412D



9422P



Bulb Heater Fans. Silent warmth and superior ventilation.

Trust NuTone Bulb Heater/Fans and Bulb Heaters for energy-saving warmth and instant comfort without ever having to touch your central thermostat. These units deliver superior performance and excellent ventilation in a compact package.

Bulb Heater/Fan & Bulb Heaters

Model	CFM	Sones	Bulb Watts
9417DN	70	3.5	250
9427P	70	3.5	500
9412D**	—	—	250
9422P	—	—	500

Bulbs not included. **Not IC rated

THE PERFECT CONTROL SOLUTION FOR EVERY ROOM AND NEED.



INDICATOR LIGHT CONTROL FOR CONVENIENCE

INDICATOR LIGHT CONTROLS

Model 269WL, 269VL

- Two-Function Controls
- For use especially with quiet models and an auxiliary light source
- Lighted fan control 120V, 20 amps; unlighted 120/240/277V, 15 amps
- Fits two-gang box
- Controls available in White (W) or Ivory (V)



Model 685WL

- Three-Function Controls
- For use especially with quiet models
- Lighted fan control 120V, 20 amps; two additional on/off rocker switches 120V, 15 amps each (20 amps total)
- Fits two-gang box
- Blister packs available P685WL
- Available in White (W)



THERMOSTAT AND HUMIDITY CONTROLS

NEW Model 82W

- SensAire® technology responds to humidity up to 70% faster than competitive models; setpoint mode satisfies CA requirements
- Continuous ventilation mode helps to meet ASHRAE 62.2
- Compatible with any existing fan within electrical ratings
- Available in white; faceplate not included
- 120V, 4 amp



Model 70TW

- Thermostat for any fan
- 120, 250, 277 VAC,
- 22 amp capacity
- Fits single-gang box only



Model DH100W

- Dehumidistat
- Dual voltage (24V/120V)
- Variable setting from 20-80% relative humidity
- Usage guide included
- Fits single-gang box only



MULTI-FUNCTION / LIGHTED CONTROLS

Model 66W, 66V, 67W, 67V

- Three-Function Controls
- Three independent, 120V, 15 amp rocker switches (20 amps total)
- Fits single-gang opening
- Controls available in White (W) or Ivory (V)
- Blister pack available, P66W, 66V



Model 68W, 68V

- Two-Function Controls
- Two independent, 120V, 15 amp rocker switches (20 amps total)
- Fits single-gang box
- Controls available in White (W) or Ivory (V)
- Blister pack available, P68W



Model 77DW, 77DV

- Four-Function Controls
- Single switch provides three settings for fan sensor (On-Auto-Off) on Sensing models
- Remaining switches for light/night light
- Works with QTXN110HL heater/fan/light/night light
- Controls available in White (W) or Ivory (V)
- Fits single-gang opening
- Blister pack available, P77DW





MULTI-FUNCTION CONTROL TO SUIT EVERY NEED



SPEED CONTROL FOR QUIETER OPERATION OR FULL POWER



HUMIDITY SENSING TO HELP PREVENT FOGGY MIRRORS

SPEED CONTROLS

Model 57W, 57V

- 120V, 3 amps
- Fits single-gang box
- Positive on/off action—dial for variable selection of air speeds and sound levels
- Built-in radio noise suppressor
- Controls available in White (W) or Ivory (V)
- Blister pack available (P57W)



Model 78W, 78V

- 4-speed "no-hum" ceiling fan speed control
- Decorator wall plate
- Screws included
- 120V AC 1.5 amp
- Controls available in White (W) or Ivory (V)



Model 72W, 72V

- 120V, 6 amps
- Fits single-gang box
- Positive on/off action—dial for variable selection of air speeds and sound levels
- Built-in radio noise suppressor
- Controls available in White (W) or Ivory (V)



TIMER AND OFF-DELAY CONTROLS

Model VS63WH

- 15-minute timer
- For all NuTone heaters and fans except Pull-Chain type
- 20 amps



TIMER AND OFF-DELAY CONTROLS

Model 64W, 64V

- Fan/Light Control with Off-Delay
- Fan and light operate together when control is turned on
- Fan continues to operate for a user adjustable time period 5–60 minutes after light is turned off
- Center position bypasses timer and turns fan and light off immediately
- Fits single-gang box
- 120V, 4 amps (fan), 4 amps (light)
- Requires hot and neutral wires in the switch box
- Controls available in White (W) or Ivory (V)



Model CFT12WH

- 12-hour time switch
- Rotary dial
- 20 amps



Model 59W, 59V, 71V*

- Model 59W, 59V—up to 60 minutes
- Model 71V—up to 12 hours
- Fits single-gang box
- 120V, 20 amps; 240V, 10 amps
- Operate continuously or for any set period
- Controls available in White (W) or Ivory (V)
- Blister packs available (P59W, P59V)



Model VS66WH

- 60-minute timer
- Separate on/off control
- For two-gang outlet box
- Timer controls any NuTone heater or Ventilator
- On/Off section can be used for a separate light, vent or heater



Model VS67WH

- 60-minute timer
- Separate on/off controls
- For two-gang outlet box
- Timer section may control any NuTone heater or Ventilator
- On/Off section can be used for a separate light, vent or heater



Model VS68WH

- 15-minute timer
- Separate on/off control
- For two-gang outlet box
- Timer controls any NuTone heater or Ventilator
- On/Off section can be used for a separate light, vent or heater



Model VS69WH

- 15-minute timer
- Separate on/off controls
- For two-gang outlet box
- Timer controls any heater or Ventilator
- On/Off section can be used for a separate light, vent or heater



SELECTION GUIDE

		57W, 57V	59W	64W, 64V	66W, 66V	68W, 68V	69WL, 69VL	70TW	72W, 72V	77DW, 77DV	78W, 78V	269WL, 269VL	685WL	CFT12WH	82W, DH100W	VS63WH	VS66WH	VS67WH	VS68WH	VS69WH	
Ventilation Fans	682NT		•	•										•		•					
	695, 696N	•	•	•					•						•	•	•				
	LPN80	•		•			•		•						•						
	QT Fans*	•	•	•			•		•		•	•			•	•	•				
	QTXEN110S						•				•										
	RN80, RN110	•	•	•			•		•		•	•			•	•	•				
	XN110H					•	•														
	XN50, XN80, XN110			•			•						•		•						
	ZN110H						•														
	ZN80, ZN110					•							•	•							
	ZN80M, ZN110M					•	•														
Ventilation Fan/Lights	668RP	•	•	•		•			•					•	•	•	•			•	
	744NT, 744FLNT		•			•								•	•		•			•	
	744SFLNT		•			•									•		•			•	
	763		•	•		•						•		•	•		•			•	
	791LEDNT	•	•	•		•			•			•		•	•		•			•	
	8663RP	•		•	•				•			•		•	•			•		•	
	8664RP	•	•	•		•			•			•		•	•		•			•	
	QT Fan/Lights	•		•	•				•			•	•	•	•				•	•	
	QTNLEDA, QTNLEDB	•		•	•				•		•			•	•	•			•		•
	QTXEN110SFLT, QTXN110SL		•							•											
	RN80L, RN110L	•		•	•				•			•	•	•	•	•			•		•
	XN110HL				•					•											
	XN50L, XN80L, XN110L				•							•	•	•	•						
	ZN110HL				•																
	ZN80L, ZN110L								•			•									
	ZN80ML, ZN110ML								•												

*Does not include models QT200 and QT300

		57W, 57V	59W	64W, 64V	66W, 66V	68W, 68V	69W, 69V	70TW	72W, 72V	77DW, 77DV	78W, 78V	269WL, 269VL	685WL	CFT12WH	82W, DH100W	VS63WH	VS66WH	VS67WH	VS68WH	VS69WH
InVent Ventilation Fans	AEN80	•	•	•			•		•			•			•	•	•		•	
	AEN110	•	•	•			•		•			•			•	•	•		•	
	AEN80B	•	•	•			•		•			•			•	•	•		•	
	AEN50	•	•	•			•		•			•			•	•	•		•	
	AN110	•	•	•			•		•			•			•	•	•		•	
	AN80L	•		•		•			•			•			•		•		•	•
	AN110L	•		•		•			•			•			•		•		•	•
	AN70L	•		•		•			•			•			•		•		•	•
	AEN80BL	•		•		•			•			•			•		•		•	•
	AEN80L	•		•		•			•			•			•		•		•	•
	AEN110L	•		•		•			•			•			•		•		•	•
Heater/ Fan/Lights	605RP	•	•			•		•	•							•	•		•	
	665RP		•		•			•					•			•		•		•
	765HL, 765HFL	•	•		•			•	•						•					
	9412D															•				
	9417DN		•			•		•								•	•		•	
	9422P		•		•	•										•	•		•	
	9427P		•		•			•								•	•	•	•	•
	9905	•	•					•	•							•	•		•	
	9960															•		•		•
	9965							•		•										
	QT9093WH, 9093WH							•		•										
QTXN110HL, QTXN110HFL	•	•		•			•	•	•											
Utility Fans	8210, 8310, QT200	•	•					•	•						•	•				
	QT300		•					•	•						•	•				


ADAPTERS

Model FY6

- 6" x 6" x 6" Y adapter

Model FY86

- 8" x 6" x 6" Y adapter



DAMPERS

Model 97 Damper*

- 7" spring-loaded, in-line damper

Model BP87 Damper*

- 7" vertical discharge damper

DUCTING

Model 406 Round Duct

- 6" round duct
- 2' galvanized section



Model 407 Round Duct*


- 7" round duct
- 2' galvanized section

Model 410 Round Duct*

- 10" round duct
- 2' galvanized section


Model 889 Duct

- 3 3/4" x 10" duct
- 2' galvanized sections



Models DT4C & DT6C Non-Insulated Flexible Duct

- 4" (DT4C) or 6" (DT6C) round
- DT4C is a 4-pack
- 25' standard length



Models DT4W, DT6W & 804DU Insulated Flexible Duct

- 4" (DT4W & 804DU) or 6" (DT6W) round
- 25' standard length



DUCTING KITS

Model RVK1A*

Flexible Roof Ducting Kit

- Includes Model 636 Roof Cap
- 4" diameter metal duct connector
- 2 duct clamps
- 4" to 3" reducer
- 8' of 4" flexible aluminum ducting



Model WVK2A*

Flexible Wall Ducting Kit

- Includes white polymeric wall cap
- 4" diameter metal duct connector
- 2 duct clamps
- 4" to 3" reducer
- 5' of 4" flexible aluminum ducting



ELBOWS

Model 415 Adjustable Elbow

- Fits 7" round duct



Model 418 Adjustable Elbow


- Fits 10" round duct

Model 419 Adjustable Elbow

- Fits 6" round duct


Model 428 Vertical Elbow

- Fits 3 3/4" x 10" duct




Model 429 Horizontal Elbow

- Fits 3 3/4" x 10" duct




Model 430 Short Eave Elbow

- For 3 3/4" x 10" duct
- Includes backdraft damper and grille (black)
- Only recommended for fans with more than 160 CFM




Model 431 Long Eave Elbow

- For 3 3/4" x 10" duct
- Includes backdraft damper and grille (black)
- Only recommended for fans with more than 160 CFM



Model 839 Elbow


- 90° turn
- For use with 3 3/4" x 10" duct



ROOF CAPS


Model 437 10" Round*

- High-capacity design up to 1200 CFM
- Built-in bird screen
- Steel housing, black electrically bonded epoxy finish




Model 611 Roof Cap*

- For flat roof installation
- Aluminum natural finish
- For up to 8" round duct




Model 611CM Roof Cap*

- For curb mount installation
- Other features same as Model 611




Model 612 Roof Cap*

- For flat roof installation
- Aluminum natural finish
- For up to 12" round duct




Model 612CM Roof Cap*

- For curb mount installation
- Other features same as Model 612



Model 634 Roof Cap*

- For 3 3/4" x 10" or up to 8" round duct
- Black
- Backdraft damper and birdscreen




Model 634M Roof Cap*

- Same as Model 634 except for 6" round duct

Model 636 Roof Cap*

- For 3" or 4" round duct
- Built-in backdraft damper and bird screen
- Steel baked black enamel finish




Model 636AL Roof Cap*

- Same as Model 636, except aluminum natural finish

Model 644 Roof Cap*

- Same as Model 634, except for aluminum natural finish




*Not for use with dryers

WALL CAPS


Model 613 Wall Cap*

- For 12" round duct
- Built-in backdraft damper and bird screen
- Aluminum natural finish



Model 639 Wall Cap*

- For 3 1/4" x 10" duct
- Spring-loaded backdraft damper
- Built-in bird screen
- Steel baked black enamel finish




Model 649 Wall Cap*

- Same as Model 639, except aluminum natural finish

Model 641 Wall Cap*

- For 6" round duct
- Built-in backdraft damper and bird screen
- Aluminum natural finish
- Model 647 for 7" Round duct




Model 647 Wall Cap*

- For 7" round duct
- Other features same as Model 641




Model 649 Wall Cap*

- Same as Model 639, except aluminum natural finish




Model 843BL Wall Cap*

- For 6" round duct
- Built-in backdraft damper and bird screen
- Black finish



Models 885AL and 885BL Wall Cap*


- For 3" or 4" round duct
- 4" to 3" transition included
- Aluminum natural finish (885AL) and steel black enamel finish (885BL)
- Standard package—6 to a carton
- Built-in bird screen and damper



WALL CAPS CONTINUED


Model 643 Wall Cap*

- For 8" round duct
- Aluminum natural finish
- Backdraft damper, no birdscreen



Model 646 Louvered Wall* Cap for 6" Round Duct

- Single pack
- White polymeric



Model WC650 Wall Cap*

- For 4" round duct
- White polymeric
- 4 to a carton




SLEEVES

Model CVLD4

- 4" sleeve with damper

Model CVLD6

- 6" sleeve with damper



TRANSITIONS


Model 886 Transition

- Converts 7" round to 3 1/4" x 10" duct



Model 475 Transition

- Converts 6" round duct to 4" round duct reducer
- Available in 6 Pack (475B)



Model 413 Transition*

- Converts 3 1/4" x 10" duct to 8" round duct



*Not for use with dryers

TECHNICAL

What is a sone, and how is it measured? A sone is a measurement of sound—how sound is sensed. The lower the sone value, the quieter the listening environment. One sone is the equivalent of a quiet refrigerator. NuTone fans feature the quietest rating possible at <0.3 sonas as tested for HVI certification.

What does “HVI certified” mean? The Home Ventilating Institute (HVI) is an independent organization that certifies the airflow and sound performance of NuTone products.

What is ENERGY STAR®? Refer to the product matrix for specific NuTone fans that meet ENERGY STAR® requirements. Many of these NuTone products use high efficiency motors and lighting to reduce energy consumption by as much as 70%.

What does CFM mean? Cubic Feet per Minute (CFM) is the measure of air volume moved by the fan blower. Choose a fan with a CFM rating appropriate for your room size to ensure adequate ventilation.

What does “static pressure” mean? Static pressure is the measurement of airflow resistance as it is pushed through ductwork which reduces the effectiveness of the fan.

What is whole-house ventilation? Whole-house ventilation provides today’s airtight homes with a relatively constant and controlled lower level of ventilation. NuTone offers many virtually silent continuous ventilation solutions for ASHRAE 62.2 and programs such as LEED, ENERGY STAR® for Homes and CA Title 24.

OPERATION

How do I size a fan properly for my room size and the duct run? See the sizing guidelines on page 55 for details on proper sizing. This section provides an explanation and examples to help you make the right decision.

How long should a bath fan run after a shower is used? The Home Ventilating Institute recommends that a fan should be left on for 20 minutes more to clear humidity adequately and to ensure moisture and condensation is minimized.

How does Sensing Technology operate? NuTone has unique sensing technology that detects humidity or motion. Multi-speed models automatically turn the fan speed up when someone enters the room or there is a rapid rise in the humidity level from the lower continuous CFM level. Single-speed models turn the fan on automatically.

How does the delay-off timer operate? Delay-off timers automatically shut the fan off after a time interval set by the user.

Why do the windows and mirrors fog even when the fan is running? If windows and mirrors are very cold, condensation can still form on these surfaces. And if your bathroom is sealed tightly, replacement air may not be entering the room fast enough to displace the moist air. Fan placement can also be a factor. Your fan should be located far from the replacement air source to ensure the moist air is drawn out first. Finally, make sure your ductwork is as short and straight as it can be in order to ensure proper air outflow.

Why is water dripping from the grille of the fan? Dripping water is either condensation (usually due to cold ductwork or improper duct installation), or a problem with the seal on a wall or roof vent. Insulated ductwork can help solve condensation problems, and running the fan longer will ensure moisture is completely removed from the duct.

Will NuTone fans work in wall-mount applications? Refer to the product matrix for specific NuTone bath and utility fans that may be wall mounted.

What type of exhaust fan is best for a sauna or hot tub area? High CFM-rated devices are normally recommended for this type of application.

Can I use a fan in a steam shower? No. Since these are normally sealed chambers, a vacuum will be created.

INSTALLATION

Can I mount NuTone fans above my tub and shower? Most NuTone fans are rated for use over a shower or bathtub with a GFCI (Ground Fault Circuit Interrupter).

Can my bath fan be surrounded by insulation? Yes. NuTone bath fans are designed to provide adequate cooling for motors and lighting, as well as products with integral heaters.

Can I vent more than one bath fan out of a roof or wall cap? No. Always follow the manufacturer's recommended ventilation requirements.

Do I need attic access to install a fan in a retrofit situation? Refer to the product matrix for specific NuTone fans that may be installed without access from above with features such as telescoping mounting frames, snap-in housings, bendable mounting ears, drywall-mounting tabs and inside-out mounting duct connectors. Room-side retrofit installations are now a reality.

Can I install a heater over the bathtub or in a shower?

No. Heaters are not UL Listed (Underwriter's Laboratory) for installation over a bathtub or in a shower.

Can I use an inline or multi-port fan in one large bathroom? Yes, this works the best for large rooms because you can install the ports over the areas where the ventilation is needed the most (source control). The size of the multi-port would be determined by the size of the room.

Can larger diameter ducting be used with my bath fan? Yes, larger diameters will result in improved performance.

Can I use a smaller diameter duct than what the fan is designed for? This is not recommended. It will cause the fan to run harder, greatly reducing the CFM performance of the fan and create excess noise.

What type of duct is recommended, rigid or flexible? It is recommended, where possible, to use rigid duct. It has less resistance to air flow and allows the fan to operate much more efficiently. If flexible duct is used, be sure the duct is as straight as possible.

Can I exhaust my fan into my attic instead of out the roof or wall? Never exhaust air into spaces within walls, ceilings, attics, crawl spaces or garages. Humidity may damage the structure and insulation.


Where should the exhaust fan be located? Exhaust fans should be located in or near the shower or tub, and in an enclosed water closet. Keep exhaust points opposite the supply air source to ensure that the fresh air is drawn through the room. Bathroom doors should not be sealed too tightly at the bottom in order to allow "makeup air" to enter the room when the door is closed.

In what direction should I orient the exhaust outlet? The exhaust outlet is the point where air is discharged through the body of the fan housing into the ductwork. During installation, orient your fan with the exhaust outlet pointing toward the exit vent on your roof or wall to minimize turns in ductwork that impede airflow.

Will a bath fan or wall-mount utility fan serve as a range hood? No. Range hoods are specifically designed to handle grease and high temperature environments. NuTone bath fans supplement odor and moisture removal in the kitchen, but are not intended for use as a range hood.

Can I use CFL or LED bulbs in fan/lights with A19 screw-base sockets? Yes, if key guidelines are followed. Go to [NuTone.com](https://www.nutone.com) FAQs for details.

PROPER INSTALLATION MAKES ALL THE DIFFERENCE.



Tape or caulk around the seam where the fan housing meets the sheetrock on the ceiling

If possible, use smooth, rigid ductwork as large as the exit opening on the body of the fan housing

Whenever possible, ductwork should slope down and away from the fan housing to direct any condensation toward the vent

Whether rigid or flexduct, the turning radius for the duct should be as large as possible

Pre-installed screws, keyhole slots and alignment tabs facilitate installation, taking the guesswork out of proper mounting.

Elbows, turns, long ducts and ductwork smaller than the fan's exit/outlet will reduce performance.

Use wide aluminum foil or duct tape to join smooth metal ductwork seams.

Do not let flexible ductwork sag as this impedes airflow.

During installation, orient the bath fan outlet in the direction of the home's exit point to minimize duct turns.

Before adding an elbow or bend, allow 24" to 36" of straight run from the fan outlet point.

Duct-wrap insulation (R-5 or above) will help minimize condensation in cold climates, especially on long duct runs.

Quick guideline: For bathrooms up to 100 square feet, the HVI recommends ventilation of at least 1 CFM per square foot (about eight air changes per hour). For bathrooms over 100 square feet, add up the needs of each fixture to determine the total ventilation rate:

- Toilet 50 CFM
- Shower 50 CFM
- Bathtub 50 CFM
- Jetted tub 100 CFM

Exit vents should have backdraft flaps to help keep cold air from entering the duct

EASY STEPS FOR CHOOSING AND SIZING THE RIGHT VENTILATION FAN FOR YOUR HOME.

Determine which rooms could use ventilation, and how much is needed. **Spot ventilation** is used in localized areas to remove moisture, odor and airborne pollutants quickly. Most commonly used in the bath or powder room, spot ventilation can also be used in a laundry room, exercise area, closet, or bedroom, wherever air should be changed frequently. Decorative and recessed models can be ideal solutions for these situations. According to the Home Ventilating Institute (HVI), Air Changes per Hour (ACH) for comfortable and healthy living should be as follows: Bathrooms: 8 changes, Kitchens: 15 changes, Living/Bedrooms: 6 changes. NuTone bath fans, utility fans and high capacity fans can meet these needs.

Calculate the air movement necessary for proper ventilation. Air movement is measured in Cubic Feet per Minute (CFM). To determine CFM requirements, first determine the size of your room. Measure and multiply the length, width and ceiling height of your room to determine cubic footage. Then use the multiplication factor of .13 and round up to the next "ten." See the three examples that follow.

Example 1:

Bathroom with 8' ceiling:
7' wide x 9' long x 8' high x .13 = 66. Select a bath fan with at least 70 CFM

Example 2:

Bathroom with 9' ceiling: 10' wide x 9' long x 9' high x .13 = 105. Select a bath fan with at least 110 CFM

Example 3:

For a bathroom with a vaulted ceiling, use the average ceiling height at the wall and the peak: 8' wide x 12' long x $\left(\frac{8' \text{ at wall} + 12' \text{ at peak}}{2} = 10'\right)$ average height x .13 = 125. Select a fan(s) with at least 130 CFM

Account for long duct runs and ductwork that turns before it reaches the exterior vent. When airflow is restricted in any way it slows down. Just as a car must slow down for a sharp corner, air decelerates when going through a turn in a duct run. Whenever possible, create a straight duct run with large radius turns, if they're necessary at all. Rigid ductwork is optimal because airflow restriction is minimized. Flexible tubing may be convenient to install, but resistance is created as air is moved over the spiral metal frame of the tubing. With long duct runs or ducts with multiple turns the fan works harder, noise increases and fan performance (CFM) is compromised. Select a fan model with an even greater CFM rating to compensate.

6" ducting overcomes most performance-related installation issues. NuTone's ULTRA and QTX Green Series fans deliver high performance in virtually any real-world installation. They are engineered with a 6" duct connector for peak air movement and extremely quiet operation, even when the duct run is not short and straight.

Fans

	Page	CFM	Sones HVI-Certified	Baths up to () Sq Ft	ENERGY STAR®	Duct Size"	Housing Dimensions			Grille Dimensions		Grille finish	Amps
							L"	W"	H"	L"	W"		
682NT	29	—	—	—	No	—	7 ¹ / ₈	7 ¹ / ₈	3 ³ / ₄	8 ¹ / ₂	8 ¹ / ₂	White Polymeric	1.0
690NT	29	60	3.0	55	No	3	See page 29 for compatible models			9 ¹ / ₂	8 ¹¹ / ₁₆	White Polymeric	1.2
695	27	70	6.0	65	No	3	7 ¹ / ₂	7 ¹ / ₄	3 ⁵ / ₈	9 ¹ / ₈	8 ³ / ₄	White Polymeric	1.2
696N	27	50	4.0	45	No	3	7 ¹ / ₂	7 ¹ / ₄	3 ⁵ / ₈	9 ¹ / ₈	8 ³ / ₄	White Polymeric	0.75
AEN80	22	80	0.8	75	Yes	4	9 ¹ / ₄	10	5 ³ / ₄	11 ¹ / ₄	12	White Polymeric	0.3
AEN110	22	110	1.3	105	Yes	4	9 ¹ / ₄	10	5 ³ / ₄	11 ¹ / ₄	12	White Polymeric	0.3
AEN80B	22	80	1.5	75	Yes	4	9 ¹ / ₄	10	5 ³ / ₄	11 ¹ / ₄	12	White Polymeric	0.3
AEN50	22	50	0.5	45	Yes	4	9 ¹ / ₄	10	5 ³ / ₄	11 ¹ / ₄	12	White Polymeric	0.2
AN110	22	110	3.0	105	No	4	9 ¹ / ₄	10	5 ³ / ₄	11 ¹ / ₄	12	White Polymeric	0.4
LPN80	25	80	1.0	75	Yes	3-4	8	8 ³ / ₄	5 ³ / ₄	13	14	White Polymeric	0.3
QTXEN080	16	80	0.3	75	Yes	6	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	0.4
QTXEN110	16	110	0.7	105	Yes	6	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	0.3
QTXEN110S	18	110	0.7	100	Yes	6	11 ³ / ₄	10 ¹ / ₂	7 ⁵ / ₈	12 ⁷ / ₈	13 ³ / ₄	White Polymeric	0.3
QTXEN150	16	150	1.4	140	Yes	6	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	0.5
RN80	13	80	<0.3	—	Yes	4	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	0.3
RN110	13	110	0.6	—	Yes	4	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	0.3
XN50	11	50	<0.3	45	Yes	4-6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.1
XN80	11	80	<0.3	75	Yes	4-6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.1
XN110	11	110	<0.3	100	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.2
XN110H	11	110	<0.3	100	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13 ¹ / ₈	14	White Polymeric	0.3
ZN80	11	80	<0.3	75	Yes	4-6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.1
ZN80M	11	80	<0.3	75	Yes	4-6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13 ¹ / ₈	14	White Polymeric	0.1
ZN110	11	110	<0.3	100	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.2
ZN110H	11	110	<0.3	100	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13 ¹ / ₈	14	White Polymeric	0.3
ZN110M	11	110	<0.3	100	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13 ¹ / ₈	14	White Polymeric	0.3

Fan/Lights

	Page	CFM	Sones HVI-Certified	Baths up to () Sq Ft	Rooms up to () Sq Ft	Lighting Watts Main/Night Light	ENERGY STAR®	Duct Size"	Housing Dimensions			Grille Dimensions		Grille finish	Amps
									L"	W"	H"	L"	W"		
668RP	26	70	4.0	65	85	100W	No	4	14 ⁹ / ₈	7 ⁷ / ₈	5 ⁵ / ₈	16 ¹ / ₄	9 ⁷ / ₈	White Polymeric	2.0
744FLNT	32	70	1.5	65	85	16W floor.	Yes	4	8 ³ / ₄	12 ³ / ₄	6 ³ / ₄	7 ³ / ₈ Dia		White Polymeric	1.2
744LEDNT	32	70	1.5	65	85	14W LED	Yes	4	8 ³ / ₄	12 ³ / ₄	6 ³ / ₄	7 ³ / ₈ Dia		White Polymeric	0.55
744NT	32	70	1.5	65	85	75W	No	4	8 ³ / ₄	12 ³ / ₄	6 ³ / ₄	7 ³ / ₈ Dia		White Polymeric	1.2
744SFLNT	32	70	1.5	65	85	16W floor.	Yes	4	8 ³ / ₄	12 ³ / ₄	6 ³ / ₄	7 ³ / ₈ Dia		Matte White	0.7
763	27	50	2.5	45	60	100W	No	4	8	8 ³ / ₄	5 ³ / ₄	12	10 ⁹ / ₄	White Polymeric	1.6
791LEDNTM	33	110	1.5	95	125	9W LED	Yes	4	9 ¹ / ₄	10	5 ³ / ₄	10 ³ / ₈	10 ³ / ₈	White	0.5
8663RP	26	100	3.5	95	125	100W/7W	No	4	9	9	6	15 Dia		White Polymeric	1.7
8664RP	26	100	3.5	95	125	100W	No	4	9	9	6	15 Dia		White Polymeric	1.7
AN80L	22	80	1.0	75	—	A19 Base	No	4	9 ¹ / ₄	10	5 ³ / ₄	11 ¹ / ₂	12 ¹ / ₈	White Polymeric	1.2
AN110L	22	110	1.3	105	—	A19 Base	No	4	9 ¹ / ₄	10	5 ³ / ₄	11 ¹ / ₂	12 ¹ / ₈	White Polymeric	1.2
AN70L	22	70	2.0	65	—	A19 Base	No	4	9 ¹ / ₄	10	5 ³ / ₄	11 ¹ / ₂	12 ¹ / ₈	White Polymeric	1.2
AEN80BL	22	80	1.5	75	—	LED	Yes	4	9 ¹ / ₄	10	5 ³ / ₄	11 ³ / ₄	12 ¹ / ₂	White Polymeric	0.3
AEN80L	22	80	0.8	75	—	LED	Yes	4	9 ¹ / ₄	10	5 ³ / ₄	11 ³ / ₄	12 ¹ / ₂	White Polymeric	0.3
AEN110L	22	110	1.3	105	—	LED	Yes	4	9 ¹ / ₄	10	5 ³ / ₄	11 ³ / ₄	12 ¹ / ₂	White Polymeric	0.3
QTNLEDA	35	110	0.7	100	—	2- 18W GU24	Yes	6 or 4	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13 ³ / ₄ SQ	3 ¹ / ₂	White Polymeric	1.0
QTNLEDB	35	110	0.7	100	—	2- 18W GU24	Yes	6 or 4	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13 ³ / ₄ SQ	3 ¹ / ₂	White Polymeric	1.0
QTXEN080FLT	17	80	0.3	75	—	2- 18W GU24/4W	Yes	6	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	1.0
QTXEN110FLT	17	110	0.7	100	—	2- 18W GU24/4W	Yes	6	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	1.0
QTXEN110SFLT	18	110	0.7	100	—	2- 18W flour./4W	Yes	6	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	12 ⁷ / ₈	13 ³ / ₄	White Polymeric	1.0
QTXEN150FLT	17	150	1.4	140	—	2- 18W GU24/4W	Yes	6	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	1.2
QTXN110SL	18	110	0.9	100	—	100W/4W	No	6	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	12 ⁷ / ₈	13 ³ / ₄	White Polymeric	1.0
RN80L	13	80	<0.3	—	Yes	2- 18W GU24	Yes	4	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	1.0
RN110L	13	110	0.8	—	Yes	2- 18W GU24	Yes	4	11 ³ / ₈	10 ¹ / ₂	7 ⁵ / ₈	13	14	White Polymeric	1.0
XN110HL	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13 ¹ / ₈	14	White Polymeric	1.0
XN110L	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.9
XN50L	11	50	<0.3	45	—	2- 18W GU24/4W	Yes	6 or 4	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.7
XN80L	11	80	<0.3	75	—	2- 18W GU24/4W	Yes	6 or 4	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.7
ZN110HL	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13 ¹ / ₈	14	White Polymeric	1.0
ZN110L	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.9
ZN110ML	11	110	<0.3	100	—	2- 18W GU24/4W	Yes	6	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13 ¹ / ₈	14	White Polymeric	1.0
ZN80L	11	80	<0.3	75	—	2- 18W GU24/4W	Yes	6 or 4	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13	14	White Polymeric	0.8
ZN80ML	11	80	<0.3	75	—	2- 18W GU24/4W	Yes	6 or 4	10 ¹ / ₂	11 ³ / ₈	7 ⁵ / ₈	13 ¹ / ₈	14	White Polymeric	0.9

Utility Fans

	Page	CFM	Sones	Housing Dimensions			Grille Dimensions		Amps*	Duct"
				L"	W"	H"	L"	W"		
8210	37	210	6.5	9 Dia. x 5 ⁵ / ₈			11 Diameter		0.8	7
8310	37	160	5.0	14	12	3 ¹ / ₄	11 Diameter		1.5	3 ¹ / ₄ x 10
QT200	37	200	2.0	14 ¹ / ₄	10	9	16 ¹ / ₂	12 ³ / ₃₂	1.0	3 ¹ / ₄ x 10
QT300	37	300	4.5	14 ¹ / ₄	10	9	16 ¹ / ₂	12 ³ / ₃₂	2.5	3 ¹ / ₄ x 10

In-Line Ventilators

	Page	0.2" Ps CFM	Sones	Housing Dimensions			Duct	Amps	ENERGY STAR®
				Height	Duct Collar	Fan Diameter			
ILF120	38	110	—	10	3 ⁷ / ₈	10	4	0.37	Yes
ILF130	38	130	—	7 ³ / ₄	4 ⁷ / ₈	10	5	0.37	Yes
ILF250	38	230	—	9 ³ / ₈	5 ⁷ / ₈	12	6	0.8	Yes
ILF360	38	360	—	13 ⁵ / ₈	7 ⁷ / ₈	13 ¹ / ₂	8	0.87	
ILF530	38	530	—	11 ¹ / ₄	9 ⁷ / ₈	13 ¹ / ₂	10	2.0	
ILFK120	39	110	—	10	3 ⁷ / ₈	10	4	0.37	Yes
ILFK130	39	120	—	7 ³ / ₄	4 ⁷ / ₈	10	5	0.37	Yes
ILFK250	39	230	—	9 ³ / ₈	5 ⁷ / ₈	12	6	0.8	Yes
ILFK2502	39	230	—	9 ³ / ₈	5 ⁷ / ₈	12	6	0.8	Yes
ILRF	38	140	—	10	3 ⁷ / ₈ / 4 ⁷ / ₈	10	4 or 5	0.8	

Heater/Fan/Lights

	Page	CFM	Sones HVI- Certified	Lighting Watts Main/ Night Light	Housing Dimensions			Grille Dimensions		Grille finish	Duct Size"	Amps	Total Connected Load In Watts	Element Watts	Exhaust Motor Watts	Heating Motor Watts	BTU
					L"	W"	H"	L"	W"								
605RP	42	70	4.0	—	14 ⁵ / ₈	7 ⁷ / ₈	5 ⁵ / ₈	16 ¹ / ₄	9 ⁷ / ₈	White Polymeric	4	13.5	1620	1300	60	60	5118
665RP	42	70	4.0	100W	14 ⁵ / ₈	7 ⁷ / ₈	5 ⁵ / ₈	16 ³ / ₄	9 ⁷ / ₈	White Polymeric	4	14.2	1720	1300	60	60	5118
765HL	42	100	2.0	100W	16	10 ³ / ₄	5 ⁷ / ₈	17 ¹ / ₂	11 ¹ / ₂	White Polymeric	4	14.5	1830	1500	55	55	5120
765HFL	42	100	2.0	27W Fluor. (Incl.)	16	10 ³ / ₄	5 ⁷ / ₈	17 ¹ / ₂	11 ¹ / ₂	White Polymeric	4	14.0	1760	1500	55	55	5120
9093WH	44	70	3.5	100W/7W	13 ¹ / ₄ Dia x 7 ¹ / ₂		15 ³ / ₈ Dia			White Enamel	4	14.2	1717	1500	55	55	5118
9417DN*	45	70	3.5	250W	8 ¹ / ₈	8 ³ / ₈	6 ³ / ₈	10 ¹ / ₄	10 ¹ / ₄	White Polymeric	4	2.5	300	—	60	—	853
9427P*	45	70	3.5	2- 250W	14 ¹ / ₄	8 ³ / ₈	6 ³ / ₈	15 ⁵ / ₈	10 ¹ / ₄	White Polymeric	4	4.5	545	—	60	—	1707
9905	43	70	4.0	—	14	9 ³ / ₄	7 ³ / ₄	16	10 ⁷ / ₈	White Polymeric	4	13.5	1620	1500	60	60	5118
9960	43	—	—	100W/7W	14	9 ³ / ₄	7 ³ / ₄	16	10 ⁷ / ₈	White Polymeric	—	13.9	1667	1500	—	60	5118
9965	43	70	4.0	100W/7W	14	9 ³ / ₄	7 ³ / ₄	16	10 ⁷ / ₈	White Polymeric	4	14.2	1727	1500	60	60	5118
QT9093WH	44	110	3.0	100W/7W	18 ³ / ₈	13 ³ / ₄	7 ¹ / ₂	15 ³ / ₈ Dia		White Enamel	4	14.2	1717	1500	55	55	5118
QTXN110HL	41	110	0.9	2- 60W/7W	17 ⁵ / ₈	11 ³ / ₈	7 ⁵ / ₈	20	15	White Polymeric	6	14.6	1710	1500	55	55	5120
QTXN110HFLT	41	110	0.9	36W Fluor. (GU24 Incl.)/7W	17 ⁵ / ₈	11 ³ / ₈	7 ⁵ / ₈	20	15	White Polymeric	6	13.9	1626	1500	55	55	5120

*Ventilation Fan/Bulb Heater versions

Bulb Heaters (No Fan)

	Page	Watts	Volts	Heating Motor			Housing Dimensions			Grille Dimensions		Grille finish
				Amps	BTU/hr		L"	W"	H"	L"	W"	
9412D	45	250	120	2.1	853		8 ¹ / ₈	8 ³ / ₈	6 ³ / ₈	10 ¹ / ₄	10 ¹ / ₄	White Polymeric
9422P	45	500	120	4.3	1707		14 ¹ / ₄	8 ³ / ₈	6	15 ⁵ / ₈	10 ¹ / ₄	White Polymeric

See models 9427P and 9417DN above for Ventilation Fan/Bulb Heater versions



Additional Information for Range Hoods meeting ADA Compliance

Broan and NuTone branded residential range hoods can be installed to comply with Sections 308 and 309 of ADA Guidelines, when used with appropriately mounted controls installed at 15” to 48” above the floor and control access should not require reaching over a cooking appliance.

The following range hoods can work in an ADA Compliant situation when the range hood is wired to operate from a dedicated, standard electrical wall switch. To facilitate this application, share the information on the following pages with your electrician when preparing for the installation.

2-SPEED RANGE HOODS:

Broan 40000, F40000, 41000, 42000, 43000, 52000,
PM250, QL1, QS1, QSE1, QML and CBD1 Series

NuTone NS6500, NSPM250, RL6200 & WS1 Series

INTERMEDIATE RANGE HOODS: (with variable speed)

Broan 46000 & QT20000 Series

NuTone ACS Series

2-ROCKER & 3-ROCKER SWITCHES

WARNING

ALL ELECTRICAL WORK MUST BE DONE IN ACCORDANCE WITH LOCAL CODES, ORDINANCES, OR NATIONAL ELECTRICAL CODE AS APPLICABLE. **FOR SAFETY, THIS PRODUCT MUST BE INSTALLED IN A GROUNDED SWITCH BOX.** IF YOU ARE UNFAMILIAR WITH METHODS OF INSTALLING ELECTRICAL WIRING, SECURE THE SERVICES OF A QUALIFIED ELECTRICIAN.

Turn off power and lock out service panel before installing or wiring this product.

Use this control only with copper or copper-clad wire. Do not use aluminum wire with this device.

INSTALLATION

1. WARNING

To avoid fire or electrical shock, turn off power at circuit breaker or fuse. Test that the power is off before wiring.

2. MOUNT THE SWITCH BOX

For 2-Rocker Switch: Install a 3½" deep single-gang switch box or a 2" deep double-gang switch box.

For 3-Rocker Switch: Install a 2½" deep double-gang switch box with a single device adapter plate.

3. ATTACH POWER CABLE

Clamp wiring to switch box and unit using appropriate clamp. Provide 6" leads inside box and fan for easier wiring.

4. CONNECT WIRING

General instructions for all configurations:

Make sure both the switch box and the appliance are properly grounded.

Make sure ground wire is securely fastened to control's ground screw. Tighten ground screw 14 to 16-in. lbs. torque.

Remove insulation per strip gauge on control (approx. 5/8"). Use proper wire nut sizes for number and size of wires.

For push-in terminals: Use #14-AWG solid copper wire only.

For screw terminals: Use #12 or #14-AWG solid copper wire only. Tighten screw terminals 14 to 16-in. lbs. torque.

Choose 4A., 4B. or 4C

4A. When using 2-Rocker or 3-Rocker Switch to turn an appliance ON & OFF:

Make electrical connections following appropriate diagram.

(over)

WARNING

To prevent serious injury from electrical shock or damage to electrical components - **DO NOT WIRE HOT!**


Each individual rocker switch on this control is rated at 15 AMPS, @ 120 VAC. The total load on this control must not exceed 20 AMPS, @ 120 VAC.

Warranty is void if miswired.

NOTE: If the switch has not been wired properly and wires need to be moved, proceed as follows:

WARNING: To avoid fire or electrical shock, turn off power at circuit breaker or fuse. Test that the power is off before wiring.

WIRE OPENING




RELEASE SLOT


1. Each wire opening has a release slot.
2. Push a small nail or screwdriver into release slot while gently removing wire.
3. DO NOT pull any wire out of the switch without using the release slot. The switch may become damaged.

STEP 4A

2 - ROCKER SWITCH



3 - ROCKER SWITCH



4B. When using a 2-Rocker Switch to turn a range hood ON & OFF from another location with 120 VAC POWER CABLE ENTERING SWITCH BOX:


Remove the range hood's wiring cover. If the hood has a BLACK JUMPER WIRE, it must be cut and the end stripped as shown. (FIG. 1)

Use UL approved clamps to secure all cables to hood and box. Make wiring connections following appropriate diagram. Use proper wire nut sizes for number and size of wires. Replace range hood wiring cover.



4C. When using a 2-Rocker Switch to turn a range hood ON & OFF from another location with 120 VAC POWER CABLE ENTERING HOOD:

Remove the range hood's wiring cover. If the hood has a BLACK JUMPER WIRE, it must be cut and the end stripped as shown. (FIG. 1)



Use UL approved clamps to secure all cables to hood and box. Make wiring connections following appropriate diagram. Use proper wire nut sizes for number and size of wires. Replace range hood wiring cover.



STEP 4B POWER INTO SWITCH



STEP 4C POWER INTO HOOD



‡ CODE REQUIRES BOTH ENDS OF THIS WIRE'S INSULATION TO BE COLORED. USE A PERMANENT MARKER.

5. MOUNT CONTROL IN SWITCH BOX

Tuck wires into switch box and fasten the control to box using attached screws.

6. ATTACH SWITCH PLATE

Fasten the switch plate to the control using the short screws from the parts bag.

*** 2-SPEED RANGE HOODS:**

Broan 40000, F40000, 41000, 42000, 43000, 52000, PM250, CBD1, QL1, QML, QS1 & QSE1 Series. NuTone NS6500, NSPM250, RL6200 & WS1 Series.

**** INTERMEDIATE RANGE HOODS:**

Broan 46000 & QT20000 Series. NuTone ACS3 Series.

Automatic Make-Up Air Damper

BROAN[®]



Equalized Air Pressure For A Well-Balanced Home (and budget)

Providing make-up air for exhaust devices is easy, controlling it is not—until now. Broan® Automatic Make-Up Air Dampers are the first to provide synchronized operation for kitchen, bath and whole house ventilation products. Installation is simple and requires no special wiring. The intelligent design options ensure optimum performance in a variety of installations and applications. Highly effective and affordable, Broan Automatic Make-Up Air Dampers strike the perfect balance to keep you and your home breathing easy. What's more, Broan has the tools to help installers specify the proper system. Based on state codes, our online "Range Hood Make-Up Air Specifier" guides the design for the right make-up air damper system in any home.



- Economical, ruggedly constructed galvanized motorized damper
- MD6TU, MD8TU and MD10TU are designed to work universally with any BEST or Broan range hood
- SMD6 and SMD8 are designed for use with Broan SmartSense ventilation fans and select BEST range hoods
- MD6T, MD8T and MD10T are designed for select BEST and Broan range hoods
- Can be controlled by more than one Broan or BEST ventilation product
- Damper opens automatically to replace the air being exhausted by ventilation fans or range hoods, and then closes tightly when ventilation fans are turned off
- Prevents excess air from entering the home during heating or cooling calls, reducing energy consumption
- Interlocked systems meet IRC code requirements for make-up with range hoods >400 CFM


Causes of Unbalanced Air Pressure

Supply ventilation systems push air into the home causing positive pressure.

Conversely, when ventilation fans and range hood fans exhaust stale/polluted indoor air to the outside, negative air pressure develops unless the exhausted air is replaced by fresh outdoor air.


Effects of Positive Air Pressure (supply systems)

- Forces warm/humid air into wall cavities, resulting in potential mold/mildew and structural issues
- Unconditioned and typically uncontrolled air is pushed into the home, resulting in increased energy costs



Effects of Negative Air Pressure (exhaust systems)


- Exhaust fans unable to work at full, rated capacity
- Unconditioned and typically uncontrolled air is pulled into the home, resulting in increased energy costs
- Draws hot/humid air inside, causing mold/mildew and structural damage



The Broan Make-Up Air Damper used in conjunction with Broan SmartSense® and select BEST® range hoods ensures proper ventilation in the home by effectively balancing indoor air pressure only when air is being exhausted.

Optimal Balanced Air Pressure

- Air intake and exhaust are equalized
- Ventilation devices function properly
- Helps maintain the home's integrity
- Enhances energy efficiency



Flexible Installation Options

MD6TU/8TU/10TU (Universal)

Universal design works with any BEST® or Broan® range hood over 300 CFM to balance indoor air pressure by providing interlocked make-up air without requiring a direct wire connection between the range hood and the damper.

Features

- Heavy duty galvanized steel construction
- Includes air flow sensor assembly, low voltage switch and 24VAC transformer
- Sensor installs directly to exhaust duct from range hood
- Available sizes: 6-inch round (MD6TU), 8-inch round (MD8TU) and 10-inch round (MD10TU) normally closed

Installation (see adjacent)

- Use fresh air inlet, Models 641FA (6"), 643FA (8") or 610FA (10"), to bring outdoor air in from exterior
- Insert within a 6-inch, 8-inch or 10-inch duct running from an exterior wall to the cold air return of a forced-air system
- If there is no forced air return, the make-up air duct can be run to a wall or ceiling register in a location that minimizes concerns about drafts

- and maintains a 5-foot separation from the cooking appliance or hood
- Damper assemblies can be "ganged" for high volume applications
- Ganged dampers open and close simultaneously
- Low-voltage sensor can be installed onto any exposed section of the exhaust duct while taking care not to interfere with backdraft damper

- Controls 24VAC transformer causing the damper to open or close as needed when air flows as a result of turning the range hood on or off



SMD6/8

Forms a complete balanced ventilation system by linking SmartSense® ventilation fans and/or select BEST range hoods using the LinkLogic® system.

Features

- Heavy duty galvanized steel construction
- Includes 24VAC transformer and LinkLogic® enabled make-up air damper control module
- Available sizes: 6-inch round (SMD6) and 8-inch round (SMD8) normally closed


- LinkLogic® system uses existing AC wiring to communicate between damper control and ventilation devices and requires no added wiring

Installation (see adjacent)

- Use fresh air inlet, Models 641FA (6"), 643FA (8") or 610FA (10"), to bring outdoor air in from exterior
- Insert within a 6-inch, 8-inch or 10-inch duct running from an exterior wall to the cold air return of a forced-air system
- If there is no forced air return, the make-up air duct can be run to a wall or ceiling register in a location

- that minimizes concerns about drafts and maintains a 5-foot separation from the cooking appliance or hood
- Damper assemblies can be "ganged" for high volume applications
- Ganged dampers open and close simultaneously
- Transformer and make-up air control are easily installed adjacent to the make-up air damper

LinkLogic®



LinkLogic® digital control module

- Installs in any electrical box and communicates over existing power lines in the home
- Controls 120VAC to the 24VAC transformer, causing the damper to open or close as needed when ventilation devices are turned on or off

MD6T/8T/10T

Balances indoor air pressure by providing make-up air for select BEST or Broan range hoods.

Features


- Heavy duty galvanized steel construction
- Includes 24VAC transformer
- Available sizes: 6-inch round (MD6T), 8-inch round (MD8T) and 10-inch round (MD10T)
- Designed for devices with a switched 120VAC output or dry contact

Installation (see adjacent)


- Use fresh air inlet, Models 641FA (6"), 643FA (8") or 610FA (10"), to bring outdoor air in from exterior
- Insert within a 6-inch, 8-inch or 10-inch duct running from an exterior wall to the cold air return of a forced-air system
- If there is no forced air return, the make-up air duct can be run to a wall or ceiling register in a location that minimizes concerns about drafts and maintains a five-foot separation from the cooking appliance or hood

- Damper assemblies can be "ganged" for high volume applications
- Ganged dampers open and close simultaneously
- Low-voltage wiring transmits open/close signal to the make-up air damper


MD6TU/8TU/10TU installation




SMD6/8 installation



MD6T/8T/10T installation





THE LEADER IN RESIDENTIAL INDOOR AIR QUALITY.
WELCOME TO A BROAN HOME.

Broan[®] is America's leading brand of residential ventilation products including range hoods, ventilation fans, fresh air systems, electric and solar-powered attic ventilators.

NuTone®

CENTRAL VACUUM SYSTEMS



POWERFUL SUCTION AND
UNMATCHED FILTRATION
FOR THE **CLEANEST HOME**

A preferred choice of electrical pros since 1936.

NuTone. HOME COMFORT AND CO

What started with the world's first door chime eight decades ago is now the NuTone you know and trust for products that contribute to more comfortable lifestyles.

You'll find America's leading brand of convenience products in homes across the country, including ventilation fans, door chimes, central vacuum systems and home automation systems. We clear the air in any room, greet your guests when they arrive at your door, make floors and carpets spotless, and enable you to confirm your garage door is closed, and close it, from anywhere in the world.

We're continually refining our comprehensive product line that homeowners interact with every day. And when a product is installed, our award-winning technical support team is ready to answer any question. At NuTone, we bring peace of mind to contractors and homeowners.

Consider this; 86 percent of contractors would recommend NuTone products. That can only happen when customers are satisfied. And that's why we proudly say,
NuTone is the preferred choice of electrical pros since 1936.




OVER 80 YEARS OF INNOVATING LIFE AT HOME



Doorbells



Door Chimes



Ventilation Fan/Lights




Ventilation Fans



Ceiling Fans

CONVENIENCE SOLUTIONS.



Central Vacuums



Intercoms



Ironing Centers



Home Automation



Backyard Lighting & Mosquito Repellency

NuTone PurePower Series central vacuums
combine powerful suction and HEPA filtration to
**CREATE A HEALTHIER, CLEANER
ENVIRONMENT FOR YOUR FAMILY.**

INTRODUCTION

QUIET AND POWERFUL DEEP CLEANING

BENEFITS

PUREPOWER SERIES

VX1000 SERIES

ATTACHMENT SETS

AUTOMATIC DUSTPANS

ACCESSORIES

HOSES

WALL INLETS

SYSTEM PLANNING

TUBING

FITTINGS







QUIET AND POWERFUL DEEP

ULTRASILENT™ TECHNOLOGY

Available on the NuTone PP650 and PP600, **ULTRASILENT™** technology combines sound-absorbing materials and assembly techniques to offer one of the lowest noise levels in the industry. Deep cleaning has never been so peaceful!

- Sound-absorbing high-performance materials
- Rigid structure and anti-vibration mounts to limit vibration noise
- No muffler required

NuTone central vacuums have been engineered with **ULTRASILENT™** sound technology to deliver strong suction power at noise levels among the quietest in the industry.

Whichever model you choose, NuTone central vacuum systems are manufactured in North America according to high quality and safety standards. Quiet, reliable and durable, they are engineered to deliver performance.

SOUND RATING

Central vacuum manufacturers' sound testing methods can vary greatly as do the decibel claims for their products. NuTone central vacuums are tested in accordance with ASTM standard F2544-11 and are among the quietest available on the market today.

UP TO **5X**
the cleaning
power of portable
vacuums


650
AIR WATTS
for deep cleaning
of carpets and
upholstery

Peaceful
cleaning:
AS QUIET AS
65 dB

CLEANING

DON'T RECIRCULATE THE DIRT

- NuTone PurePower Series central vacuums contain sealed HEPA filters.
- NuTone Central Vacuum systems vent vacuumed air to the outside of your home – compared to portable vacuums that recirculate the air and dust back into the room.



NUTONE CENTRAL VACUUMS

- Stronger, more efficient suction captures dust and dander that can aggravate asthma and allergies.
- Vent vacuumed air and allergens **OUTSIDE**.

PORTABLE AND OTHER VACUUM SYSTEMS

- Remove large particles from home.
- Billions of microscopic particles are left to settle back onto surfaces or be inhaled by you and your family, including:



Dust



Dust Mites



Hair



Pollen

THE VALUE OF A NUTONE PUREPOWER SERIES CENTRAL VACUUM SYSTEM.



BENEFITS to the Homeowner

NuTone PurePower Series central vacuums combine powerful suction and unmatched filtration, to remove dust and other allergens from your home. Central vacuums exhaust the vacuumed air outside of your home unlike a traditional vacuum that recirculates air back into your living area.

MORE CLEANING POWER

Central vacuums are more powerful than upright and canister systems, they pull the dirt and dust out of carpets and upholstery.

BEST DUST FILTRATION

By exhausting the dirt and dust outside of your home, central vacuums provide you the cleanest indoor air.

QUIET

With the central vacuum power unit mounted in the basement, garage or utility area, the noise is away from your living area.

BUILT-IN CONVENIENCE

The lightweight hose is all you have to carry upstairs or from room to room. No heavy canister or upright vacuum to lug around.

GOOD INVESTMENT

Increase the resale value of your home without investing much more than the cost of a portable vacuum.

BENEFITS to the Builder

DON'T JUST BUILD A HOME

- **Make your homes stand out from the rest in today's competitive market** – Offer your home buyers a quieter, cleaner, healthier home with a central vacuum that removes pollutants from the house.
- **Increase the value of your homes** – Dollars spent installing a central vacuum system is considered by appraisers to increase a home's value.
- **Earn points towards Green Building Certifications** from Organizations like Earth Advantage®, Environments for Living®, and the US Green Building Council with its LEED® Rating System.

BENEFITS to the Installer

ADD VALUE AND CONVENIENCE

- One unit gives bagged and bagless options – reduce inventory costs and stock just 1 SKU for bagged and bagless customer requirements.
- One bag fits all power units.
- Easy to install – **Multi-direction** vacuum connection for easy installation even in small spaces.
- Each model includes a **wall mount bracket** for safe and simple installation.
- Offer exceptional value to your builders and homeowners.


NuTone[®]

PurePower[™]

s e r i e s



**Unmatched
FILTRATION**
with Sealed HEPA



**Among the
QUIETEST**
in the industry



**LONGER
Warranty**

EASY to Install –
Multi-direction vacuum
connection for easy
installation even in
small spaces.

Reliable and Durable –
Proudly designed and
manufactured in
North America to
HIGH QUALITY
and safety standards.


CONVENIENCE –
Large ergonomic latches
on the debris pail
make emptying your
central vacuum easier.



**POWERFUL
Suction** – Up to
5X more powerful
than portable vacuums



**FLEXCOLLECT
Debris Disposal** –
Hybrid solution
offers ultimate
flexibility – bagged
and bagless options
in one.





NuTone
PurePower+
series



PP650



Sealed HEPA 2.0 provides unmatched filtration for the cleanest indoor air – HEPA filter removes up to 99.97% of dust and allergen micro particles up to 0.3 micron; glued seams optimize its efficiency. Secondary HEPA exhaust filter removes the motor's carbon dust.



650 Air Watts for the deepest cleaning.



FlexCollect Debris Disposal – Hybrid solution offers bagged and bagless option in one.



65 dB – Ultra Silent™ technology makes this vacuum among the quietest in the industry for peaceful cleaning.



10 year warranty

- Size: 15-5/8" x 13-1/4" x 38-1/2"
- 120 Volts/13.5 AMP
- For homes 2,500 to 10,000 sq. ft.
- Made in North America

PP600



Sealed HEPA provides unmatched filtration for the cleanest indoor air – HEPA filter removes up to 99.97% of dust and allergen micro particles up to 0.3 micron, glued seams optimizes its efficiency.



600 Air Watts provides powerful suction.



FlexCollect Debris Disposal – Hybrid solution offers bagged and bagless option in one.



68 dB – Ultra Silent™ technology makes this vacuum among the quietest in the industry for peaceful cleaning.



8 year warranty

- Size: 15-5/8" x 13-1/4" x 36-7/8"
- 120 Volts/13.5 AMP
- For homes 2,000 to 7,000 sq. ft.
- Made in North America

PP500



500 Air Watts



Bagged model



70 dB – Quiet operation, no muffler required.



5 year warranty

- Size: 15-5/8" x 13-1/4" x 29-3/4"
Compact size to fit in closets and tight spaces
- Large disposable bag that needs replacing approximately every six months
- 120 Volts/12 AMP
- For homes 1,000 to 4,000 sq. ft.
- Made in North America

POWER UNITS & ATTACHMENTS SELECTION TOOL

SELECT A POWER UNIT

	PP500	PP600	PP650	VX1000/C
Motor Performance (Power): Air Watts	500	600	650	1040
Filtration				
Regular: Cleaner indoor air than with a portable vacuum	●	●	●	●
Sealed HEPA: Cleaner indoor air than most central vacuums		●	●	
Sealed HEPA 2.0: Dual HEPA filters for the cleanest indoor air			●	
What cleaning system do you prefer?				
Bagged	●	●	●	VX1000
Bagless		●	●	VX1000C
Hybrid (bagged & bagless)		●	●	
Where will it be installed?				
Garage	●	●	●	●
Closet	●	●	●	
Basement	●	●	●	●
House Size				
1,000 to 4,000 square feet	●	●	●	●
2,000 to 7,000 square feet		●	●	●
2,500 to 10,000 square feet			●	●
3,500 to 15,000 square feet				●

SELECT AN ATTACHMENT SET

	CS100	CS200	CS300	CS400	CS500	CS600
What type of flooring do you have?						
Hard floor		●	●	●	●	●
Carpet		●		●	●	●
Thick carpet					●	●
Where do you want to use your vacuum?						
Garage/car	●					
Inside the house		●	●	●	●	●
What type of inlets do you have?						
Current Carrying (Electric Driven for faster/easier clean)					●	●
Standard (Air Driven)	●	●	●	●	●	
Are you looking for a new way to groom your pets?						
Yes				●		

NUTONE VX POWER UNIT... QUALITY FROM TOP TO BOTTOM



(Bagless version shown)

VX1000/VX1000C



Air filtration with **HEPA®** and anti-stick technology (VX1000C).



VX1000C
Cyclonic model



1040
Air Watts
from two powerful
240 volt motors



VX1000
Bagged model



8 year warranty

- Easy-to-clean cyclonic filter accessible through door panel returns it to new status (VX1000C)
- State-of-the-art control board gives timed fill indicators for cyclonic unit (VX1000C)
- Built in sound suppression greatly reduces motor noise
- Left and right intake for flexible installation
- Oval shape for space saving mounting
- 7 gallon debris pail with easy on/off snap release and integrated site glass to check fill level
- Bag-full indicator light (VX1000)
- For homes 3,500 to 15,000 sq. ft.
- Made in North America



ATTACHMENT SETS



CS600

Carpet & Bare Floor Combination Electric Direct Connect Attachment Set

- CT105 – Natural Hair Dusting Brush
- CT110 – Long Crevice Tool
- CT106G – Natural Hair Upholstery Tool
- CK135 – Ratcheting Wand
- CT158 – Premium Twist & Turn Floor Brush
- CT175 – Current Carrying Ratcheting Wand
- CT700 – Deluxe Electric Powerhead
- CH615 – Current Carrying Direct Connect Crushproof Hose
- CA130 – Hose Sock
- Hose Hanger
- Wand Hanger
- Mesh Storage Bag



CS500

Carpet & Bare Floor Combination Electric Pigtail Attachment Set

- CT105 – Natural Hair Dusting Brush
- CT110 – Long Crevice Tool
- CT106G – Natural Hair Upholstery Tool
- CK135 – Ratcheting Wand
- CT158 – Premium Twist & Turn Floor Brush
- CT175 – Current Carrying Ratcheting Wand
- CT700 – Deluxe Electric Powerhead
- CH515 – Current Carrying Pigtail Crushproof Hose
- CA130 – Hose Sock
- Hose Hanger
- Wand Hanger
- Mesh Storage Bag



CS400

Carpet & Bare Floor Combination Air Turbine Pet Care Attachment Set

- CT105 – Natural Hair Dusting Brush
- CT110 – Long Crevice Tool
- CT106G – Natural Hair Upholstery Tool
- CK135 – Ratcheting Wand
- CT158 – Premium Twist & Turn Floor Brush
- CT350B – Air Turbine Brush
- CT109 – Pet Brush
- CH235 – 30' Crushproof Hose
- CA130 – Hose Sock
- Hose Hanger
- Wand Hanger
- Mesh Storage Bag



CS300

Bare Floor Attachment Set

- CT105 – Natural Hair Dusting Brush
- CT110 – Long Crevice Tool
- CT106G – Natural Hair Upholstery Tool
- CK135 – Ratcheting Wand
- CT158 – Premium Twist & Turn Floor Brush
- CH235 – 30' Crushproof Hose
- CA130 – Hose Sock
- Hose Hanger
- Wand Hanger
- Mesh Storage Bag



CS200

Carpet & Bare Floor Attachment Set

- CT105 – Natural Hair Dusting Brush
- CT110 – Long Crevice Tool
- CT106G – Natural Hair Upholstery Tool
- CK135 – Ratcheting Wand
- CT140G – Floor Carpet Combination Brush
- Mesh Storage Bag



CS100

Car Care Attachment Set

- CT105 – Natural Hair Dusting Brush
- CT110 – Long Crevice Tool
- CT106G – Natural Hair Upholstery Tool
- Mesh Storage Bag
- 50' Crushproof Hose
- Hose Hanger

AUTOMATIC DUSTPANS

A “must” for the kitchen, pantry, laundry room, bathroom, mud room – anywhere you have a hard surface. NuTone Automatic Dustpans allow you to easily dispose of crumbs, mud, glass fragments, pet hair – all the hard to pick up debris. Just sweep it into the inlet and activate the vacuum feature with light toe pressure.



CI365W VacPan™

Enjoy the convenience of this automatic inlet installed in a cabinet toekick or baseboard. Simply sweep the dirt to the VacPan™ and activate the vacuum system with flip of the toeswitch. It offers the ultimate convenience to sweep dirt away instantly. The perfect idea for any room with hard surface floors like kitchens, baths, laundry rooms and mud rooms. Available in white.

- Rough-in dimensions: 6" w x 4" d x 1" h, not including tubing



CI366W Trim Plate

This Quick Trim finish plate is designed for front entry access. Can be shortened to 3-1/2" or 3" on site. Available in white. (For use with CI365 VacPan™ only.)

- Overall size: 10-9/16" w x 4" h
- Use CF382XS Short 90° Ell or CF382S 90° Sweep Ell when installing where height is limited



CI367W VacuSweep®

The short profile design of VacuSweep® allows it to be installed in tight kick space areas or within a 2" x 4" stud wall. Wiring is connected in mere seconds to spring loaded wire connectors. Available in white.



TREAT YOUR CARPET TO LONGER LIFE

with a wide selection of deep cleaning brushes.

The NuTone Electric Power Brush saves time and energy, while prolonging the life of your carpet. And, with easy-to-use touch-of-the-toe levers, you won't break your back bending to switch carpet heights and removing wands.

The turbine brush uses the airflow of the Central Vacuum System to remove dirt without the need for an electrical plug. It offers the perfect cleaning solution for low pile carpet and area rugs.

In addition, NuTone offers a wide selection of cleaning accessories to enhance the versatility of your Central Vacuum System. From electric power nozzles for deep cleaning to standard tool sets with attachments for those hard to reach areas, we make all of your cleaning chores easier.

Put all of NuTone's power to work for you and get unparalleled cleaning performance.

Electric Power Brush



CT700

Deluxe Electric Power Brush



This deluxe electric 14" power brush provides greater cleaning coverage without the extra work.

Features:

- Exceptional soil removal
- Maximum maneuverability and ease of use
- Superior LED lighting
- Four position height adjustment
- Dual edge cleaning with protective bumper
- Non-marking, rubberized coated wheels for improved traction



The CT700 features convenient height adjustment and brush release pedal options along with a multi-directional steering element for those difficult-to-reach areas.



Turbine Brush



CT350B

Air-Driven Turbine Brush

Lightweight yet powerful, NuTone's® CT350B turbine removes up to 38% more embedded soil than other turbine brushes. This design features a suction shoe that allows 45 degree pivot while in use and a full 360 degree swivel neck.


Features:

- Cog belt drive agitator brush
- Chevron pattern, nylon tufted agitator bristles
- Vacuum release valve opens and closes
- Rubber wheels

BRUSH SELECTION CHART

Model No.	Description	Color	Wands	Height Adjustments	Width	Headlamp	Belt Style	Edge-Cleaning
CT700	Deluxe Electric Power Brush	Gray	CT170 or CT175	4-position	14"	LED	Cogged	Dual
CT350B	Air-Driven Turbine Brush	Black	Sold Separately	No	11"	No	Cogged	Dual

ACCESSORIES



CT132

Chrome Button Lock Wands


Set of two chrome plated steel wands feature secure button-lock fit.



CK135

Ratcheting Wand

One-piece ratcheting wand extends from 22" to 39" at one-inch intervals. Positive ratchet mechanism locks into place. Durable chrome plated steel with button locks.




CT170

Adjustable-Ratcheting Electric Wand

Easily adjustable, one-piece ratcheting wand extends from 26" to 39" at one-inch intervals. Positive ratchet mechanism locks into place.

Use with CT700 power nozzle and "20" series hoses.



CT175

Direct Connect Adjustable-Ratcheting Electric Wand

Easily adjustable, one-piece ratcheting wand extends from 26" to 39" at one-inch intervals. Positive ratchet mechanism locks into place.

Use with CT700 power nozzle and "15" series hoses.



CT105

Dusting Brush

Soft natural bristles provide gentle cleaning for delicate surfaces. Fits onto all NuTone wands. **Black.**



CT106G

Upholstery Tool


Provides deep cleaning, with or without the slide on natural bristle brush. Fits onto all NuTone wands. **Black.**



CT109

Pet Brush

Hard plastic tool with nylon brush provides gentle grooming. Fits onto all NuTone wands. **Black.**



CT110

Long Crevice Tool

Gives you added reach to clean hard-to-reach areas. Clipped end provides continuous air flow. Fits onto all NuTone wands. **Black.**



ACCESSORIES (continued)



CT140G

Standard Floor/Rug Tool

Wide 10-5/8" head. Pedal automatically adjusts as you move from hard surface to carpet and dual rear wheels ensure balance and even air flow. Fits onto all NuTone wands. **Black.**



CT143B

Universal Dusting Brush

Elongated universal dusting brush will change the way you dust. Features gentle, soft nylon bristles. **Black.**



CT150B

Deluxe Floor/Rug Tool

Moves from hard surface to carpet without adjustment. Front and rear wheels maintain air flow. Offers extra wide 11" of edge-to-edge cleaning. **Black.**



CT156B

Hard Surface Floor Tool

This 11-3/4" wide brush is ideal for hard flooring surfaces. Two rows of natural bristles pick up dust. Dual rubber wheels provide balance and even air flow. Swivel neck makes it easy to reach all surface areas.



CT157B

Extra Wide Hard Surface Floor Tool


This 14" wide brush cleans hard flooring surfaces. Two rows of natural bristles pick up dust. Dual rubber wheels provide balance and even air flow. Swivel neck makes it easy to reach all surface areas.



CT158

Turn & Twist Floor Brush

This 13" wide brush is perfect for tile, marble, vinyl, laminate and hardwood floors. Our roller ball swivel design allows you to maneuver into tight spaces and corners and also rotates flat to easily reach under cabinets and furniture.



391/CF3918 & VX3916/VX3918

Two-ply electrostatically charged filter media captures particles down to .10 micron at 85% efficiency. Set of three bags. Suggested replacement about twice a year.

Available in two sizes:

Model 391

Six gallon bag – for use with CV350, CV352, CV353, CV400, CV450, CV653 and CV750.

Model CF3918

Eight gallon bag – for CV850, suitable for CV400 and CV750.

Two-ply electrostatically charged media captures particles down to .10 microns at 85% efficiency.

Model VX3916*

Six gallon bag with HEPA® filtration for VX475.

Model VX3918*

Eight gallon bag with HEPA® filtration for VX550 and VX1000.

Model VX3918STD

Eight gallon bag for VX550 and VX1000.

**HEPA® filter media offers the ultimate with 99.97% filtration efficiency and superior air flow with minimum clogging.*

POWERED TO REACH

everywhere you need
to clean.

NuTone current-carrying hoses bring the power to wherever your vacuum reaches. We offer a wide selection of lightweight, flexible hoses including direct-connect options for use with electrified inlets. Current-carrying hoses allow you to operate an electric power brush without using an additional cord set.

And, the comfortable handle design and fingertip controls on the handle grip add comfort and convenience to your cleaning. The large hose diameter provides better dirt removal. All NuTone hoses come with a convenient storage hanger.



CURRENT-CARRYING HOSES



CH615

Direct Connect Lightweight, Crushproof Hose

This lightweight, current-carrying direct-connect hose springs back to retain original shape. Features a 3-position on-off switch. **Available in dark gray.**

- Recommended for use with NuTone CI358 and CI390 series electrified inlets
- For use with NuTone CT700 Deluxe Electric Power Brush
- UL approved
- 30' length
- Includes convenient hose hanger to store hose



CH515

Dual-Voltage Lightweight, Crushproof Hose with Pigtail

This lightweight, current-carrying corded hose springs back to retain original shape. Features a 3-position on-off switch and 6' line cord. **Available in dark gray.**

- For use with NuTone CT700 Deluxe Electric Power Brush
- Includes Universal hose end which fits all NuTone and most other standard inlets
- UL approved
- 30' length
- Includes convenient hose hanger to store hose

LOW VOLTAGE HOSES & UTILITY HOSES



372

Low Voltage Utility/Garage Hose

This crushproof hose springs back to retain original shape. Perfect durability for tough jobs in the garage. Rotary control on handle regulates vacuum.

- 32' length
- Includes convenient hose hanger to store hose



CH230L

42' Crushproof Low Voltage Hose

A dark gray standard hose features on-off switch and vinyl reinforced construction. The 42' length provides longer reach. Rotary control regulates vacuum. Includes universal hose end which fits all NuTone and most other standard inlets.

- 42' length
- Includes convenient hose hanger to store hose



CH235

30' Crushproof Low Voltage Hose

This crushproof, low voltage hose springs back to retain original shape. Includes on-off switch. Includes Universal hose end which fits all NuTone and most other standard inlets.

- 30' length
- Includes convenient hose hanger to store hose

HOSE ACCESSORIES



CA130

A knitted hose sock can help prevent scratching corners of walls and marking furniture as you move from room to room while vacuuming.

- Washable
- Treated with ultra fresh antimicrobial protection
- For 30-32' hoses



1. Fit sock over tube end
2. Slide entire sock onto tube
3. Feed nozzle end through tube
4. Slide sock off tube onto hose; zip tie at handle
5. Slide sock off of tube to cover remainder of the hose

HOSE SELECTION CHART

Model No.	Description	Hose Length	Inside Diameter	Power Head Switch	Power Unit Switch	Color
372	Low Voltage Utility/Garage Hose	32'	1-1/4"	No	No	Dark Gray
CH230L	Low Voltage Standard Hose	42'	1-3/8"	No	Yes	Dark Gray
CH235	Crushproof Low Voltage Hose	30'	1-3/8"	No	Yes	Dark Gray
CH515	Current-Carrying Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Dark Gray
CH615	Direct-Connect Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Dark Gray

HOSE ACCESSORIES

Model No.	Description	Hose Length	Inside Diameter	Color
CA130	Hose Sock	30' -32'	1" & 1-3/8" diameter hoses	Gray

PLUG INTO POWER AND CONVENIENCE

with NuTone Inlets.

Turn to the source for power and intelligence. NuTone's line of central cleaning inlets include built-in, low-voltage terminals where direct-connect hoses plug right into the inlet – alleviating the need for a power cord. The electrified inlets make it a simple one-step operation to plug in a current-carrying hose.

The system turns on automatically when an unswitched hose is inserted or is ready for immediate activation with a switched hose.

NuTone inlets are the source of ease and convenience when working with a central vacuum system.

ELECTRIFIED INLETS

Electrified Inlets make it a simple one-step operation to plug in a Current-Carrying hose – no 120V extension cord to carry around. Compatible with NuTone CH615.



White

CI390 Series

Standard

The ElectraValve® Electrified Inlet operates on standard house wiring. It eliminates the need for the extension of electrical cords from the inlet to an electrical outlet. The molded power receptacle clips to a mounting plate and the housing wire is run to the nearest outlet box.

- UL listed Assembly
- Available in white or almond



White

CI358W

Supervalve

The Supervalve Electrified Inlet operates on standard house wiring. Includes wall valve, rough-in plate with junction box and strain relief.

- UL listed assembly

CI395RK

Rough-In Kit

The Electrified Inlet Rough-In Kit includes everything you need to install the CI390. Includes mounting plate, snap-in power receptacle, 6' of 12-gauge cable assembly, plaster guard, CF382S elbow and mounting screws for plaster guard.



HOSE-INLET COMPATIBILITY

		INLET TYPE					
		CI390W	CI358W	360W	330W	CF372	
HOSE TYPE	Current Carrying	CH615	●	●			●
		*CH515	○	○	●	●	●
	Low Voltage	372			○	○	●
		CH235	○	○	●	●	○
		CH230L	○	○	●	●	

* Includes 6' line cord ● Full Function ○ Limited Function (suction only/non-powered)

STANDARD INLETS



White

360 Series

Automatic on/off inlets can be installed in walls or floors.

- Size: 3-3/4" w x 3" h x 5/8" d
- Installs with CF361 or CF361F mounting bracket or 395 or 3964 rough-in kits
- Available in white or almond



White

330 Series

Automatic on/off inlets have styrene snap-back protective cover.

- Size: 3" w x 5-3/16" h x 1/2" d
- Install with a CF329 mounting plate or CI3301RK or CI3303RK rough-in kits
- Available in white or almond




White

CF372

Utility Inlet

Automatic on/off inlets have styrene snap-back protective cover.

- Size: 2-1/2" w x 2-7/8" h x 1-7/8" d
- Installs directly into exposed piping without the need for brackets or mounting plates



326N

Existing Home Inlet Kit

The Existing Home Inlet Kit assists with installing a central vacuum system after the home construction is complete. Ideal for tight areas where it is difficult to connect straight tubing to wall inlets.

- Includes 330 inlet and 8" length of Superflex tubing
- CF329 Mounting Plate, inlet frame and tubing guard also included



BROWSE NUTONE CHOICES

to customize
your home's central
vacuum system.



ROUGH-IN AND PRE-INSTALLATION PACKAGES

395

Inlet rough-in kit for use with 360 series inlets: Includes (1) mounting bracket, (1) 90° flange Ell, (1) blank cover plate, a 24" pc 2" OD. PVC tubing and (1) 42" pc 18/2 wire taped to PVC tubing.

3964

Rough-in kit for 3-inlet installation for use with 360 series inlets: Includes (3) mounting brackets, (3) 90° flange Ells, (1) 90° street Ell, (1) 45° street Ell, (1) 100' 18/2 UL wire, (6) nail Plates, (6) 90° sweep Ells, (2) tees, (3) 45° Ells and (6) stop couplings.

CI3303RK

Rough-in kit for 3-inlet installation for use with 330 series inlets (See page 21 for details.)

CI3301RK

Rough-in kit for 1-inlet installation for use with 330 series inlets (See page 21 for details.)

SYSTEM PLANNING – NEW OR EXISTING CONSTRUCTION

INSTALLATION


Each NuTone Central Cleaning System comes packed with a Planning & Installing Guide. Whatever your home layout – multi-level, two-story or ranch – we have a system to meet your needs. As few as three or four inlets can take care of an average size home. Once you've determined the right system for you, a typical system can be installed in a day or less. Just choose whether you want to do-it-yourself or hire a professional installer.

FOR NEW CONSTRUCTION

Installation is simple! Plan the location of the power unit and inlets with your builder or contractor. Tubing, inlets and electrical hook-up can be made before drywall, plaster or finished flooring is in place. You can even “pre-tube” your home, then select and install the power unit later!


FOR EXISTING CONSTRUCTION

Just determine the number and location of inlets and cutting through drywall can be kept to a minimum. Tubing can be run through cold air returns, closets and stairwells.



NOTE: NuTone Central Cleaning Systems are not designed for wet pick-up.

WALL INLET PLANNING



- Power unit and semi-rigid tubing
- Convenient automatic inlets
- Long, flexible hose lets you clean two or three rooms from one inlet
- Automatic dustpan
- Power unit

In other floor plans, the power unit may be located in the basement, laundry or utility room.

Average size 3 or 4-bedroom homes may be adequately serviced with 3 or 4 inlets plus the power unit. Utility inlets can also be used on patios and porches or in garages.

LET US HELP YOU WITH THE BASICS.

1

What is your home size? Include all areas and floors to be serviced by your central vacuum system.

Home Size _____ sq. ft.

2

Based on your home size, choose your power unit from the models indicated on page 11 selection chart.

Power Unit _____

3

Determine the number of wall inlets you will need. As a quick reference for estimating, we recommend using the relationship of 600 sq. ft. for each inlet.

Based on the home square footage used above, divide that value by 600.

Always round up for estimating purposes. For example, using a 2,800 sq. ft. home:

Home Size of 2800 ÷ 600 = 4.6, round up to 5 inlets.

Your Home Size _____ ÷ 600 = _____, round up to _____ Inlets

Type of Wall Inlet Selected _____

Choice considerations:

Select the style wall inlet most suited for your needs as shown on pages 20-21.

4

We strongly recommend including at least one Automatic Dustpan for use in kitchens, pantries, laundry rooms or other locations, which have hard surface flooring.

See page 13 to select the right Automatic Dustpan for you.

Automatic Dustpan _____ Qty _____

5

For determining the amount of tubing and fittings needed:

Typical installations require about 16 ft. of tubing for each Wall Inlet and Automatic Dustpan used. To estimate the amount of tubing required, multiply the # of Inlets

and Automatic Dustpan _____ X 16 = _____ ft.

Based on the number of Wall Inlets in your system, select the series kit needed for your style Wall Inlet as shown on pages 20-21. _____

TUBING



3808/3810

NuTone's semi-rigid white PVC tubing has exceptional tensile strength. Lightweight and easy to handle, it can be cut with an ordinary saw. Its self-extinguishing properties will not support combustion making it extremely safe for your home's walls. Installs vertically or horizontally and is not affected by weather – won't rust or deteriorate.

- Conforms to all UL requirements
- Manufactured in conformity with ASTM F2158 and UMC certified
- 2" OD x 8' or 10' lengths

TUBING GUIDE

Number of Inlets	3	4	5	6	7
PVC Tubing Required	48'	64'	80'	100'	120'

Fittings, tubing and installation kits to meet every installation need – all from one source... NuTone.

Bulk packs available! Please check NuTone price sheet or packaging information.

FITTINGS

CI3301RK Rough In

for 1-inlet installation includes:


- | | |
|------------------------------|--------------------|
| 1 – Mounting Bracket | 1 – 45° Street Ell |
| 1 – Plaster Guard | 2 – Nail Guards |
| 2 – Screws for Plaster Guard | 2 – 90° Sweep Ells |
| 1 – 90° Elbow | 1 – 45° Ell |
| 1 – 90° Street Ell | 1 – 90° Tee Wye |
| | 2 – Stop Couplings |

CI3303RK Rough In


for 3-inlet installation includes:

- | | |
|------------------------------|-----------------------|
| 3 – Mounting Brackets | 6 – Nail Guards |
| 3 – Plaster Guards | 6 – 90° Sweep Ells |
| 6 – Screws for Plaster Guard | 2 – 45° Ells |
| 3 – 90° Elbows | 3 – 90° Tee Wyes |
| 1 – 90° Street Ell | 6 – Stop Couplings |
| 1 – 45° Street Ell | 1 – Solvent Cement |
| | 1 – 1001 18/2 UL Wire |

Installation Components



NuTone® PVC fittings are manufactured in accordance with ASTM F2158.





LA14WH
Discrete design

LA600WH
MP3 customizable
wired/wireless

PB15LWH
Decorative pushbuttons

LA224WH
Wireless chime



BK125LWH
Builder kits

TRADITION OF
FASHION & QUALITY
THAT DATES BACK TO
NUTONE'S INVENTION OF
THE MODERN DAY DOOR CHIME

The NuTone[®] Difference

Decorative accents have never been in higher demand and NuTone door chimes offer a wide selection to complement your style.

NuTone is the right choice in chimes and pushbuttons – from contemporary to traditional styles, musical, portable chimes or wireless – the choice is yours.

Leadership


With a tradition of fashion and quality that dates back to 1936 NuTone continually researches and develops innovative new products and is the market leader in new technologies.


As the inventor of the door chime, the NuTone name is synonymous with door chimes. Popular global and domestic design trends are applied to all of our products, so you can benefit from the most current styles.

MP3 Customizable Chimes

You can program your door chime to play any song or sound, such as seasonal music and holiday songs or sounds to support your favorite sports teams.

Wireless Models Extended

 "Clean Air" Operating Range

 CD Quality Sound

 Volume Control

Chime Kits with EZ Install Transformer

Not all transformers are equal. In fact, our transformers feature an easy-to-install lock-mount or wall-mount that can reduce installation time by 25%.

Ambient Light Chimes

If you like the soothing sounds of chimes, then you'll likely enjoy the complement of soft, subtle light. Our ambient chimes will warmly greet you and your guests.

Hearing Impaired Strobe Light

The built-in strobe light is ideal for hearing impaired or noisy environments.

Transformer with Built In Thermal Cut Off

Designed to shut off the door chime system in the event of excessive temperature.



NuTone® Wired and Wireless Door Chime



LA600WH

Easily upload MP3 files to truly customize your door chime's notifications with your favorite sound or song. Door chime can be installed both wired and wireless. 128MB memory allows for storage of up to 40 songs or sounds on the door chime, offering a variety of notification options to fit any time of the year.

Uses a 16-volt transformer.

Dimensions:
6" w x 9 1/2" h x 2 1/4" d



Volume Control


MP3 Customizable

This door chime mechanism is the first of its kind! Featuring the most advanced customizable features on the market, the LA600WH offers MP3 upload capabilities. Now you can program your door chime to play any song or sound, such as seasonal music and holiday songs or sounds to support your favorite sports teams.




LA600WH

- **Wired or wireless installation** choices make this an easy new or retrofit install for your home; installs in less than 15 minutes in most applications.
- **Audio controls** allow you to select the volume desired and a 5, 10 or 20-second or full song operation time to create the perfect chime without the need for additional software.
- **High quality digital audio** provides clear, crisp sound that will ring throughout the entire home.
- **128MB of memory** provides space for you to upload up to 40 songs or sounds, allowing you to store a variety of sounds for the whole year.
- **Includes 8 pre-loaded door notifications** such as Westminster, 2-note and single-note sounds so you can select just the right greeting.
- **Operates with most NuTone® wired pushbuttons** and PB78LWHCL so you can create the chime set-up that works for your lifestyle.
- **Molded plastic cover** is paintable to blend perfectly in whatever room you mount it in.



Traditional Musical



LA501CY

The LA501CY features a cherry finish and is accented with a beveled, mirrored insert. This chime can easily replace an existing two-note chime without rewiring.

For up to three doors. Eight-note Westminster or four-note chime for front door, one-note for the back door, and a separate note for a side door.

Features adjustable volume control.

Uses a 16-volt transformer.

Dimensions:

12 1/2" x 60 1/4" x 4 7/8"



LA70MA*

Genuine maple wood eight-note chime in a distinctive "column" design with three brass-finish chime tubes.

For up to three entrances, eight-note or four-note chime for front door, and one-note tone for second and third doors. Features adjustable volume control. Can easily replace existing two-note chime without rewiring.

Includes a 16-volt transformer.

Dimensions:

10 3/8" x 15 1/2" x 4 3/4"

(not suitable for staining)

*LA70MA needs additional wire from transformer to chime



Volume Control



LA305WL


This chime is available in a beautiful walnut finish which features a beveled edge, raised brushed brass insert with polished brass floral design, and brushed brass resonance chambers.

For up to three entrances, eight-note or four-note chime for front door, and separate one-note tone for second and third doors. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:

10" x 16 5/8" x 4 1/4"



LA310CY

With a fine cherry finish and exquisite sound, the LA310 is perfect for new construction or retrofit installations.

For up to three entrances, eight-note or four-note chime for front door, and separate one-note chime for second and third doors. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:

12" x 18 3/4" x 4 7/8"



LA11WH or LA11BG

LA11WH white or LA11BG honey beige textured finish. Two-note chime for front door, single-note for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
8 1/8" x 5 1/2" x 2 3/8"

LA14WH

Built-in for flush mounting. White louvered grille can be painted to match decor so the chime is only heard and not seen. Two-note chime for front door, single-note for second door.

Uses a 16-volt transformer.

Dimensions:
Cover - 5 5/8" x 7 7/8"
Cutout - 4 7/8" x 7"
Housing - 1 7/8"



LA18WH

Vertical panels in classic white. Two-note chime for front door, single-note for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
7 7/8" x 8" x 2 1/2"

LA100WH

Molded white cover with beveled edges and rectangular grooves. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
5 7/8" x 7 1/2" x 2 1/8"



LA202WH

Molded white cover may be painted or wallpapered to match room decor. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
8 3/8" x 8 3/8" x 2"



Specialty Electronic

Your chimes are a unique statement of your personality. Our specialty electronic chime allows you to choose among a wide variety of tunes and give you versatility in complementing your décor.



LA174WH Recessed Westminster Chime

Recessed electronic chime with flush-mount white louvered grille. Can be painted to match decor so it is only heard and not seen. Eight-note tune for front door, two-note chime for second door, and one single-note for third door. Adjustable volume.

Includes a 16-volt transformer.

Dimensions:
Cover - 6 3/4" x 8 5/8"
Cutout - 5 3/8" x 7 1/8"
Housing - 2 3/4"

The LA174WH Chime is compatible with all NuTone® intercom systems.



Volume Control

Ambient Light

If you appreciate the soothing sounds of chimes, then you'll likely enjoy the complement of soft, subtle light. Our Ambient Light Chimes will warmly greet you and your guests. They'll be another reason to look forward to coming home.



LA164WH

Subtle light blushes through a translucent white alabaster-look cover. Two-note chime for front door, single-note for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
5 1/2" x 7 5/8" x 3 1/8"



LA165SA

Soft lights glow through acrylic bars. Neutral stone-look cover blends with any decor. Two-note chime for front door, single-note for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
6" x 8" x 3 3/8"

NuTone exclusive Ambient Light Chimes are compatible with each other. For homes where multiple door chimes are desired, both chimes must be lighted or both must be non-lighted to work properly in conjunction with each other.

Transformer models C905 or the NEW C915 are recommended for all NuTone® wired chimes. (Sold separately. See page 12.)

Decorative

Whether you enjoy timeless simplicity, contemporary sophistication or classic style, NuTone has the answer. Our wide selection of decorative chimes is the perfect complement to your home.



LA301WH

Flowing design and white finish offer understated class. Two-note chime for front door and one-note chime for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
8" x 9" x 2 1/8"

LA302WH

Inviting split-level design with white finish. Two-note chime for front door and one-note chime for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
7" x 8 3/4" x 2 1/4"

LA317BL

Stark black finish exudes elegant simplicity. Two-note chime for front door and one-note chime for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
7 1/4" x 8 3/4" x 2 1/4"



LA39WH

Unique chord tone for front door, single-note for second door. Can be painted or wall-papered so it virtually disappears. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
7 1/2" x 10 1/2" x 2 1/8"



LA107WH

Classic vertical panel design in white. Molded plastic cover. Powered by a 16-volt transformer or four "D" batteries. Two-note chime for front door, single-note for second. Can easily replace existing two-note chime without rewiring.

Dimensions:
7 3/8" x 9" x 2 3/4"

LA126WH

Compact, classic design. Molded plastic cover. Two-note chime for front door, single-note for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
8" x 6" x 2 1/4"

LA130WH

High gloss white. Two-note chime for front door, single-note for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
7 1/2" x 5 3/4" x 2 3/8"



LA139WH

Traditional-style design. Two-note chime for front door, single-note for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
10 1/4" x 6 3/8" x 3 3/8"

LA140WH

Classic arched top in cabinet-style design. Two-note chime for front door, single-note for second door. Can easily replace existing two-note chime without rewiring.

Uses a 16-volt transformer.

Dimensions:
9 3/4" x 7" x 3"

Builder Kits – Builder Chimes

One model number puts the perfect kit in your hands.

High quality and innovative styles set NuTone® builder kits apart from the others. Our attractive new chime kits feature a graceful curved style cover with a rich, textured face. It's the perfect complement to the high quality materials today's consumers expect. Even our transformer has been updated with a new design that incorporates a heavy-duty attachment nut. NuTone understands what is important to you. Our chime kits take one more worry out of your way.

Our sturdy new transformer features a new mounting nut to facilitate installation.



Thermal cut-off
Threaded lock-nut easily attaches to electrical box
Stud-mount brackets



Choose from new white or stucco buttons in contemporary finishes. Lighted and unlighted buttons are available **with non-sticking action**.


Model#	Chime Style	Lighted Round Button	Lighted Button	Unlighted Button	Stucco Button
BK105	Basic	–	–	–	–
BK110NBWH	Basic	–	–	1	–
BK115LWH	Basic	–	1	–	–
BK120NBWH	Basic	–	–	2	–
BK125LWH	Basic	–	2	–	–
BK131LPB	Basic	–	–	–	1 Lighted Polished Brass Stucco
BK131LWH	Basic	–	–	–	1 Lighted White Stucco
BK131LSN	Basic	–	–	–	1 Lighted Satin Nickel Stucco
BK131LRBZ	Basic	–	–	–	1 Lighted Oil-Rubbed Bronze Stucco
BK144LCL	Basic	1	–	–	–
BK147LWH	Recessed	–	1	–	–

*Building codes vary by region. Refer to your local municipality building codes.

The BK105 is a chime only kit. All other builder kits include a C905 transformer.

Builder Kits – Junction Box Transformer

Now, rather than mounting the transformer in a remote location and running wires to various points, NuTone® puts everything in one package. With our patented new system, just run the wire, connect and drop the entire transformer in the junction box. Two simple low voltage connections later and the chime is running. NuTone ends the back and forth, up and down runaround by keeping everything conveniently packaged in one location. Choose a kit with one or two standard buttons, or one stucco button.



Step One:
Install a junction box where the chime is to be installed.



Step Two:
Wire the transformer as you would any common receptacle.



Step Three:
Drop the transformer in and attach to the junction box. Connect low voltage wires to the chime and mount it directly to the transformer. The transformer works in any standard, single-gang junction box.

Model#	Chime	Lighted Button	Junction Box Transformer
BK140LWH	1	1	1
BK140SLPB	1	1 Lighted Polished Brass Stucco Button	1
BK142LWH	1	2	1

Chime Accessories - Transformers

Quick install transformers, built to last.

Not all transformers are equal. In fact, our transformers feature an easy-to-install lock-mount or wall-mount that can reduce installation time by 25%. A second unique feature that provides added reassurance is the thermal cut-off switch designed to shut off the door chime system in the event of excessive temperature.



Transformer C915 US
16-volt, 10VA transformer for use with most NuTone door chimes. 16-volt, 10VA for a single chime. Fits in standard junction box, run one wire and it's ready for use.



Transformer C909 US
Tri-volt transformer: 8-volt, 20VA; 16-volt, 20VA; or 24-volt, 20VA for powering multiple chimes in one home. 8, 16 or 24-volt 20VA for two chimes.



Transformer C907
16-volt, 30VA transformer for powering multiple chimes in one home. The most powerful transformer we offer. Ideal for large homes with multiple chimes. 16-volt 30VA for up to three chimes.



Transformer C905 US
16-volt, 10VA transformer for use with most NuTone door chimes. 16-volt 10VA for a single chime.

Pushbuttons


Not all door chime pushbuttons are created equal.

From surface mount to flush mount and polished brass to satin nickel and oil-rubbed bronze, this line of pushbuttons is specifically designed to meet your individual style and function needs.

S A T I N N I C K E L



P O L I S H E D B R A S S



B L A C K



P O L I S H E D C H R O M E




O I L - R U B B E D B R O N Z E




A N T I Q U E B R A S S




W H I T E



G O L D



BUTTONS



Replacement Bulbs



PBL2

For all lighted pushbuttons.

PB18LWHCL

For all round lighted pushbuttons.
*Not compatible with PB78LWHCL.


LED Lighted Wireless Pushbutton



PB78LWHCL

Easily make any wired door chime escutcheon with the PB78LWHCL. This pushbutton is compatible with the LA600WH door chime.

Pushbutton Durability by Design



20,000 Hour Light Source @ 18 Volts

NuTone® Pushbuttons

Model#	Lighted or Unlighted	Finish	Surface Mount	Fits Brick Molding	Dimensions
PB4LBL	Lighted	Black	X	X	1 1/8" x 4 3/16"
PB4LBR	Lighted	Oil-Rubbed Bronze	X	X	1 1/8" x 4 3/16"
PB4LSN	Lighted	Satin Nickel	X	X	1 1/8" x 4 3/16"
PB7LBL	Lighted	Black	X	X	2 7/8" x 1" x 3/4"
PB7LPB	Lighted	Polished Brass	X	X	2 7/8" x 1" x 3/4"
PB7LSN	Lighted	Satin Nickel	X	X	2 7/8" x 1" x 3/4"
PB7LWH	Lighted	White	X	X	2 7/8" x 1" x 3/4"
PB7WH	Unlighted	White	X	X	2 7/8" x 1" x 3/4"
PB10GL	Lighted	Gold Anodized with Black Trim			7/8" x 2 5/8"
PB15LBR	Lighted	Oil-Rubbed Bronze			1 1/4" x 3"
PB15LPB	Lighted	Polished Brass			1 1/4" x 3"
PB15LSN	Lighted	Satin Nickel			1 1/4" x 3"
PB18WHCL	Unlighted	Clear/White		X	1 3/16" Round
PB18LWHCL	Lighted	Clear/White		X	1 3/16" Round
PB19LGL	Lighted	Polished Brass with Antique Hammered Center	X	X	1" x 3 1/8"
PB27LBR	Lighted	Oil-Rubbed Bronze			1 1/2" x 3 1/2"
PB27LSN	Lighted	Satin Nickel			1 1/2" x 3 1/2"
PB29LR	Lighted	Oil-Rubbed Bronze			7/8" x 3 9/16"
PB29LSN	Lighted	Satin Nickel			7/8" x 3 9/16"
PB49LPB	Lighted	Polished Brass	X	X	1 1/8" x 6"
PB53LWH	Lighted	White	X		1 1/4" x 3 1/2"
PB59LPB	Lighted	Polished Brass			1 5/8" x 4 1/4"
PB61LPB	Lighted	Polished Brass			1 1/4" x 4 1/2"
PB64LAB	Lighted	Antique Brass		X	1 1/8" x 4 3/4"
PB67AB	Unlighted	Antique Brass	X		1 3/4" Round
PB67PB	Unlighted	Polished Brass	X		1 3/4" Round
PB69LBL	Lighted	Black	X	X	1" x 2 3/4"
PB69LPB	Lighted	Polished Brass	X	X	1" x 2 3/4"
PB69LPC	Lighted	Polished Chrome	X	X	1" x 2 3/4"
PB69LSN	Lighted	Satin Nickel	X	X	1" x 2 3/4"
PB69LWH	Lighted	White	X	X	1" x 2 3/4"
PB78LWHCL	Lighted	White			1 3/16" Round

NuTone® Stucco Pushbuttons

Model#	Lighted Or Unlighted	Finish	Dimensions
PB41BGL	Unlighted	Polished Brass (Escutcheon & Button)	2 1/2" Round
PB41LBGL	Lighted	Polished Brass (Escutcheon & Button)	2 1/2" Round
PB41LBR	Lighted	Oil-Rubbed Bronze (Escutcheon & Button)	2 1/2" Round
PB41LSN	Lighted	Satin Nickel (Escutcheon & Button)	2 1/2" Round
PB41LWH	Lighted	White (Escutcheon & Button)	2 1/2" Round
PB41APB41LA	-	Wiring Sleeve	-

Portable

The art of convenience.

NuTone® makes your life easier. Our portable chimes can go with you, so visitors won't be missed even when you're out on the deck! Active transmitter pushbutton and receiver chime learn process prevents interference from other wireless products.



Portable Pilot™ Wireless Chime LA553WH

Bigger, noisier homes with electronics, personal computers and surround sound theaters make it harder to hear when a friend is at the door. NuTone brings you the Pilot door chime, offering a soft, non-obtrusive design to hang or stand on a flat surface. Select from 8 note Westminster or 15 other pre-programmed sounds. Add more doors with additional NuTone wireless pushbuttons.

Features adjustable volume control.

Dimensions:

6" x 7 5/8" x 2 3/4"

Wireless range 20 to 300 feet



Peace & Quiet Simplicity with Function

Americana™ Wireless Chime LA552RW

Created with inspiration from timepieces, the beautiful Americana door chime brings the charming warmth of wood together with the wireless technology of today. This NuTone chime features wood and brass design simplicity with volume control. Select from 8 note Westminster or 15 other pre-programmed sounds. Add more doors with additional NuTone wireless pushbuttons.

Features adjustable volume control.

Dimensions:

9 1/4" x 6 7/8" x 2 3/4"

Wireless range 20 to 300 feet



Inspired by History Designed for Today



LA542WH

Enhanced Cathedral™ sound with adjustable volume. Includes two buttons – one for front door, another for the back door. Select from 8 note Westminster or 15 other pre-programmed sounds.

Dimensions:

4 1/4" x 5 7/8" x 1 3/4"

LA225WH

Compact, contemporary design. Select from 8 note Westminster or two different 2-note sounds. Receiver mounts to the wall or can be placed on table. Receiver powered by three "AA" batteries (not included). Includes one button.

Dimensions:

2 3/4" x 4 1/4" x 1"

LA226WH

Contemporary wave design in bright white. Receiver mounts to the wall or can be placed on table. Receiver powered by four "D" batteries (not included). Includes one button. Select from 8 note Westminster or 15 other pre-programmed sounds.

Dimensions:

6" x 7 5/8" x 2 1/4"

Plug-In

Minimal effort plug-in chime.

Easy to install, with no wiring, they are truly the height of convenience. Great for remote locations or noisy environments.



LA223WH

White receiver and one button. Just plug the receiver into a convenient wall outlet and it's ready for use. Select from 8 note Westminster or two different 2-note sounds.

Dimensions:
3 1/2" x 4 3/8" x 1 1/4"

LA224WH



Hearing Impaired

White receiver and one button. Built-in strobe light ideal for hearing impaired or noisy environments. Just plug the receiver into a convenient wall outlet and it's ready for use. Select from 8 note Westminster or two different 2-note sounds.

LA224RWH



Hearing Impaired

Receiver only.
Dimensions:
3 3/4" x 4 1/2" x 1 5/8"

Mechanical Thru-Door Greeter

See who's on the other side of the door.

This easy-to-install system requires no wiring and rings a two-note chime. Includes a gold anodized name plate with a pushbutton.



MCV309NWHGL

The MCV309NWHGL french white greeter with optical lens viewer lets you see who is at the door before you open it. Fits doors 1 1/4" to 2" thick.

Dimensions:
3 1/4" x 7 5/8" x 1 1/4"

Wireless Pushbuttons

Simple yet stylish.

NuTone® wireless pushbuttons allow you to identify one door from another, by setting each button to ring to a different tone. Active transmitter pushbuttons and receiver chime learn process prevents interference from other wireless products. These pushbuttons work with most NuTone wireless chimes and use an CA23 battery (included).



PB85BR

Adds additional doors to most NuTone wireless chimes.

Oil-Rubbed Bronze.

Dimensions:
1 1/4" x 3 3/16" x 7/8"

Does not work with LA600WH
Uses CR2032 battery

PB82WH

Sealed button is designed for added durability. Adds additional doors to most NuTone wireless chimes.

White.

Dimensions:
7/8" x 3 1/8" x 7/8"

Does not work with LA600WH
Uses CR2032 battery

PB85SN

Adds additional doors to most NuTone wireless chimes.

Satin Nickel.

Dimensions:
1 1/4" x 3 3/16" x 7/8"

Does not work with LA600WH
Uses CR2032 battery

PB78LWHCL

LED lighted wireless pushbutton.

White.

Dimensions:
1 3/16" Round

For use with LA600WH
Uses 'N' battery

NuTone®
haven™



TURN YOUR
BACKYARD
INTO A HAVEN

A preferred choice of electrical pros since 1936.

DAY TO NIGHT,

Turn your backyard
into a HAVEN
all season long.



NuTone® Haven™ Backyard Lighting & Mosquito Repellent System

features innovative landscape fixtures that provide season-long*, effective protection from biting mosquitoes. Don't let biting mosquitoes keep you from enjoying time outdoors with family and friends! Haven's patented mosquito protection system provides protection within 15 minutes of use and is effective against all types of mosquitoes. Four Haven fixtures protect a typical deck or patio for over 440 square feet of coverage. They're easy to install and designed to mount on a deck post, railing, or stake in the ground. Plus, you can add Haven to an existing low voltage lighting system or install with a transformer and cable for convenient protection from biting mosquitoes!

MOSQUITO PROTECTION

Effective, convenient, season-long* mosquito protection for your entire deck, porch or patio!



Haven Backyard Light & Mosquito Repellent Fixture combines attractive, efficient LED lighting with mosquito repellency, to enhance your patio, deck or yard.

Each fixture repels biting mosquitoes for 110 square feet

- Four fixtures protect an average patio or deck.
- Provides protection within 15 minutes of use.
- Odorless, silent, invisible during use – no smelly oils, smoke, or zapping sounds to disturb you.
- Easy to use – as easy as turning on the lights to say good-bye to biting mosquitoes.

Each 24 ml Haven Repellent Cartridge provides season long* protection

- Convenient protection from mosquitoes: no batteries, candles, butane, or external fuels required, no spraying to schedule, no messy traps to empty.

Haven Mosquito Repellent Fixture can be used to repel mosquitoes where lighting is not needed, or added to an existing low voltage lighting installation; discreet, low-profile fixtures blend into landscape.

Patented mosquito protection technology

- Easy to install fixtures may be added to an existing low voltage system.
- Mount on a deck post, railing, or a stake in the ground.
- Won't harm plants, flowers, shrubs or lawns.

Use in any outdoor environment: patios, decks, walkways, anywhere mosquito protection is needed

- Optional timer/controller enables automatic operation, when you want it, day or night. Use to operate lighting and repellent systems separately from one transformer.



* 90 days of mosquito protection, when used an average of 2.4 hours/day

SEASON-LONG* PROTECTION



HVLFABL –
Black

HVLFABR –
Bronze



Child-resistant fixture opens with screwdriver for easy repellent cartridge replacement.

Light & Mosquito Repellent Fixture

- One 24 ml Haven Repellent Cartridge and adaptor cap included.
- 16 integrated LEDs provide 40 lumens at 2900K, last for 30,000 hours.
- Powder-coated, cast aluminum housing with UV stabilized polycarbonate lens.
- Available in Black (BL) or Bronze (BR) finish.
- Green LED indicator light on fixture glows when repellent system is on; flashes after 195 hours of use to indicate it is nearing time to check and/or replace repellent cartridge.
- 18" stem and 10" plastic ground stake included.
- 18" leads of 18-gauge cable, with tinned ends for easy insertion into cable connector.
- Two cable connectors and adaptors for 12-16 gauge cable included.
- Works with 12v and 15v AC transformer.
- 3 year limited warranty.



HVRFABL –
Black

HVRFABR –
Bronze



Child-resistant fixture opens with screwdriver for easy repellent cartridge replacement.

Mosquito Repellent Fixture

- One 24 ml Haven Repellent Cartridge and adaptor cap included.
- Powder-coated, cast aluminum housing.
- Available in Black (BL) or Bronze (BR) finish.
- Green LED indicator light on fixture glows when repellent system is on; flashes after 195 hours of use to indicate it is nearing time to check and/or replace repellent cartridge.
- 12" stem and 10" plastic ground stake included.
- 18" leads of 18-gauge cable, with tinned ends for easy insertion into cable connector.
- One cable connector and adaptors for 12-16 gauge cable included.
- Works with 12v and 15v AC transformer.
- 3 year limited warranty.



Fixtures include easy-to-use cable connector and adaptors.

Timer/Control

Allows programming of two circuits for automatic operation, either by time of day or by Solar Sensor (Example: set lights to turn on at dusk and remain on for 5 hours; set repellent to turn on at 7 pm and off at 9 pm).

- Enables single power supply to control two circuits independently: repellent and lighting.
- UV stabilized, high impact ABS case, in black.
- Includes back-up battery to save clock and program settings during intermittent power outage.
- Includes Solar Sensor and mounting hardware.
- Works with 12v and 15v AC transformer.
- 3 year limited warranty.



HVDCT



HVPFBL –
Black

HVPFBR –
Bronze

Deck Mounting Flange

Use to mount Haven fixture to a deck railing, post or other flat, horizontal surface.

- Powder-coated, cast aluminum flange fits both types of Haven fixture.
- Available in Black (BL) or Bronze (BR) finish.
- Includes two mounting screws with color matched heads.
- 2" tall by 2.5" diameter.



HVRC1 –
Single Pack


HVRC4 –
Four Pack

Repellent Cartridge

- Includes adaptor cap for easy insertion into Haven fixture.
- Fits both types of Haven fixtures.
- 24 ml of repellent provides 216 hours of protection.
- Actual hours of repellency may vary based on climate.
- Available in single pack and four pack.
- EPA Registration Number 1021-2618-90291

* 90 days of mosquito protection, when used an average of 2.4 hours/day


AS EASY AS TURNING ON THE LIGHTS TO SAY GOOD-BYE TO BITING MOSQUITOES!




Four fixtures protect an average patio or deck (400 sq ft).



Easy installation using transformer and landscape cable. Install fixtures every 10 to 12 feet around the area you would like to protect.



Patented mosquito protection technology powered by low voltage electricity.



Optional mounting flange for posts and railings.

What is Metofluthrin?

Repellent active ingredient is 4% Metofluthrin, an effective mosquito repellent that has undergone extensive toxicology testing and evaluation and has been accepted for consumer use by the U.S. EPA. Metofluthrin has been used in mosquito repellent products in the United States since 2009.

Electrical Specifications				
POWER SOURCE	12 VAC		15 VAC	
	Amps	Watts	Amps	Watts
Repellent Fixture	1.2 Max	9	1.0 Max	9
LED Light & Repellent Fixture	1.2 Max	11	1.0 Max	11

NuTone®

HOME AUTOMATION

SMART HOME SERIES



A HOME AUTOMATION SOLUTION

A preferred choice of electrical pros since 1936.

Discover the trusted, smart and secure HOME AUTOMATION SOLUTION

The introduction of the **NuTone® Smart Home Series** is driven by an increasing demand from builders, contractors and electrical professionals for innovative home automation products sought out by today's homeowners.

The NuTone Smart Home Series is the next generation of products to follow in the footsteps of our brand's heritage of innovation and reliability.



NuTone Smart Home Series devices work with your favorite Z-Wave® hub and smartphone app including NuTone

Smart Home Series hub (NHUB100 and NHUB 200)* to offer wireless connectivity – for a more intelligent, secure, home automation and monitoring experience.



NuTone Smart Home Series devices make any home easy to control:



Smart Device Control

- From your smartphone or tablet, you can monitor, dim, turn on/off, open/close, schedule and automate your NuTone Smart Home Series devices using your favorite app and hub.
 - NuTone Smart Home Series hubs work with over 1,500 different devices and you can choose up to 200 of your favorite products to connect.** Features ZigBee, Wi-Fi, Bluetooth® wireless technology and Z-Wave Technology. Scalable Z-Wave wire-free communication is optimized for full coverage to reduce and eliminate dead spots in even the largest homes.
 - NuTone Smart Home Series devices are guaranteed to work with NHUB100 and NHUB200 smart hubs.



Security

- Manage device communications securely through the same industry standard encryption used in online banking.
- Automatically trigger lighting on or off to give the appearance that someone is home.
- Monitor and control the garage door 24/7, from your sofa or from another country.



Energy Savings

- Program or adjust your thermostat from across the room or across the globe.
- Smart thermostats are estimated to save homeowners 5-15% or more off energy costs. (energy.gov)



Convenience

- Turn on lighting, start the coffee pot and your favorite playlist before getting out of bed in the morning.
- Automatically turn off your curling iron or fan for peace of mind.

* Sold separately

** NHUB200 specifications. NHUB 100 works with over 1,200 different Z-Wave and Wi-Fi devices and you can choose up to 100 of your favorite products to connect.

NuTone Smart Home Series

It's as simple as connecting a NuTone Smart Home Series hub to the internet – then start adding NuTone Smart Home Series devices:

Smart Outlets – Plug any small appliance or lamp into this outlet and turn it into a 'smart' device without the expense and hassle of new wiring.

Smart Thermostat – Manage comfort and energy costs from anywhere with this programmable thermostat that also allows for 'smart' communication.


Smart Garage Door Controller – Provide safe, secure operations, and prevent unauthorized access to the home with wireless monitoring and control.

Smart Lighting – Program lighting patterns, turn on/off, or dim without rewiring. Control a single bulb or a group of lights while away from home or from inside the house.

Secure – Cost effective, dependable home automation products from the trusted NuTone brand.

Custom – Multiple options for configuration and expansion. Choose smart hub NHUB100 with Wi-Fi and Z-Wave or go for the premium NHUB200 with Zigbee, Wi-Fi, *Bluetooth*[®] wireless technology and Z-Wave. Expand your system with major brands including NuTone, Nest, Schlage, Yale, Kwikset, First Alert, plus many more.

Scalable – Works with other Z-Wave devices in your home to ensure full coverage, reducing and eliminating dead spots, even in the largest homes.





Introducing NUTONE SMART HOME SERIES

SMART GARAGE DOOR CONTROLLER

A secure and automated approach

Provide safe, secure operations, and reduce unauthorized access to the home with NuTone Smart Garage Door Controller – patent pending.




SMART GARAGE DOOR CONTROLLER

NGD00Z

- Installs in less than 30 minutes.
- Wireless monitoring and control.
- First smart garage door controller with secure barrier command class encryption, reducing unauthorized access to your home.
- Assured safe operation with audible and visual notification prior to 'Open/Close.'
- Scalable Z-Wave technology allows full coverage wireless connectivity and communication between devices.
- Works with virtually all sectional automatic garage door openers manufactured after 1993.

NuTone Smart Home Series uses Z-Wave to wirelessly connect and communicate between devices for a more intelligent, secure, automated home.



Preset options and triggers offer a smart and efficient control and monitoring experience.

SMART THERMOSTAT

Save an estimated 5-15% or more on energy costs*

Program, set, adjust and monitor thermostat settings from across the room or across the globe to help manage energy costs and ensure comfort.

- Compatible with 95% of HVAC systems on the market today.
- Easy installation with battery powered or wired options.



SMART THERMOSTAT – STANDARD

NTBZ48

SMART HUBS

- Monitor, turn on/off, or schedule anything connected through the hub from anywhere in the world with one free, easy-to-use app.
- Easy and simple to use.
- Works with major brands including NuTone, Nest, Schlage, Yale, Kwikset, First Alert, plus many more.
- Easily control your entire home with one touch settings for Home, Away, Night and Vacation.



HUB – STANDARD

NHUB100

- Works with over 1,200 different Wi-Fi and Z-Wave devices. Choose up to 100 of your favorite devices to connect.



HUB – PREMIUM

NHUB200

- Works with over 1,500 different Z-Wave, ZigBee, WiFi, and Bluetooth® wireless technology smart home devices. Choose up to 200 of your favorite devices to connect.

*energy.gov

SMART LIGHTING

For comfort, security or mood

Control a single bulb, multiple switches or a group of lighting options while away from home or from inside the house.

- Program lighting patterns or turn lights on/off from anywhere with smartphone/tablet.
- Easily wired in place of a standard wall switch.
- Scalable Z-Wave technology allows full coverage wireless connectivity and communication between devices.
- Replaceable trim design (white included; optional almond).
 - Includes frame, paddle switch and two screws.



SMART DIMMABLE LED LIGHT BULB

NLB60Z

Smart lighting control as easy as screwing in a light bulb.

- 750 lumens instant-on, soft-white illumination.
- Equivalent to 60 watt incandescent bulb.
- Estimated 22+ year lifespan (3 hours/day average).
- Estimated energy use – 9 watts.



SMART WALL SWITCH

NWS15Z

- Max load:
 - Incandescent: 600 W, 120 VAC.
 - Resistive: 15 amps (1800 W), 120 VAC.
 - Motor: 1/2 H.P., 120 VAC.
- Optional almond switch, screws and trim kit NWTWSKITAL.



SMART 3-WAY WALL DIMMER SWITCH

NWT00Z

No one has an easier installation solution to control a light from multiple switches.

- Creates virtual 3-way switches.
- No traveler wires or fishing through walls required.
- Does not directly control a load.
 - Works with other Z-Wave switches, fixture controls or light bulbs to control from up to 5 different locations.
- Optional almond switch, screws and trim kit NWTWSKITAL.



SMART DIMMER WALL SWITCH

NWD500Z

- Compatible with incandescent and most dimmable fluorescent, halogen, Xenon and LED fixtures.
- Max load:
 - 500 Watts for controlling permanently installed light fixtures (not for control of outlets).
- Optional almond switch, screws and trim kit NWDKITAL.

SMART OUTLETS

Turn any small appliance into a 'smart' device

Just plug into a NuTone smart outlet. Program and operate virtually any lamp or light-duty appliance without the expense and hassle of running new wires.

- Automatically turn on/off from anywhere with smartphone/tablet or program patterns with a group of other Z-Wave devices.
- One smart and one always-on receptacle.



SMART WALL OUTLET

NWO15Z

No one offers a safer Z-Wave smart home outlet. Tamper resistant to prevent children from inserting household objects into outlet. (2008 NEC Code compliant)

- Wired in place of standard duplex outlet.
- Tamper resistant 2008 NEC Code Compliant.
- Max load:
 - Incandescent: 600 W, 120 VAC.
 - Resistive: 15 amps (1800 W), 120 VAC.
 - Motor: 1/2 H.P., 120 VAC.

SMART PLUG-IN APPLIANCE MODULE

NPS15Z

- Plugs into any standard 3-prong 110v outlet – device is then plugged into module.
- Max load: 15 amps for control of light duty appliances.



SMART FIXTURE CONTROL


NFS20Z

- Operate and control virtually any electrical device from anywhere with smartphone/tablet or program patterns with a group of other Z-Wave devices.
- Mounts in single or multi-gang electrical box.
- Perfect for ceiling fans, ventilation fans, pool pumps, water heaters, dry-contact relays and in recessed lighting.
- Max load:
 - Isolated Contacts: 20 amps G.P., 277 VAC.
 - Motor: 1 H.P., 120/240 VAC.
 - Incandescent: 960 Watts.

SMART PLUG-IN DIMMER/LAMP MODULE

NPD300Z

- Plugs into any standard 3-prong 110v outlet – device is then plugged into module.
- Turn on/off, dim, schedule or group the lamp with a smart phone app.
- AutoSense feature allows on/off control with lamp switch.
- Max load: 300 Watts.



**COMFORT. CONVENIENCE. EFFICIENCY.
WELCOME TO A NUTONE HOME.**

NuTone® is America's leading brand of residential built-in convenience products including door chimes, central vacuum systems, intercom systems, ceiling fans, ironing centers, backyard lighting and mosquito repellent systems, and ventilation fans.

NuTone®

Intercoms and Home Entertainment Systems



A Sound Investment in Style,
Function and Value.



Introducing in-home entertainment, security and communication systems from NuTone®, the leader in “styled for today” radio intercom and intercom systems. You can choose a ‘Master’ station in a variety of colors and functions to pair up with recess wall-mounted speakers and remote stations. They are the easiest, most affordable way to build security, convenience and entertainment into your home. And with a variety of style and color options, NuTone® has a system to complement the décor of any home.

Stay near those who need you.

Have the peace of mind that you can easily monitor a child’s room or stay within earshot of any family member no matter where you are in the house.

Know who’s at your door.

No matter where you are in the home, you’ll be able to answer your door and safely screen visitors – making your home more secure.



Music, news, information... any room, any time.

A NuTone® radio intercom system plays your favorite radio stations throughout the house. You’ll be amazed by the superb sound quality produced by our systems.

Music and Much More...



NM200 Intercom 'Master' Station

The NM200 system is a full-function intercom and music distribution system designed for residential use. The system supports up to 15 remote stations and up to three door speakers. The built-in AM/FM radio tuner allows setting eight AM station presets and eight FM station presets. The backlit liquid crystal display shows the operation mode, audio source, radio frequency, volume setting, and time. NM200 'Master' station is

offered in two colors – white and almond – to match the décor of your home.

The optional three-note Model NA3003C or eight-note Model NA3008C chime modules provide a selection of door chime sounds.

For master unit rough-in and installation components, order the Model NWH300 Rough-in kit to mount the NM200 'Master.' (See page 14 for more details.)



Additional Features

- CAT-5 wiring to indoor and outdoor remote stations
- For new installations or 6-wire intercom system retrofit installations
- 30 Watts (RMS) maximum output power
- Two music source inputs
- Remote volume and source control from remote stations
- Privacy, intercom only, and door release features
- Programmable monitor override
- Automatic 'on/off' feature



NM200 is available in both white (NM200WH) and almond (NM200AL).

NM200 – Remote Stations and Door Speakers

NuTone® remote stations fill your home with music... indoors and out!

- Use up to 15 remote stations and 3 door speakers
- Talk from any station to all other stations and 'Master'
- Answer door from any station or 'Master'
- Control radio from remote stations; turn on/off, select radio memory channels
- Control music and intercom volume using built-in control



NRS200WH



NRS200 – Indoor Remote Station **NPS200 – Outdoor Remote Station**

Both Remote Stations are designed for use with the NM200 System. They feature a local volume control, room talk/listen, door talk/listen, privacy button, audio source selection, audio source on/off, source audio volume control and selection of radio memory channels.





NDB300WH – Door Speaker

NDB300AB



NDB300BB



NDB300N



NDB300 Series Door Speakers

This line of Door Speakers have a voice communications interface that mounts adjacent to an entry door. Two-way voice communication with the resident occurs through the unit's built-in speaker. The door station mounts recessed in the wall using an NRKR300D Door Speaker Rough-in. This series of door speakers are for use with the NM100 and NM200 'Master' stations only.

Finish Options:

NDB300AB – Antique Brass finish

NDB300BB – Bright Brass finish

NDB300N – Nickel finish

NDB300WH – White finish

(All models feature a lighted chime pushbutton)

NM200 System Components

Order Rough-in PLUS finish kit to make a complete unit.

Finish Kit Model No.	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
'Master' Stations						
NM200AL NM200WH	Almond White	15-1/4"	5-5/16"	3-3/8"	1-1/8"	NWH300
NM200K	Package: (1) NM200WH, (4) NRS200WH, (1) NPS200WH, (1) NDB300WH, (1) NA3003C					NRKRWH300
NRKRWH300	Package: (1) NWH300, (4) NRKR200R, (1) NRKF200P, (1) NRKR300D					–
Indoor Remote Stations						
NRS200AL NRS200WH	Almond White	5-1/2"	5-1/2"	1-5/8"	1-1/8"	NRKR200R
Outdoor Remote Stations						
NPS200WH	White	5-1/2"	5-1/2"	1-5/8"	1-1/8"	NRKF200P

Intercom Door Speaker Options for: NM100 and NM200

Order Rough-in PLUS finish kit to make a complete unit.


Finish Kit Model No.	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
Door Speakers						
NDB300AB	Antique Brass	4-3/16"	6-5/16"	1-3/8"	5/8"	NRKR300D
NDB300BB	Bright Brass	4-3/16"	6-5/16"	1-3/8"	5/8"	NRKR300D
NDB300N	Nickel	4-3/16"	6-5/16"	1-3/8"	5/8"	NRKR300D
NDB300WH	White	4-3/16"	6-5/16"	1-3/8"	5/8"	NRKR300D

Intercom Options:

See p. 15 for chime modules and audio wall plate, p. 13 for intercom speakers and volume control and p. 14 for update and surface frames.

The NM200 remote stations are designed to work with Category 5 or 5E cable. The door speakers are designed to work with NuTone® NW4S shielded cable. Using these cables enables full system performance and minimizes outside interference, dimmer noise, radio frequency interference and other reception problems. If wire other than NuTone® specified wire is used in the installation of a NuTone® Radio Intercom, the Warranty shall not be applicable to any defects or problems relating to the use of non-NuTone® specified wire.

Designed to Fit Your Life



NM100 Intercom 'Master' Station

The NM100 system is a full-function intercom and music distribution system designed for retrofit applications in residential use. The 'Master' unit can replace older intercom systems that use three-wire or four-wire connections to the room stations. The system supports up to 15 remote stations when retrofitting a 4-wire



system, and 13 remote stations when retrofitting a 3-wire system. The built-in AM/FM radio tuner allows setting eight AM station presets and eight FM station presets. The backlit liquid crystal display shows the operation mode, audio source, radio frequency, volume setting, and time.

Remote stations have pushbuttons that control the system operation. Retrofit

indoor and outdoor remote stations connect to the 'Master' unit using the installation's existing wiring. All 4-wire remote station models can select 'talk' or 'listen' to other remote stations, door speakers and the master unit. The 3-wire models can select 'talk' to other remote stations, master unit and 'talk/listen' to door speaker. Each has an intercom volume control.

The NRS103 and NRS104 indoor remote stations and NPS103 and NPS104 outdoor remote stations can select the audio source, scan preset radio stations and set the master music volume.

The optional three-note NA3003C or eight-note NA3008C chime modules provide a selection of door chime sounds.

Additional Features

- White faceplate color
- 30 Watts (RMS) maximum output power
- Two music source inputs
- Remote volume and source control from room stations
- Intercom only and door release features
- Automatic 'on/off' feature

NM100 – Remote Stations and Door Speakers

NuTone® remote stations fill your home with music... indoors and out!

Use up to 15 remote stations when retrofitting a 4-wire system, and 13 remote stations when retrofitting a 3-wire system

- Supports up to three door speakers
- Talk from any station to all other stations and 'Master'
- Answer door from any station or 'Master'
- Control radio from remote stations; turn 'on/off', select radio memory channels
- Control music and intercom volume using built-in control
- Built-in radio tuner allows setting 8 AM and 8 FM stations





NRS103WH – Indoor Remote
NPS103WH – Outdoor Remote

NRS103WH – Indoor Remote Station
NPS103WH – Outdoor Remote Station

Retrofit for 3-wire intercom systems. Both Remote Stations are designed for retrofit use with the NM100 `Master.' They feature local volume control, door talk/listen and room talk buttons, audio source selection, audio source on/off, source audio volume control and selection of radio memory channels.




NRS104WH – Indoor Remote
NPS104WH – Outdoor Remote

NRS104WH – Indoor Remote Station
NPS104WH – Outdoor Remote Station

Retrofit for 4-wire intercom systems. Both Remote Stations are designed for retrofit use with the NM100 `Master.' They feature local volume control, door talk/listen and room talk/listen buttons, audio source selection, audio source on/off, source audio volume control and selection of radio memory channels.



NDB300WH – Door Speaker



NDB300AB



NDB300BB



NDB300N

NM100 System Components

Order Rough-in PLUS finish kit to make a complete unit.

Finish Kit Model No.	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
'Master' Stations						
NM100WH	White	15-1/4"	5-5/16"	3-1/4"	1-3/16" with NF100MWH	NWH300, NF100MWH
Indoor Remote Stations						
NRS104WH (4-wire)	White	5-1/2"	5-1/2"	1-7/16"	1-1/4" with NF300RWH Frame	NF300RWH
NRS103WH (3-wire)						
Outdoor Remote Stations						
NPS104WH (4-wire)	White	5-1/2"	5-1/2"	-	4-3/8" with NRKS200PWH Frame	NRKS200PWH
NPS103WH (3-wire)						

Intercom Door Speaker Options for: NM100 and NM200

Order Rough-in PLUS finish kit to make a complete unit.

Finish Kit Model No.	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
Door Speakers						
NDB300AB	Antique Brass	4-3/16"	6-5/16"	1-3/8"	1-9/16"	NRKR300D, NF300DWH
NDB300BB	Bright Brass	4-3/16"	6-5/16"	1-3/8"	1-9/16"	NRKR300D, NF300DWH
NDB300N	Nickel	4-3/16"	6-5/16"	1-3/8"	1-9/16"	NRKR300D, NF300DWH
NDB300WH	White	4-3/16"	6-5/16"	1-3/8"	1-9/16"	NRKR300D, NF300DWH

Intercom Options:

See p. 15 for chime modules and audio wall plate, p. 13 for intercom speakers and volume control and p. 14 for update and surface frames.

NDB300 Series Door Speakers

This line of Door Speakers have a voice communications interface that mounts adjacent to an entry door. Two-way voice communication with the resident occurs through the unit's built-in speaker. The door station mounts recessed in the wall using an NRKR300D Door Speaker Rough-in. This series of door speakers are for use with the NM100 and NM200 'Master' stations only.

Finish Options:

NDB300AB – Antique Brass finish

NDB300BB – Bright Brass finish

NDB300N – Nickel finish

NDB300WH – White finish

(All models feature a lighted chime pushbutton)

The NM100 3-wire remote stations are designed to work with NuTone® IWA3 3-wire flat ribbon cable. The NM100 4-wire remote stations are designed to work with NuTone® IW4 and M&S 4-wire flat ribbon cable, NuTone® NW4S shielded 4-wire cable and M&S MS4XSC shielded 4-wire cables. The door speakers are designed to work with NuTone® NW4S and M&S MS4XSC shielded cable. Using these cables enables full system performance and minimizes outside interference, dimmer noise, radio frequency interference and other reception problems. If wire other than NuTone® specified wire is used in the installation of a NuTone® Radio Intercom, the Warranty shall not be applicable to any defects or problems relating to the use of non-NuTone® specified wire.

NM200 and NM100 Volume Control and Speakers



NA300MCWH

NA300MCWH – Volume Control

The NA300MCWH Volume Control (White) mounts in a single-gang J-box and includes a standard white wall plate. The volume control is designed for 45-ohm intercom speakers in the NM line of intercoms.



NS382CWH

NS382CWH – Indoor 8" 2-Way In-Ceiling Intercom Speaker

The NS382CWH In-Ceiling Intercom Speaker is an 8", 2-Way 45-ohm, recessed speaker designed for use with NM intercom systems. The speaker frame is white with a white metal grille. No rough-in frame is required.



NS382OBL

NS382OWH

NS382OWH – White Outdoor 8" 2-Way Intercom Speaker

NS382OBL – Black Outdoor 8" 2-Way Intercom Speaker

These Outdoor Intercom Speakers are 45-ohm, 2-way, weather-resistant cube speakers. The speaker pair is supplied with an aluminum hanger bracket and hardware.

Intercom Speaker Options for NM100 and NM200

Order Rough-in PLUS finish kit to make a complete unit.

Finish Kit Model No.	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
Indoor 45 Ohm Intercom Speaker & Volume Control						
NS382CWH	White	10-5/8" Dia	10-5/8" Dia	3-11/16"	5/8"	–
NA300MCWH	White	2-3/4"	4-1/2"	7/16" plus J Box	13/16"	Single-Gang J Box
Outdoor 45 Ohm Intercom Speakers						
NS382OBL	Black	8"	5-1/4"	–	4-1/4" Depth	–
NS382OWH	White	8"	5-1/4"	–	4-1/4" Depth	–


Intercom Options:

See p. 15 for chime modules and audio wall plate and p. 14 for update and surface frames.

NM Series – Surface, Update Frames and Rough-ins



NRKS200PWH



NF200MWH



NF100MWH



NF300DWH



NF300RWH

NRKS200PWH – Outdoor Remote Station Surface Mount Frame

The NRKS200PWH Outdoor Remote Station Surface-mount Frame is used to rough-in outdoor remote stations used with an NM200 installation. This plastic frame is compatible with the NPS200WH Outdoor Remote Station.

NF200MWH – 'Master' Frame

The NF200MWH 'Master' Frame is used in installations where a gap is exposed around the master mounting hole. The frame is designed to fit NM200 and NM100 'Master' Stations.

NF300RWH – Indoor Remote Station Retrofit Frame

The NF300RWH Indoor Remote Station Retrofit Frame is used in retrofit intercom installations when replacing older indoor remote stations with NRS103, NRS104 or NRS200 Indoor Remote Stations.

NF100MWH – 'Master' Retrofit Frame

The NF100MWH 'Master' Retrofit Frame (White) is used in retrofit intercom installations when replacing a master only system with an NM100 or NM200 'Master' System in a 6-wire retrofit installation.

NF300DWH – Door Speaker Retrofit Frame

The NF300DWH Door Speaker Retrofit Frame is used in retrofit intercom installations when replacing a non-NM series NuTone door station. This retrofit mounting frame fits the NDB300BB, NDB300AB, NDB300WH and NDB300N Door Speakers.


NM Series Surface and Update Frames

Frames	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
NF200CAL	Almond	16-1/8"	11-7/8"	–	2-1/2" with 'Master' Station & CD Player	NWH300C
NF200MWH	White	16-5/16"	6-1/4"	–	1-3/16" with 'Master' Station	NWH300
NF100MWH	White	17-1/2"	10-5/8"	–	1-3/16" with 'Master' Station	NWH300
NF300RWH	White	7-1/2"	10"	–	1-1/4" with Remote Station	Replacement installation, use existing rough-in
NRKS200PWH	White	5-7/8"	7-7/8"	–	4-3/8" with Outdoor Station	–
NF300PWH	White	7-1/2"	10"	–	1-1/4" with Remote Station	Replacement installation, use existing rough-in
NES300DBL	Black	5-15/16"	3-13/16"	–	2-3/16" with Door Speaker	–
NES300DWH	White	5-15/16"	3-13/16"	–	2-3/16" with Door Speaker	–
NF300DWH	White	4-7/8"	6-5/8"	–	1-9/16" with Door Speaker	Replacement installation, use existing rough-in
NRKS300R	White	9-7/16"	11"	–	4-5/16" with Remote Station	–

NM Series Rough-ins

Rough-Ins	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
NWH300	Metal	14-3/8"	5-9/16"	3-1/2"	No projection with 1/2" or thicker finish wall surface	–
NRKR200R	Metal	5-15/16"	5-3/4"	7/16"	No projection with 1/2" or thicker finish wall surface	–
NRKF200P	Plastic	4-13/16"	4-7/8"	2-13/16"	–	–
NRKR300D	Metal	3-5/8"	5-3/4"	2-3/8"	–	–

NM200 and NM100 Accessories



NA3003C

NA3003C – 3-Note Chime Module


The NA3003C 3-Note Chime Module can be installed in either NM100 or NM200 'Master' Stations. To announce a visitor, the intercom system's door chime sounds when the chime button is pressed on a door speaker connected to the intercom. The module can be set to play one, two, or three notes with a different chime for each door.

NA3008C – 8-Note Chime Module

The NA3008C 8-Note Chime Module can be installed in either NM100 or NM200 'Master' Stations. To announce a visitor, the intercom system's door chime sounds when the chime button is pressed on a door speaker connected to the intercom. The module can be set to play one, two, four, or eight notes with a different chime for each door.

NW4S – Shielded Cable, 22 gauge

The NW4S Shielded Door Station Cable is 4-conductor, 22 gauge, shielded cable. The cable is supplied in a 75 foot roll. This cable is typically used to connect NM Series door stations to NM200 and NM100 systems.



NA3008C



IA30WH

Chime Model Option for: NM100 and NM200

Module mounting inside Master Station

Finish Kit Model No.	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
NA3003C	–	3-1/4"	3-1/4"	Chime module mounts inside 'Master' station		
NA3008C	–	3-1/4"	3-1/4"	Chime module mounts inside 'Master' station		

NM100, NM200 Intercom Accessories

Order Rough-in PLUS finish kit to make a complete unit


Finish Kit Model No.	Finish	Width	Height	In-Wall Depth	Projects	Rough-In Model No.
Transformers						
NA200TA	–	6-5/8"	4-5/8"	3-3/4"	–	–
NA300TA	–	6-5/8"	3-3/4"	3-11/16"	–	–
Cable						
NW4S	–	–	–	–	–	–

Intercom Options:

See p. 13 for intercom speakers and volume control and p. 14 for update and surface frames.

Wiring Diagrams

3
Wire




NM100 4 Remote Station System (3-wire)

Quantity	Model	Description
1	NM100WH	'Master' Station
1	NWH300	'Master' Rough-In
1	NF100MWH	'Master' Retrofit Mounting Frame
4	NRS103WH	Remote Stations
4	NF300RWH	Remote Station Retrofit Mounting Frame
1	NDB300WH	Door Speaker
1	NF300DWH	Door Speaker Retrofit Mounting Frame

Components must be ordered separately.

4
Wire




NM100 4 Remote Station System (4-wire)

Quantity	Model	Description
1	NM100WH	'Master' Station
1	NWH300	'Master' Rough-In
1	NF100MWH	'Master' Retrofit Mounting Frame
4	NRS104WH	Remote Stations
4	NF300RWH	Remote Station Retrofit Mounting Frame
1	NDB300WH	Door Speaker
1	NF300DWH	Door Speaker Retrofit Mounting Frame

Components must be ordered separately.

Wiring Diagrams




NM200 4 Remote Station System

Quantity	Model	Description
1	NM200WH	'Master' Station
4	NRS200WH	Remote Stations
1	NDB300WH	Door Speaker
1	NRKRWH300	'Master,' Remote Station and Door Speaker Rough-Ins


Components must be ordered separately.






**COMFORT. CONVENIENCE. EFFICIENCY.
WELCOME TO A NUTONE HOME.**

NuTone® is America's leading brand of residential built-in convenience products including door chimes, central vacuum systems, intercom systems, ceiling fans, ironing centers, backyard lighting and mosquito repellent systems, and ventilation fans.



With an ironing center, all your ironing items are within reach in a moment's notice. No more dragging out the ironing board or clearing a spot to set it up. Your choice of door styles allows you to match your home décor.



ICUDWHX, White with door

ICUNUWX, Unfinished wood with optional door*

*door sold separately

NuTone®

Home Comfort and Convenience



BUILT-IN IRONING CENTERS



A preferred choice of electrical pros since 1936.

The Ideal Laundry SOLUTION

Ironing hardly seems like a chore with a NuTone Built-In Ironing Center. Designed for convenience, function, style and safety, we take the wrinkles out of laundry day.



Built-in CONVENIENCE

NuTone Built-In Ironing Centers provide instant and easy access to your ironing board and supplies. Our sturdy, versatile and safe design simplifies your ironing experience, and the space-saving, recessed wall cabinet keeps things neatly stored away and readily available at a moment's notice.



IRONING CENTER UNITS

- Install your ironing center almost anywhere! With 180° board swivel and left or right hand door mount, no other competitor offers more flexibility on where you can put your ironing center.
- Easy installation – included instruction guide, wall template and an online install video provide clear direction for installation.



ICUDWHX

- White cabinet body and white raised panel door will complement most room décor, providing you with everything you need in the box to completely install your ironing center.



ICUNUWX

- Unfinished wood cabinet body easily accepts stain to match your décor. Door sold separately to achieve a custom look (full length mirror – ICDM, unfinished wood flat panel – ICDFUW, or unfinished wood raised panel – ICDRUW).

*sold separately

IRONING CENTER DOORS

Custom doors allow you to choose the perfect look for your ironing center. Match the door to fit the décor of the room where you install your ironing center. Ironing center sold separately.



ICDM*

- Full length mirror door
- Lovely complement to décor
- Check your outfit before leaving the house



ICDFUW*

- Birch flat panel door
- Unfinished wood easily accepts stain to match your woodwork
- Beautiful match to accent décor



ICDRUW*

- Birch raised panel door
- Unfinished wood easily accepts stain to match your woodwork
- Beautiful match to accent décor



ICAB*

The ironing board cover is made to fit the ICUDWHX and ICUNUWX ironing centers.

- A silicone coating allows it to be more heat resistant and will not damage your clothes.
- The cover fits snugly over the board.
- Padded cover provides a smoother, gliding ironing experience.

FEATURES



42" Ironing Board has 180° Swivel



Hot Iron Shield, Storage Shelves and Dual-sided Hinges



Installs at Your Preferred Height



BROAN[®]

2017 LIST PRICES / FULL LINE PRODUCTS



NuTone[®]

Central Vacuum Systems

Door Chimes

Heaters

Intercom Systems

Ironing Centers

Ventilation Fans



Accessories

Dampers
Ducting
Elbows
Hanger Bars
Replacement Parts
Roof Caps
Transitions
Wall Caps
Wall Controls

Attic Ventilators

Parts & Accessories
Roof Mount Powered
Gable Mount Powered
Solar Powered

Range Hoods

Accessories
Blowers
Chimney Hoods
Downdraft Hoods
Energy Star Hoods
High Performance Hoods
Power Packs
Under Cabinet Hoods

Trash Compactors

Accessories

Ventilation Fans

Bath Fan Upgrade Kit
Combination Units
Decorative Fan/Light
Duct Free
Economy
Heavy Duty Series
High Capacity
InVent
LED
LoProfile
Project Packs
Recessed Fan/Light
Remote In-Line
Room-to-Room
Sensing
Sensonic™
SmartSense®
QT Series™
ULTRA™
Utility Ventilators
Vertical Discharge

Whole House Mechanical Ventilation

Accessories
Fresh Air Systems
ULTRA™
SmartSense®



Accessories

Dampers
Ducting
Elbows
Hanger Bars
Replacement Parts
Roof Caps
Transitions
Wall Caps

Central Vacuum Systems

Accessory Kits
Power Units

Door Chimes

Accessories
Chime Kits
College Pride
Hard-Wired Chimes
Wireless Chimes
Wired Pushbuttons
Wireless Pushbuttons

Haven™

Haven™ and Accessories

Heaters

Accessories
Bulb
Ceiling
Fan-Forced
Kickspace
Portable
Project Packs
Register
Wall

Intercom Systems

NM100
NM200
Electronic Door Release

Ironing Centers

Accessories
Cabinets
Doors

Paddle/Ceiling Fans

Accessories
Ceiling Hugger
Commercial
Controls
Standard Five Blades
Light Kits
Outdoor


Ventilation Fans

Basic
Bath Fan Upgrade Kit
Bulb Heaters
Combination Units
Duct Free
EZFit
In-Line Fans
InVent
LED
LoProfile
LunAura
Project Packs
Recessed Fan/Light
Sensing
QT Series™
ULTRA™
Utility

**Full Line Index
Carton/UPC Directory**



Accessories — Hood and Fan

Broan – NuTone Fan Replacement Parts




Model No.	Description	Std. Pk.	Code
BP20	Grille — Bath Fan (663, 670, 671, 675, 688 and 689)	6 *	AC
BP24	Grille — Bath Fan (Metal) (660, 662, 664, 665, 666 and 668)	15 *	AC
BP25	Light Lens — Fan/Light (678, 679, 679FL, 655, 656, 657, 659, 695 and 696)	6 *	AC
BP27	50 CFM Bath Fan Motor and Blower Wheel — Compatible with Broan 662, 668, 678-A, B, C, D, E, F and 688-A, B, C, D, E; Nautilus N678-A, B, C, D, E and N688-A, B, C	6 *	AC
BP28	Motor/Wheel — 70 CFM (655, 657, 658, 679, 671 and 671-A)	6 *	AC
BP33	Grille — Spring-Mounted (AC2650, AC2660, AC2900, 7550 and 7650)	6 *	AC
BP34	Grille — Center Screw-Mounted (Aubrey 7570)	6 *	AC
BP35	Grille/Knob — Utility Fan (8")	12 *	AC
BP36	Light Lens (AC2550, AC25501C and 682L)	5 *	AC
BP38	Grille — Single Bulb Heater	10 *	AC
BP46	Grille Assembly — Spring-Mounted (663, 670, 671, 675, 688, 689, Sears and others)	12 *	AC
BP50	Motor/Wheel — 50 CFM (663N, 663LN, and 696N ver. A)	6 *	AC
BP51	Motor/Wheel — 70 CFM (694 and 695 ver. A)	6 *	AC
BP90	Replacement Grille for 688 Fan	4 *	AC
BP91	Replacement Grille and Light Lens — Each grille and light lens is individually poly bagged and labeled with installation guide. Grille and Light Lens — Fits Fan/Light for Broan 678, 679, 679FL, 679FLT, 680, 680FL, 680FLT, HD50L, HD80L, FL2679FT and FL2680FT; NuTone HD50LNT and HD80LNT; Nautilus N678, N679, N679FL and N680. Light Lens Only — Broan 655, 656, 657, 659, 695, 696 and 707; Nautilus N707.	4 *	AC
C350BN	50 CFM Replacement Motor/Wheel (NuTone 696N A housing)	1	AC
C350GN	Grille — NuTone 695 and 696N with 8" x 7-1/4" housing	4 *	AC
C370BN	70 CFM Replacement Motor/Wheel (NuTone 695 A housing)	1	AC
CVG4	4" Grille	1	AC
CVG6	6" Grille	1	AC
CVL4	4" Sleeve	1	AC
CVL5	Grille Sleeve for 5" Round Duct	1	AC
CVL6	6" Sleeve	1	AC
CVLD4	4" Sleeve with Damper	1	AC
CVLD6	6" Sleeve with Damper	1	AC
G686N	Grille for NuTone 686	4 *	AC
RG4	Grille for NuTone 8832SA	1	AC
834	Filter for 8" Exhaust Fans (807C, 821C, 822C and 831C)	1	AC
854	Filter for 10" Exhaust Fans	6 *	AC

For model specific information, please refer to Broan Retail Parts publication (No. 99850402).



Broan – NuTone Hood Replacement Parts




Model No.	Description	Std. Pk.	Code
BP1	Aluminum Filter with Light Lens (11-3/4" x 13-7/16")	15 *	AC
BP2	Aluminum Filter with Light Lens (10-1/8" x 16-9/16")	12 *	AC
BP4	Aluminum Filter (10-1/2" Diameter)	12 *	AC
BP5	Aluminum Filter (8-5/8" x 11")	4 *	AC
BP7	Aluminum Filter (10-3/8" x 11-3/8")	8 *	AC
BP10	Non-ducted Filter (8" x 9-1/2")	8 *	AC
BP11	Non-ducted Filter (8-5/8" x 10")	8 *	AC
BP17	Fan Assembly — Hood (40000 Series)	4 *	AC
BP18	Fan Assembly — Hood (42000 Series)	4 *	AC
BP19	Fan Assembly — Hood (41000 Series)	4 *	AC
BP29	Aluminum Filter (8-3/4" x 10-1/2")	6 *	AC
BP43	Light Lens — Hood (40000, 41000, 42000 and others) in display box	12 *	AC
BP436	Light Lens — Hood (40000, 41000, 42000 and others) in standard carton	6 *	AC
BP52	Motor/Blade (M2T, MK2T, M4T, V20, V25, V26 and V26N)	4 *	AC
BP55	Aluminum Filter (8" x 9-1/2")	8 *	AC
BP56	Non-ducted Filter (8" x 9-1/2")	8 *	AC
BP57	11-3/8" x 11-3/4" Washable Aluminum and Charcoal Filter with light lens. Master pack contains 8 filters. (SR610050 — Single Pack.)	8 *	AC
BP58	Replacement Charcoal Filter Pack. Each pack contains three 7-3/4" x 10-1/2" pads. Master pack contains 8 filter packs. (SR610051 — Single Pack)	8 *	AC
BP87	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
BPAPFA	Replacement grease filters with antimicrobial protection (3 Pack/2 Filters per Pack)	3 *	AC
BPPF30	Non-duct Filters for QP130, QP230 and QP330	6 *	QA
BPPF36	Non-duct Filters for QP136, QP236 and QP336	3 *	QA
BPPF42	Non-duct Filter for QP142, QP242 and QP342	1	QA
BPPFA30	Replacement QP130 aluminum grease filters	3 *	QA
BPPFA36	Replacement QP136 aluminum grease filters	3 *	QA
BPPFA42	Replacement QP142 aluminum grease filter	1	QA
BPP2FA30	Replacement QP230 aluminum grease filter	1	QA
BPP2FA36	Replacement QP236 aluminum grease filter	1	QA
BPP2FA42	Replacement QP242 aluminum grease filter	1	QA
BPP3FA30	Replacement QP330 aluminum grease filter	1	QA
BPP3FA36	Replacement QP336 aluminum grease filter	1	QA
BPP3FA42	Replacement QP342 aluminum grease filter	1	QA
BPODE30	Aluminum replacement grease filters for QDE30 Series (3 Pack)	3 *	AC
BPQTAF	Aluminum Grease Filters (99010316 — Single Pack)	4 *	AC
BPQTF	Non-ducted Filters (99010317 — Single Pack)	4 *	AC
BPRPFA	Replacement grease filters (3 Pack/2 Filters per Pack) (S97017455 — Single Pack)	3 *	AC

Broan – NuTone Hood Replacement Parts CONTINUED

Model No.	Description	Std. Pk.	Code
BPS1FA30	Aluminum Replacement Range Hood Filters for use with 30" QS I and WS I Series Allure Hoods. Each pack contains 2 filters.	3 *	AC
BPS1FA36	Aluminum Replacement Range Hood Filters for use with 36" QS I and WS I Series Allure Hoods. Each pack contains 2 filters.	3 *	AC
BPS2FA30	Aluminum Replacement Range Hood Filters for use with 30" QS II and WS II Series Allure Hoods. Each pack contains 2 filters.	6 *	AC
BPS2FA36	Aluminum Replacement Range Hood Filters for use with 36" QS II and WS II Series Allure Hoods. Each pack contains 2 filters.	6 *	AC
BPS3FA30	Aluminum Replacement Range Hood Filters for use with 30" QS III and WS III Series Allure Hoods. Each pack contains 2 filters.	6 *	AC
BPS3FA36	Aluminum Replacement Range Hood Filters for use with 36" QS III and WS III Series Allure Hoods. Each pack contains 2 filters.	6 *	AC
BPSF30	Range Hood Filters for non-duct 30" QS and WS Series Allure Hoods. Each pack contains 2 filters.	4 *	AC
BPSF36	Range Hood Filters for non-duct 36" QS and WS Series Allure Hoods. Each pack contains 2 filters.	4 *	AC
BPSF42	Range Hood Filters for non-duct 42" QS and WS Series Allure Hoods. Each pack contains 2 filters.	8 *	AC
FILTERE56	Non-ducted Filter	1	AC
FILTEREB40	Replacement non-ducted charcoal filter for RMP17004 and RM50000	1	HA
FILTER SQUARE	Replacement non-ducted charcoal filter	1	HA
ROUND FILTER	Replacement non-ducted charcoal filter (for 613004 and 619004)	1	HA
41F	Replacement non-ducted filters for 11000, 41000, 46000, ACS, F40000, RL6200, RL6200FH, SL6200H and SM6500R	6 *	AC
88F	Replacement non-ducted filter for 88000, AP1 and RP2 Series. Master Pack contains 6 pairs of filters (S97007662 — Single Pack).	6 *	AC


Accessories — Hood and Fan

Broan – NuTone Roof Caps



Model No.	Description	Std. Pk.	Code
437	High Capacity Roof Cap — up to 1200 CFM. Black.	1	AC
611	Aluminum Roof Cap for flat roofs. Up to 8" round duct. Natural finish.	1	AC
611CM	Aluminum Roof Cap for flat roofs. For curb mount installation. Up to 8" round duct. Natural finish.	1	AC
612	Aluminum Roof Cap for flat roofs. Up to 12" round duct. Natural finish.	1	AC
612CM	Aluminum Roof Cap for flat roofs. For curb mount installation. Up to 12" round duct. Natural finish.	1	AC
634	Steel Roof Cap for 3-1/4" x 10" or up to 8" round duct. Black.	1	AC
634M	Steel Roof Cap for 6" round duct. Includes damper and birdscreen. Black. (Not recommended for range hoods.)	1	AC
636	Steel Roof Cap for 3" or 4" round duct. Black.	1	AC
636AL	Same as Model 636 except aluminum. Natural finish.	1	AC
644	Same as Model 634 except aluminum. Natural finish.	1	AC
DC4	4" Duct Collar. For use with Models 636/636AL for easy attachment of 4" round duct.	6 *	AC
RVK1A	Roof Vent Kit, 8' of 4" flexible aluminum duct. Model 636 Roof Cap, 4" to 3" reducer, 4" dia. connector, (2) 4" dia. clamps.	1	AC

Broan – NuTone Transitions




Model No.	Description	Std. Pk.	Code
411	3-1/4" x 10" to 6" Round Transition	1	AC
412H	3-1/4" x 10" to 7" Round Transition	1	AC
413	3-1/4" x 10" to 8" Round Transition	1	AC
414	8" to 10" Expander	1	AC
418	10" Adjustable Elbow	1	AC
423	Vertical Transition — 4-1/2" x 18-1/2" to 10" round	1	AC
424	Rear Transition — 4-1/2" x 18-1/2" to 10" round	1	AC
427	4-1/2" x 18-1/2" to 10" Round Transition (thin wall)	1	AC
453	■ Horizontal Left Transition — 4-1/2" x 18-1/2" to 10" round (right end boot)	1	AC
454	■ Horizontal Right Transition — 4-1/2" x 18-1/2" to 10" round (left end boot)	1	AC
459	■ 3-1/4" x 14" to 8" Round Transition	1	AC
475	6" to 4" duct reducer (Single pack)	1	AC
475B	6" to 4" duct reducer (6 pack)	6 *	AC
877	6" to 3-1/4" x 10"	1	AC
T457	7" to 5" duct reducer	1	AC
T460	Transition; 3-1/4" x 14" to 7" Round	1	AC
T461	Adapter, 3-1/4" x 14" to 3-1/4" x 10"	1	AC
T486	8" to 6" duct reducer	1	AC
T487	8" to 7" duct reducer	1	AC
T81212	Duct Transition — 8" x 12" to 12" rd. for 900 & 1500 CFM models	1	AC

■ Limited quantities available.

Accessories — Hood and Fan

Broan – NuTone Dampers



Model No.	Description	Std. Pk.	Code
97	7" Spring-loaded Damper	1	AC
421	10" Vertical discharge in-line damper	1	AC
438	8" Horizontal or vertical discharge in-line damper	1	AC
472	10" to 8" Reducer-damper, use with Model 504 (includes damper)	1	AC
804DD	■ 4" Diameter Galvanized Metal Duct Collar with Damper	1	AC
BP87	■ 7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
BP87Q	7" Damper for round discharge range hood. (S97018803 — Single Pack)	3 *	AC
MD6S	6" Make-up air slave damper (Damper Only)	1	HA
MD6T	6" Automatic make-up air damper	1	HA
MD6TU	6" Universal automatic make-up air damper with pressure sensor kit. Also works with ULTRA and QT Series fans if at least 80 CFM and used with 6" rigid duct.	1	HA
MD8S	8" Make-up air slave damper (Damper Only)	1	HA
MD8T	8" Automatic make-up air damper	1	HA
MD8TU	8" Universal automatic make-up air damper with pressure sensor kit	1	HA
MD10S	10" Make-up air slave damper (Damper Only)	1	HA
MD10T	10" Automatic make-up air damper	1	HA
MD10TU	10" Universal automatic make-up air damper with pressure sensor kit	1	HA
SMD6	6" LinkLogic automatic make-up air damper	1	HA
SMD8	8" LinkLogic automatic make-up air damper	1	HA

■ Limited quantities available.


Broan – NuTone Wall Caps



Model No.	Description	Std. Pk.	Code
441	Aluminum Wall Cap with gravity damper for 10" round duct	1	AC
610FA	10" Aluminum Fresh Air Inlet Wall Cap	1	AC
613	Aluminum Wall Cap for 12" round duct. Natural finish.	1	AC
639	Steel Wall Cap for 3-1/4" x 10" duct. Black.	1	AC
641	Aluminum Wall Cap for 6" round duct (includes damper and birdscreen). Natural finish.	1	AC
641FA	Aluminum Fresh Air Inlet Wall Cap for 6" round duct	1	AC
642	4" Round Aluminum Wall Cap	4 *	AC
643	Aluminum Wall Cap for 8" round duct. Natural finish.	1	AC
643FA	Aluminum Fresh Air Inlet Wall Cap for 8" round duct	1	AC
646	Plastic Louvered Wall Cap for 6" duct. White.	1	AC
647	Wall Cap. Same as Model 641 except for 7" round duct.	1	AC
649	Wall Cap. Same as Model 639 except aluminum. Natural finish.	1	AC
843BL	Wall Cap (black) for 6" round duct	1	AC
885AL	Wall Cap (aluminum) for 3" and 4" round duct	6 *	AC
885BL	Wall Cap (steel — black finish) for 3" and 4" round duct	6 *	AC
885NS	Wall Cap for 3" and 4" round duct (no birdscreen). Steel - black finish.	6 *	AC

Accessories — Hood and Fan


Broan – NuTone Wall Caps CONTINUED



Model No.	Description	Std. Pk.	Code
BD4	Pressure Relief Damper with Wall Cap and 4" collar.	1	AQ
BD6	Pressure Relief Damper with Wall Cap and 6" collar.	1	AQ
WC638	Wall Cap — 3-1/4" x 14", Black.	1	AC
WC650	4" Wall Cap for 4" round duct. Includes 4" diameter metal duct connector and four mounting screws.	4 *	AC
WVK2A	Wall Ducting Kit — 5' of 4" diameter flexible foil duct, white wall cap for 4" round duct, 3" to 4" duct adapter, 2 nylon zip ties and mounting screws.	1	AC


Broan – NuTone 24" Duct Sections

Prices shown are for one complete 2' section.



Model No.	Description	Std. Pk.	Code
406	6" Round Duct	5 *	AC
407	7" Round Duct	5 *	AC
408	8" Round Duct	1	AC
410	10" Round Duct	5 *	AC
804DU	4" Insulated Flexible Duct (25 ft.)	1	AC
889	3-1/4" x 10" Duct (5 Pieces)	5 *	AC
DT6W	6" Insulated Duct (25 ft.)	1	AC

Broan – NuTone Elbows




Model No.	Description	Std. Pk.	Code
415	7" Adjustable Elbow	4 *	AC
418	10" Adjustable Elbow	1	AC
419	6" Adjustable Elbow	1	AC
428	3-1/4" x 10" Vertical Elbow	1	AC
429	3-1/4" x 10" Horizontal Elbow	1	AC
430	Short Eave Elbow for 3-1/4" x 10" duct with backdraft damper and grille	1	AC
431	Long Eave Elbow for 3-1/4" x 10" duct with backdraft damper and grille	1	AC
432	8" Round Elbow	1	AC

Broan – NuTone Hanger Bars

Model No.	Description	Std. Pk.	Code
QTHB1	One set of hanger bars for QTR Series	1	AC

Accessories — Decorator Wall Mounted Controls

Broan® Decorator Wall Mounted Controls



Model No.	Description	Std. Pk.	Code
57V / 57W	Electronic Variable Speed Control, 3 amp capacity. 120V. Fits single gang box.	1	AC
59V / 59W	60 Minute Time Control, with "continuous on" feature. Fits single gang box.	1	AC
61V / 61W	15 Minute Time Control, no "continuous on" feature. Fits single gang box.	1	AC
62W	60 Minute Time Control with two rocker switches. Fits two-gang box.	1	AC
63V / 63W	60 Minute Time Control with one rocker switch. Fits two-gang box.	1	AC
64V / 64W	Fan/Light Control with off delay. Requires hot and neutral wires in switch box. Fits single gang box.	1	AC
66V / 66W	Three-Function Control. Fits single gang opening.	1	AC
67W	Three-Function Control with polished chrome finish metal wall plate. Fits single gang opening.	1	AC
68V / 68W	Two-Function Control. Fits single gang box.	1	AC
69W	Single Gang Control. One smooth action on/off rocker switch. Fits single gang box.	1	AC
70TW	Fan Thermostat, 22 amp capacity; 120, 250 and 277 VAC	1	AC
71V	12 hour timer automatically turns the ventilator off at a time selected within a 12 hour period. Ivory.	1	AC
72V / 72W	Electronic Variable Speed Control, 6 amp capacity. 120V. Fits single gang box. Suitable for use with 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11.	1	AC
75V	Electronic Variable Speed Control. Same as 72W/V, except 240V.	1	AC
82W	Premium Humidity Control with Sensaire technology that senses rapid rise in humidity. Also includes duty cycle timer. Fits in single gang box. (White)	1	AC
90	Thermostat Kit. Used to install built-in thermostat in Model 114 kickspace heater. Snap action, bi-metallic, effective temperature range of 40 – 130° F.	1	AC
277V	Electronic Variable Speed Control, 277V, 6A — Ivory. For models with "C" suffix.	1	AC
77DV / 77DW	Three-Function Control for use with sensing Fan/Lights (top switch provides three settings for sensor On/Auto/Off), remaining switches control light, night light and QT Heater/Fan/Light/Night Light (top switch controls light and night light, remaining switches control fan and heater).	1	AC
269VL / 269WL	Two-Function, Two-Gang Control. Two separate smooth action on/off rocker switches — one with pilot light which glows when power is on.	1	AC
685WL	Three-Function, Two-Gang Control. One smooth action on/off rocker switch with pilot light which glows when power is on — one two-function control with separate on/off switches.	1	AC
CFT12WH	12-Hour Timer (White)	1	AC
VS63WH	15 Min. Timer Switch (White)	1	AC
VS66WH	60 Min. Timer/1 On/Off Switch (White)	1	AC
VS67WH	60 Min. Timer/2 On/Off Switches (White)	1	AC
VS68WH	15 Min. Timer/1 On/Off Switch (White)	1	AC
VS69WH	15 Min. Timer/2 On/Off Switches (White)	1	AC
S990712044	Function Labels for two-, three- and four-function wall decorator controls. Easily applied peel-off labels cover HEAT/VENT/LIGHT/NIGHT LIGHT ON/OFF/AUTO functions.	1	PT

W = WHITE decorator style; V = IVORY decorator style.

Accessories — Decorator Wall Mounted Controls



P57W



P59W
P59V


Broan® Decorator Wall Controls / “Blister Packs”

Packaged in see-through “blister packs” for pegboard mounting. Ideal for displays in showrooms to help stimulate sales.

Model No.	Description	Std. Pk.	Code
P57W	Electronic Variable Speed Control, 3 amp capacity. Fits single gang box.	4 *	AC
P59V / P59W	60 Minute Time Control with “continuous on” feature. Fits single gang box.	4 *	AC
P66V / P66W	Three-Function Control. Fits single gang opening.	4 *	AC
P68W	Two-Function Control. Fits single gang box.	4 *	AC
P685WL	Two-Gang Control. One smooth action on/off rocker switch with pilot light which glows when power is on — one two-function control with separate on/off switches. Fits two-gang box.	4 *	AC

W = WHITE decorator style; V = IVORY decorator style.


Attic Ventilators — Powered



345CSOBK
345CSOWW



345GOBK
345GOWW



345RSOBK
345RSOWW



345SOBK
345SOWW

Broan® 28W Solar Powered Attic Ventilators

Remove heat from the attic in summer, help prevent moisture and ice dams in the winter without using any electricity! Energy saving solar powered attic ventilators also reduce energy costs by reducing running time of air conditioners. Easy retrofit can easily replace standard powered attic ventilators.

Model No.	Description	Std. Pk.	Code
345CSOBK	Solar PAV, curb mount, black	1	SO
345CSOWW	Solar PAV, curb mount, weathered wood	1	SO
345GOBK	Solar PAV, gable mount, black	1	SO
345GOWW	Solar PAV, gable mount, weathered wood	1	SO
345RSOBK	Solar PAV, remote mount, black	1	SO
345RSOWW	Solar PAV, remote mount, weathered wood	1	SO
345SOBK	Solar PAV, surface mount, black	1	SO
345SOWW	Solar PAV, surface mount, weathered wood	1	SO
CWT45	Thermostat for Solar PAVs	1	SO

Broan® Roof Mount Powered Attic Ventilators

High performance 14" wing blade. Thermally protected motor. Includes wiring box with a built-in adjustable thermostat. Easy to install.



Model No.	Description	Std. Pk.	Code
349BR	1000 CFM, Brown Powder-Coated Steel Dome	1	HV
350BK	1050 CFM Attic Ventilator with black PVC dome	1	HV
350BR	1050 CFM Attic Ventilator with brown PVC dome	1	HV
355BK	1000 CFM Attic Ventilator with black PVC dome	1	HV
355BR	1000 CFM Attic Ventilator with brown PVC dome	1	HV
356BK	1600 CFM Attic Ventilator with black PVC dome	1	HV
356BR	1600 CFM Attic Ventilator with brown PVC dome	1	HV
358	1000 CFM Attic Ventilator with aluminum dome	1	HV

- Item too large to ship via UPS/FedEx. Item shipped common carrier at minimum rates.
- * All pricing reflects the individual item cost. You must order in multiples as indicated.
- ◆ UL listed for use over bathtubs and showers when connected to a GFCI protected branch circuit.

Attic Ventilators — Powered

Broan® Gable Mount Powered Attic Ventilator



Outstanding performance from an inside-the-attic gable mounted unit. Designed to discharge hot attic air through existing 14" x 14" minimum or comparable louver in gable wall. High performance 14" wing blade. Thermally protected motor. Includes wiring box with a built-in adjustable thermostat. Easy to install.

Model No.	Description	Std. Pk.	Code
353	1020 CFM Gable Mount Ventilator (use with Broan Model 433 shutter — Sold separately, see below)	1	HV
35316	1600 CFM Gable Mount Ventilator (use with Broan Model 433 shutter — Sold separately, see below)	1	HV


Broan® Automatic Shutter for Gable Mount Attic Ventilators



Precision built automatic wall shutter. Designed to be used with Broan Models 353 and 35316 Gable Mount Powered Attic Ventilators or Broan Models 345GOBK and 345GOWW Gable Mount Solar Powered Attic Ventilators. Aluminum vanes automatically open when ventilator turns on and are counter-balanced for easy opening; close when air flow ceases. Steel reinforced for strength, weather-tight closure. Easy to install.

Model No.	Description	Std. Pk.	Code
433	Automatic Shutter	1	AC

Broan® Powered Attic Ventilator Accessories



Model No.	Description	Std. Pk.	Code
DH100W	Dehumidistat, 24V/120V. (For use with all Broan powered attic ventilators — sold separately.)	1	AC
69W	Single Gang Control. One smooth action on/off rocker switch. Fits single gang box.	1	AC
71V	12 hour timer automatically turns the ventilator off at a time selected within a 12 hour period. Ivory.	1	AC
73	High temperature cut-off control automatically shuts off the PAV in the event of a high temperature condition (above 204° F.) Also includes a safety on/off switch to prevent fan from starting when cleaning or servicing.	1	AC


Broan® Powered Attic Ventilator Replacement Accessories

Model No.	Description	Std. Pk.	Code
RFTH95	Automatic, adjustable thermostat replacement part for NuTone powered attic ventilators.	1	AC

Ceiling Fans

NuTone® Standard Series Ceiling Fans — For Indoor Use Only

Accepts all NuTone light kits. Includes 4" and 6" downrods — additional lengths sold separately. ENERGY STAR certified with 30 year limited warranty. Pull chain operation. Wall and remote control sold separately.



Model No.	Description	Std. Pk.	Code
CFS52WH	■ 52" Ceiling Fan — Standard Series, White. Dual Finish Blades; Polished White/White Oak.	1	PF
CFS52BS	■ 52" Ceiling Fan — Standard Series, Brushed Steel. Dual Finish Blades; Dark Cherry/Light Oak.	1	PF
CFS52RB	■ 52" Ceiling Fan — Standard Series, Oil Rubbed Bronze. Dual Finish Blades; Dark Cherry/Medium Cherry.	1	PF
RCK01	■ Hand Held Remote Control Transmitter and Receiver. Works with Standard Series only.	1	PA


■ Limited quantities available.



All models are ENERGY STAR certified products.

NuTone® Hugger Series Ceiling Fans — For Indoor Use Only

Accepts NuTone light kits. Designed to mount flush with ceiling; only 7" between ceiling and blades. Pull chain operation. Wall control sold separately.




Model No.	Description	Std. Pk.	Code
CFH52WH	■ 52" Ceiling Fan — Hugger Series, White. Dual Finish Blades; Polished White/White Oak.	1	PF
CFH52BS	■ 52" Ceiling Fan — Hugger Series, Brushed Steel. Dual Finish Blades; Dark Cherry/Light Oak.	1	PF
CFH52RB	■ 52" Ceiling Fan — Hugger Series, Oil Rubbed Bronze. Dual Finish Blades; Dark Cherry/Medium Cherry.	1	PF

■ Limited quantities available.

NuTone® Outdoor Series Ceiling Fans

Wet rated for outdoor use. Accepts NuTone light kits damp rated for outside use. Includes 4" and 6" downrods. Additional lengths sold separately. ENERGY STAR certified with 30 year limited warranty. Pull chain operation. Wall control sold separately.



Model No.	Description	Std. Pk.	Code
CFO52WH	■ 52" Ceiling Fan — Outdoor Wet Rated, White. Dual Finish, All Weather Blades; Polished White/White Oak.	1	PF
CFO52BQ	■ 52" Ceiling Fan — Outdoor Wet Rated, Barbeque Black. Single Finish, All Weather Blades; Dark Ash.	1	PF
CFO52WB	■ 52" Ceiling Fan — Outdoor Wet Rated, Weathered Bronze. Dual Finish, All Weather Blades; Light Oak/Dark Cherry.	1	PF

■ Limited quantities available.




All models are ENERGY STAR certified products.

Ceiling Fans

NuTone® Commercial Series Ceiling Fans

Engineered to withstand harsh warehouse applications. Designed for year-round energy efficiency. In winter, fans help lower costs by recirculating trapped heat at the ceiling. In summer, specially designed contoured blades provide maximum air flow for improved comfort.




Model No.	Description	Std. Pk.	Code
CFC56WH	■ 56" Commercial Ceiling Fan — White. Single Finish Commercial Grade Contoured White Blades.	1	PF
CFC56BR	■ 56" Commercial Ceiling Fan — Brown. Single Finish Commercial Grade Contoured Brown Blades.	1	PF


■ Limited quantities available.

NuTone® Light Kits


For the greatest energy savings, 13W CFL bulbs are included. Each NuTone light kit also accepts 40W incandescent bulbs (sold separately).



LK20FWWH
LK20FWBS
LK20ASRB



LK30AWH
LK30ABS
LK30ARB



LK50DWH
LK50DWB
LK50DBQ


FOR OUTDOOR USE

Model No.	Description	Std. Pk.	Code
LK20FWWH	■ Light Kit, Traditional Bowl, Frosted White Glass, White Trim, (2) 13W CFL bulbs included	1	PA
LK20FWBS	■ Light Kit, Traditional Bowl, Frosted White Glass, Brushed Steel Trim, (2) 13W CFL bulbs included	1	PA
LK20ASRB	■ Light Kit, Traditional Bowl, Amber Scavo Glass, Oil-Rubbed Bronze Trim, (2) 13W CFL bulbs included	1	PA
LK30AWH	■ Light Kit, Contemporary Bowl, Alabaster Glass, White Trim, (2) 13W CFL bulbs included	1	PA
LK30ABS	■ Light Kit, Contemporary Bowl, Alabaster Glass, Brushed Steel Trim, (2) 13W CFL bulbs included	1	PA
LK30ARB	■ Light Kit, Contemporary Bowl, Alabaster Glass, Oil-Rubbed Bronze Trim, (2) 13W CFL bulbs included	1	PA
LK50DWH	■ Light Kit, Outdoor, Damp-Rated, White Trim, (1) 13W CFL bulb included	1	PA
LK50DWB	■ Light Kit, Outdoor, Damp-Rated, Weathered Bronze Trim, (1) 13W CFL bulb included	1	PA
LK50DBQ	■ Light Kit, Outdoor, Damp-Rated, BBQ Black Trim, (1) 13W CFL bulb included	1	PA


■ Limited quantities available.

NuTone® Turtle Fitters and Glass

Four arm fitters let you personalize your fan with your choice of 2-1/4" decorative glass. For the greatest energy savings, 13W CFL bulbs are included. Each NuTone fitter also accepts 40W medium base candelabra bulbs (sold separately).



TF40WH
TF40BS
TF40RB



TF40GAP TF40GFW TF40GCL

Model No.	Description	Std. Pk.	Code
TF40WH	■ Turtle Fitter, White. Includes (4) 13W Compact Fluorescent Bulbs.	1	PA
TF40BS	■ Turtle Fitter, Brushed Steel. Includes (4) 13W Compact Fluorescent Bulbs.	1	PA
TF40RB	■ Turtle Fitter, Oil Rubbed Bronze. Includes (4) 13W Compact Fluorescent Bulbs.	1	PA
TF40GAP	■ Glass for Turtle Fitter, Amber Parchment (Set of 4)	1	PA
TF40GFW	■ Glass for Turtle Fitter, Frosted White (Set of 4)	1	PA
TF40GCL	■ Glass for Turtle Fitter, Clear Cut Glass (Set of 4)	1	PA

■ Limited quantities available.


NuTone® Slope Adapters

Model No.	Description	Std. Pk.	Code
CFSABR ■	Brown	1	PA
CFSABS ■	Brushed Steel	1	PA
CFSARB ■	Oil-Rubbed Bronze	1	PA
CFSAWH ■	White	1	PA

■ Limited quantities available.

NuTone® Downrods

NuTone ceiling fans include both a 4" and 6" downrod*. Choose from an assortment of 12" to 48" lengths, all 13/16" diameter.




Model No.	Description	Std. Pk.	Code
DR12WH ■	12" Downrod, White	1	PA
DR18WH ■	18" Downrod, White	1	PA
DR24WH ■	24" Downrod, White	1	PA
DR36WH ■	36" Downrod, White	1	PA
DR48WH ■	48" Downrod, White	1	PA
DR36BS ■	36" Downrod, Brushed Steel	1	PA
DR48BS ■	48" Downrod, Brushed Steel	1	PA
DR12RB ■	12" Downrod, Oil-Rubbed Bronze	1	PA
DR18RB ■	18" Downrod, Oil-Rubbed Bronze	1	PA
DR24RB ■	24" Downrod, Oil-Rubbed Bronze	1	PA
DR36RB ■	36" Downrod, Oil-Rubbed Bronze	1	PA
DR48RB ■	48" Downrod, Oil-Rubbed Bronze	1	PA
DR24BR ■	24" Downrod, Brown	1	PA
DR36BR ■	36" Downrod, Brown	1	PA
DR48BR ■	48" Downrod, Brown	1	PA
DR12OWH ■	12" Downrod, Outdoor White	1	PA
DR12OBQ ■	12" Downrod, Outdoor Barbeque Black	1	PA
DR18OBQ ■	18" Downrod, Outdoor Barbeque Black	1	PA
DR24OBQ ■	24" Downrod, Outdoor Barbeque Black	1	PA
DR36OBQ ■	36" Downrod, Outdoor Barbeque Black	1	PA
DR12OWB ■	12" Downrod, Outdoor Weathered Bronze	1	PA
DR18OWB ■	18" Downrod, Outdoor Weathered Bronze	1	PA
DR24OWB ■	24" Downrod, Outdoor Weathered Bronze	1	PA
DR36OWB ■	36" Downrod, Outdoor Weathered Bronze	1	PA


* Excludes Hugger Series. Commercial fan contains 6" downrod only.

■ Limited quantities available.


Ceiling Fans



RCK01



78W
78V



79W
79V

W = WHITE decorator style
V = IVORY decorator style

NuTone® Controls


Each NuTone fan is designed to operate with a pull chain. For added convenience, choose from our assortment of remote and wall controls*.

Model No.	Description	Std. Pk.	Code
RCK01 ■	Hand Held Remote Control Transmitter and Receiver	1	PA
78V / 78W ■	Four-Speed Control, 1.5 amps	1	PA
79V / 79W ■	Four-Speed Fan/Hi-Off-Low Light Control. For 1.5 amp Fan, 300 Watt Incandescent Light.	1	PA


* Commercial series does not contain pull chain and must be operated with a wall control. Remote control available for standard series only.

■ Limited quantities available.

Central Vacuum Systems



PP500



PP600



PP650

NuTone® PurePower Series Power Units

Model No.	Description	Std. Pk.	Code
PP500	NuTone PurePower 500 AW Power Unit	1	CX
PP600	NuTone PurePower 600 AW Power Unit	1	CX
PP650	NuTone PurePower 650 AW Power Unit	1	CX




NuTone® Power Units — VX Series

Model No.	Description	Std. Pk.	Code
VX1000	Power Unit — Two, Two-Stage Universal Bypass Motors, Bag Filtration	1	CX
VX1000C	Power Unit — Two, Two-Stage Universal Bypass Motors, Cyclonic	1	CX



Central Vacuum Systems

NuTone® Tools, Hoses, Inlets, Tubing and Fittings






Model No.	Description	Std. Pk.	Code
326N	Existing Home Inlet Kit	1	CA
330ALM	Standard Inlet — Almond	1	CA
330W	Wall Inlet — White	1	CA
360ALM	Automatic Wall Inlet — Almond	1	CA
360IV	■ Wall Inlet — Ivory	1	CA
360W	Wall Inlet — White	1	CA
372	Standard Hose — 32' wire-reinforced vinyl	1	CA
376UL	Wire — 100' 18/2, UL approved	1	CA
378	Nail Plate	1	CA
3808	● 8' PVC Tubing	8 *	CA
3808B	● 8' PVC Tubing	440 *	CA
3810	10' PVC Tubing	10 *	CA
391	Bags — pack of three (3)	1	CA
392	Muffler	1	CA
393	Metal Wall Cap	1	CA
394	Blank Cover Plate — White	1	CA
395	Inlet Rough-In Assembly Package — for new construction	1	CA
3964	Three-Inlet Installation Rough-In Package	1	CA
CA130	Hose Sock — fits 30' - 32' hoses (comes with assembly tube)	1	CA
CF328	Plaster Guard — for use with Model CF329 mounting plate	1	CA
CF329	Inlet Mounting Plate	1	CA
CF361	Mounting Bracket with Plastic Guard	1	CA
CF361F	Mount Plate w/Flanged Spigot — for any CF382 Series elbow	1	CA
CF362	Flanged Ell — 90°	1	CA
CF363	Flanged Ell, 90° — Special for 3" walls	1	CA
CF364	Flanged Tee	1	CA
CF365	Double Flanged Tee	1	CA

■ Limited quantities available.



Central Vacuum Systems

NuTone® Tools, Hoses, Inlets, Tubing and Fittings CONTINUED




Model No.	Description	Std. Pk.	Code
CF366	Straight Flange	1	CA
CF367	Flexible Tubing — 36" Length	6 *	CA
CF368	90° Street Ell	1	CA
CF369	45° Street Ell	1	CA
CF372	Utility Inlet — White	1	CA
CF377	90° Sweep Ell — Long	1	CA
CF380	Pipe Support with Wire Clip	1	CA
CF382	90° Sweep Ell	1	CA
CF382S	90° Short Ell — for use with Model CF329 only	1	CA
CF382XS	90° Short Socket Ell for VacPan™	1	CA
CF383	90° Tee	1	CA
CF384	Three-Way Ell	1	CA
CF385	45° Ell	1	CA
CF386	30° Ell	1	CA
CF387	45° Wye	1	CA
CF388	Stop Coupling	1	CA
CF389	End Cap	1	CA
CF3918	Filter Bags — Set of 3, 8 gallon capacity	1	CA
CH230L	High Performance Hose — 42' wire-reinforced vinyl with ON/OFF Switch	1	CA
CH235	Low Voltage Crushproof Hose — 30' features swivel handle	1	CA
CH515	Current-Carrying Crushproof Hose — 30'	1	CA
CH615	Current-Carrying Hose — 30', compatible with CI358, CI390 and CI395 Series Electrified Inlets	1	CA
CI319	Face Plate Extension	1	CA
CI324	Hose Clamp — 2"	10 *	CA
CI330	Exhaust Vent	1	CA
CI3301RK	Rough-In Kit for one inlet add-on. Use with 330 and CI335 Series Inlets.	1	CA
CI3303RK	Rough-In Kit for three inlet installations. Use with 330 and CI335 Series Inlets.	1	CA
CI358W	Direct Connect Wall Valve (Electrified) — White	10 *	CA
CI365W	VacPan™ Automatic Dustpan Inlet — White	1	CA
CI366W	QuickTrim Finish Trim Plate. White. For use with CI-365W.	1	CA
CI367IV	■ VacuSweep Auto Dust Pan — Ivory	1	CA
CI367W	VacuSweep Auto Dust Pan — White	1	CA
CI390W	Electrified Inlet — White, 12AWG, 6' Cord. Use CH620 and CH615 hoses.	1	CA
CI395RK	Rough-In Kit for CI390 and CI395 Electrified Inlets	1	CA
CI399ALM	ElectraValve® Electrified Inlet — Almond	1	CA
CI399EB	E-Box Only for ElectraValve® Electrified Inlet	1	CA
CI399RK	Electrified Inlet Rough-In Kit	1	CA
CI399W	ElectraValve® Electrified Inlet — White	1	CA
CK110	■ Basic Tool Set	1	CA

■ Limited quantities available.

Central Vacuum Systems

NuTone® Tools, Hoses, Inlets, Tubing and Fittings CONTINUED



Model No.	Description	Std. Pk.	Code
CK135	Ratcheting Wand	1	CA
CS100	Car care attachment set	1	CA
CS200	Carpet & bare floor combination attachment set	1	CA
CS300	Bare floor attachment set	1	CA
CS400	Carpet & bare floor combination air turbine pet care attachment set	1	CA
CS500	Carpet & bare floor combination electric pigtail attachment set	1	CA
CS600	Carpet & bare floor combination electric direct connect attachment set	1	CA
CT105	Natural hair dusting brush	1	CA
CT106G	Upholstery Tool with Removable Brush. Natural Hair Bristles.	1	CA
CT109	Pet brush	1	CA
CT110	Long crevice tool	1	CA
CT132	Chrome Wands — set of two	1	CA
CT140G	Standard Combination Floor/Rug Tool	1	CA
CT143B	Universal Dusting Brush (elongated)	1	CA
CT150B	Deluxe Combination Floor/Rug Tool	1	CA
CT156B	Hardwood Floor Tool with Natural Hair Brush	1	CA
CT157B	Extra Wide Hardwood Floor Tool with Natural Hair Brush	1	CA
CT158	Premium twist and turn floor brush	1	CA
CT170	Adjustable wand for 20 Series hoses	1	CA
CT175	Adjustable wand for 15 Series hoses	1	CA
CT350B	Deluxe Air Turbine Brush	1	CA
CT700	Deluxe Power Brush	1	CA
VX3916	Standard Filter Media bags for VX475 Series (three bags per pack)	1	XH
VX3918	Premium Replacement bags for VX550 and VX1000 Series (three bags per pack)	1	XH
VX3918STD	Standard Filter Media bags for VX550 and VX1000 Series (three bags per pack)	1	XH

Door Chimes

NuTone® Hard-Wired Door Chimes




LA11BG
LA11WH



LA70MA



LA18WH
LB18WH




LA107WH



LA126WH



LA130WH




LA139WH



LA140WH



LA164WH




LA165SA



LA174WH




LA301WH



LA310CY



LA501CY




MCV309NWHGL


Model No.	Description	Std. Pk.	Code
LA11BG	Beige 2 Note	6 *	DC
LA11WH	White 2 Note	6 *	DC
LA14WH	White 2 Note Built-In	6 *	DC
LA18WH	White 2 Note	6 *	DC
LA39WH	White 2 Note Chord Tone	1	DC
LA70MA	Natural Maple Finish Wood Case — 4 – 8 Note	1	DC
LA100WH	Molded white finish, recessed grooves	3 *	DC
LA107WH	White 2 Note; Wired or Wireless	1	DC
LA126WH	White 2 Note	1	DC
LA130WH	White 2 Note	1	DC
LA139WH	Traditional White 2 Note	1	DC
LA140WH	Classic Arched Top 2 Note	1	DC
LA164WH	White Lighted 2 Note	1	DC
LA165SA	Neutral Lighted 2 Note	1	DC
LA174WH	White 8 Note Electronic Built-In Chime (May be used with Intercom Systems)	1	DC
LA202WH	White with rounded corners	3 *	DC
LA301WH	White Shield Design Cover (Two-note Front and Single-note Second Door)	6 *	DC
LA305WL	Walnut finish real wood, brass insert, 3 brass finish tubes	1	DC
LA310CY	Cherry Cover with Satin Nickel Chambers (Eight-note, Four-note and Single-note Chimes)	1	DC
LA501CY	Cherry, beveled mirror, 4 real brass tubes	1	DC
LA600WH	White MP3 Customizable Wired/Wireless Chime	1	DC
MCV309NWHGL	White & Gold 2 Note Mechanical Chime With Viewer	6 *	DC

Door Chimes

NuTone® Wireless Door Chimes




LA224RWH
LA224WH



LA223WH




LA225WH




LA226WH



LA542WH



LA552RW




LA553WH

Model No.	Description	Std. Pk.	Code
LA223WH	White Wireless Plug-In Door Chime — 1, 2 or 8 notes	1	DC
LA224RWH	Visual Wireless Plug-In Door Chime Receiver — 1, 2 or 8 notes	1	DC
LA224WH	Visual Wireless Plug-In Door Chime — 1, 2 or 8 notes. Includes Receiver, Pushbutton and Pushbutton Battery.	1	DC
LA225WH	White Wireless Door Chime — 2 notes. Includes Receiver, Pushbutton and Pushbutton Battery.	1	DC
LA226WH	White Wireless Door Chime — 1, 2 or 8 notes. Includes Receiver.	1	DC
LA542WH	Front/back wireless with two buttons	3 *	DC
LA552RW	Americana wireless chime	1	DC
LA553WH	Pilot wireless chime	3 *	DC
LA600WH	White MP3 Customizable Wired/Wireless Chime	1	DC

NuTone® Chime Kits (CHIME, TRANSFORMER, BUTTON(S))



BK105
BK115LWH




BK140LWH
BK140SLPB
BK142LWH



BK147LWH

Model No.	Description	Std. Pk.	Code
BK105	Chime only, 2-note / 1-note	24 *	DC
BK110NBWH	Chime, 1 unlighted pushbutton, 1 std. transformer	24 *	DC
BK115LWH	Chime, 1 lighted pushbutton, 1 std. transformer	24 *	DC
BK120NBWH	Chime, 2 unlighted pushbutton, 1 std. transformer	24 *	DC
BK125LWH	Chime, 2 lighted pushbutton, 1 std. transformer	24 *	DC
BK131LPB	Chime, 1 lighted stucco pushbutton in polished brass, 1 std. transformer	24 *	DC
BK131LSN	Chime, 1 lighted stucco pushbutton in satin nickel, 1 std. transformer	6 *	DC
BK131LRBZ	Chime, 1 lighted stucco pushbutton in oil-rubbed bronze, 1 std. transformer	6 *	DC
BK131LWH	Chime, 1 lighted stucco pushbutton in white, 1 std. transformer	6 *	DC
BK140LWH	Chime, 1 lighted pushbutton, 1 j-box transformer	24 *	DC
BK140SLPB	Chime, 1 lighted stucco pushbutton in polished brass, 1 j-box transformer	24 *	DC
BK142LWH	Chime, 2 lighted pushbutton, 1 j-box transformer	24 *	DC
BK144LCL	Chime, 1 lighted pushbutton round, 1 std. transformer	24 *	DC
BK147LWH	Recessed Chime, 1 lighted pushbutton, 1 std. transformer	24 *	DC


NuTone® Wired Pushbuttons



Model No.	Description	Std. Pk.	Code
PB4LBL	Pushbutton, lighted in black	3 *	DA
PB4LBR	Pushbutton, lighted in oil-rubbed bronze	3 *	DA
PB4LSN	Pushbutton, lighted in satin nickel	3 *	DA
PB7LBL	Pushbutton, lighted in black	12 *	DA
PB7LPB	Pushbutton, lighted in polished brass	12 *	DA
PB7LSN	Pushbutton, lighted in satin nickel	12 *	DA
PB7LWH	Pushbutton, lighted in white	12 *	DA
PB7WH	Pushbutton, unlighted in white	12 *	DA
PB10LGL	Pushbutton, gold and black — lighted	12 *	DA
PB15LBR	Pushbutton, lighted in oil-rubbed bronze	3 *	DA
PB15LPB	Pushbutton, lighted in polished brass	3 *	DA
PB15LSN	Pushbutton, lighted in satin nickel	3 *	DA
PB18LWHCL	Pushbutton, clear with white cap — lighted	12 *	DA
PB18WHCL	Pushbutton, clear with white cap — unlighted	12 *	DA
PB19LGL	Pushbutton, polished brass — lighted	12 *	DA
PB27LBR	Pushbutton, lighted in oil-rubbed bronze	3 *	DA
PB27LSN	Pushbutton, satin nickel — lighted	6 *	DA
PB29LR	Pushbutton, oil-rubbed bronze — lighted	6 *	DA
PB29LSN	Pushbutton, satin nickel — lighted	6 *	DA
PB41APB41LA	Plastic Stucco Sleeves	24 *	DA
PB41BGL	Pushbutton, polished brass stucco — unlighted	24 *	DA
PB41LBGL	Pushbutton, polished brass stucco — lighted	24 *	DA
PB41LBR	Pushbutton, oil-rubbed bronze stucco — lighted	24 *	DA
PB41LSN	Pushbutton, satin nickel stucco — lighted	24 *	DA
PB53LWH	Pushbutton, lighted in white	3 *	DA
PB59LPB	Pushbutton, lighted in polished brass	3 *	DA
PB61LPB	Pushbutton, lighted in polished brass	3 *	DA
PB64LAB	Pushbutton, lighted in antique brass	3 *	DA
PB67AB	Pushbutton, unlighted in antique brass	3 *	DA
PB69LBL	Pushbutton, lighted in black	6 *	DA
PB69LPB	Pushbutton, lighted in polished brass	6 *	DA
PB69LPC	Pushbutton, lighted in polished chrome	6 *	DA
PB69LSN	Pushbutton, lighted in satin nickel	6 *	DA
PB69LWH	Pushbutton, lighted in white	6 *	DA

Note: The diamond symbol on the pushbuttons is currently being replaced with the NuTone Logo.

Door Chimes



NuTone® Wireless Pushbuttons

Model No.	Description	Std. Pk.	Code
PB82WH	Unlighted, White	6 *	DC
PB85BR	Unlighted, Oil-Rubbed Bronze	6 *	DC
PB85SN	Unlighted, Satin Nickel	6 *	DC
PB78LWHCL	Wireless — White Lighted	1	DA

NuTone® Chime Accessories



Model No.	Description	Std. Pk.	Code
C905	16v, 10va Transformer	6 *	DA
C907	16v, 30va Transformer	6 *	DA
C909	Tri-volt 8, 16, 24 Volt 20 VA Transformer	6 *	DA
C915	16v, 10va J-Box Transformer	6 *	DA
PBL2	Replacement bulbs for all lighted pushbuttons — Visu-Pack	12 *	DA
SPB18LWHCL	Replacement Bulb for round button	1	PT


Haven™



HVDCT



HVLFABL
HVLFABR



HVRFABL
HVRFABR

NuTone® Haven™ Backyard Lighting & Mosquito Repellent System features innovative landscape fixtures that provide season-long*, effective protection from biting mosquitoes. Don't let biting mosquitoes keep you from enjoying time outdoors with family and friends! Haven's patented mosquito protection system provides protection within 15 minutes of use and is effective against all types of mosquitoes. Four haven fixtures protect a typical deck or patio for over 440 square feet of coverage. They're easy to install and designed to mount on a deck post, railing or stake in the ground. Plus, you can add Haven to an existing low voltage lighting system or install with a transformer and cable for convenient protection from biting mosquitoes.

* 90 days of mosquito protection when used an average of 2.4 hours/day.

Model No.	Description	Std. Pk.	Code
HVDCT	Dual Controller/Timer	1	ML
HVLFABL	Light & Repellent Fixture — Black	1	ML
HVLFABR	Light & Repellent Fixture — Bronze	1	ML
HVPFBL	Post/Rail Mount Flange — Black	1	ML
HVPFBR	Post/Rail Mount Flange — Bronze	1	ML
HVRC1	Repellent Refill	1	ML
HVRC4	Repellent Refill (4 Pack)	1	ML
HVRFABL	Repellent Fixture — Black	1	ML
HVRFABR	Repellent Fixture — Bronze	1	ML

Heaters

NuTone® Surface Mount Ceiling Heater




Enjoy the comfort of 1250 watts of instant heat in a bathroom, laundry room or any area where you want extra heat without using the central heating system. Easy to install ... fits standard 3-1/4" and 4" octagon, as well as 3-1/2" round electrical boxes. 11" diameter.

Model No.	Description	Std. Pk.	Code
157	Low-Profile Ceiling Heater — Same as Model 154 except with exclusive totally enclosed, sheathed element. 1250W, 120VAC.	1	HT

Heaters

NuTone® High Capacity Wall Heaters

Large capacity fan-forced heaters for high heat loss areas such as lobbies, entranceways and vestibules. Easily convert to half-wattage. Totally enclosed, sheathed elements. Model 85 surface mount kit for Models 192, 194 and 198 available separately (see Page 22).



Model No.	Description	Std. Pk.	Code
192	Wall Heater, 1000/2000W+ 240VAC +, 750/1500W 208VAC. White painted grille.	1	HT
194	Wall Heater, 1500/3000W+ 240VAC +, 1125/2250W 208VAC. White painted grille.	1	HT
198	Wall Heater, 2000/4000W+ 240VAC +, 1500/3000W 208VAC. White painted grille.	1	HT
9810WH	1000W Fan-Forced Wall Heater, White polymeric grille, 120/240 volts.	1	HT
9815WH	1500W Fan-Forced Wall Heater, White polymeric grille, 120/240 volts.	1	HT

+ Factory wired wattage/voltage. Field convertible to other options listed.

NuTone® Kickspace Heaters

Slim and trim ... designed for permanent installation into any cabinet kickspace, vanity base or other area where wall space is limited. Perfect for stairway installation, ticket/toll booths, checkout counters, etc.



Model No.	Description	Std. Pk.	Code
112	Kickspace Heater. 1500W+ 240VAC +, 750/1500W 120VAC, with built-in thermostat. White.	1	HT
114	Kickspace Heater. Same as Model 112 except w/o built-in thermostat. White.	1	HT
90	Thermostat Kit — Used to install thermostat in Model 114 kickspace heater. Snap action, bi-metallic, effective temperature range of 40 – 130° F.	1	AC

+ Factory wired wattage/voltage. Field convertible to other options listed.

NuTone® Fan-Forced Wall Heaters

Perfect for the bathroom or other areas where fan-forced heat is needed quickly. Easily converts to half-wattage. Attractive white grille finish standard. Housing measures 10-1/4" W x 7-3/4" H x 3-3/4" D. Sturdy steel grille measures 12" W x 9-1/4" H x 1/2" D. Model 84 surface mount kit available separately (see Page 22).



Model No.	Description	Std. Pk.	Code
170	Wall Heater. 500/1000W+ 120VAC +, 750W 208VAC, 1000W 240 VAC. White painted grille.	1	HT
174	Wall Heater. 750/1500W+ 120VAC +, 1125W 208VAC, 1500W 240 VAC. White painted grille.	1	HT
178	Wall Heater. 1000/2000W+ 240VAC +, 750W/1500W 208 VAC. White painted grille.	1	HT

+ Factory wired wattage/voltage. Field convertible to other options listed.

Broan® Big Heat® Portable Heater

Effective two-level 120V (1500 and 1200 watts) portable heater is compact with easy to use controls. The built-in thermostat will keep you comfortable in nearly any situation. 6' power cord has a polarized plug. Overheat protection shuts off the heater and activates the "caution" light if excess heat is detected. A safety switch instantly shuts off the heater if it is tipped over.



Model No.	Description	Std. Pk.	Code
6201	■ Efficient Two-Level Heater, 1500 or 1200 watts. Built-in adjustable thermostat. Steel, 6' cord. Safety tipover switch and overload protector.	6 *	PH

■ Limited quantities available.


Heaters

NuTone® Heater Project Packs

Broan's project packs offer housings packed and sold separately from heater assemblies and grilles. You can buy housings for rough-in ... buy heater/motor assemblies and grilles later for finishing. Order Broan Model 83 Built-in Thermostat available separately — if required for "F" models (see below).



Grille



Project Pack Housing and Finish Unit

Model No.	Description	Std. Pk.	Code
171H	Project Pack Housing Unit. Use with all Finish Units.	4 *	HT
165F	Project Pack Finish Unit. Use 171H Project pack housing for rough-in. 500W+ 120/240VAC +, 375W 208VAC. White grille.	1	HT
165FT	Project Pack. Same as 165F, except includes built-in thermostat.	1	HT
167F	Project Pack Finish Unit. Use 171H Project pack housing for rough-in. 750 +/1500W 240VAC +, 562/1125W 208VAC. White grille.	1	HT
167FT	Project Pack. Same as 167F, except includes built-in thermostat.	1	HT
174F	Project Pack Finish Unit. Use 171H Project pack housing for rough-in. 750/1500W+ 120VAC +, 1125W 208VAC, 1500W 240VAC. White grille.	1	HT
174FT	Project Pack. Same as 174F except includes built-in thermostat.	1	HT

+ Factory wired wattage/voltage. Field convertible to other options listed.

NuTone® Register Heaters


Fan-forced heat for instant warmth from an attractive "register" type heater. Specially designed nickel-chrome element heats in seconds. Use convenient wall-mounted line-voltage thermostat (Broan Model 86W available separately — see below). Housing size 10-1/4" W x 7-3/4" H x 3-3/4" D. Sturdy steel grille size 14-1/4" W x 9-1/4" H x 7/8" D.



Model No.	Description	Std. Pk.	Code
120	Heater. 500/1000W+ 120VAC +, 750W 208VAC, 1000W 240VAC. White grille.	1	HT
124	Heater. 750/1500W+ 120VAC +, 1125W 208VAC, 1500W 240VAC. White grille.	1	HT
128	Heater. 1000/2000W+ 240VAC +, 750/1500W 208VAC. White grille.	1	HT

+ Factory wired wattage/voltage. Field convertible to other options listed.

NuTone® Heater Accessories




84

85

87W

Model No.	Description	Std. Pk.	Code
83	Thermostat Kit. Used to install thermostat in Models 165F, 167F, 170F, 174F and 178F Wall Heaters. Snap action, bi-metallic. Rated 120/240VAC, 12.5 amps. Temperature range 40 – 125° F.	1	AC
84	Surface Mount Kit. White enameled steel. For use with Models 165F, 165FT, 167F, 167FT, 170, 170F, 170FT, 174, 174F, 174FT, 178, 178F and 178FT Wall Heaters.	1	AC
85	Surface Mount Kit. White enameled steel. For use with Models 192, 194 and 198 High Capacity Wall Heaters.	1	AC
87W	Line Voltage Wall Thermostat. Snap action bi-metallic, single pole — rated 120/240VAC, 22 amps. Temperature range 50 – 85° F. Decorator white finish.	1	AC
90	Thermostat Kit. Used to install built-in thermostat in Model 114 kickspace heater. Snap action, bi-metallic, effective temperature range of 40 – 130° F.	1	AC




NM100WH


NuTone® NM100 Master Station

Model No.	Description	Std. Pk.	Code
NM100WH	Master Station, White	1	NM


NuTone® NM100 Speakers and Accessories




NA300MCWH



NDB300AB
NDB300BB
NDB300N



NDB300WH




NPS103WH
NPS104WH
NRS103WH
NRS104WH



NR380WH

Model No.	Description	Std. Pk.	Code
NA200TA	Transformer	1	NM
NA3003C	3-Note Chime Module	1	NM
NA3008C	8-Note Chime Module	1	NM
NA300MCWH	Volume Control — White	1	NM
NA300TA	Transformer	1	NM
NDB300AB	Door Speaker — Antique Brass	1	NM
NDB300BB	Door Speaker — Bright Brass	1	NM
NDB300N	Door Speaker — Nickel	1	NM
NDB300WH	Door Speaker — White	1	NM
NES300DBL	Plastic Door Speaker Surface Mount Frame — Black	1	NM
NES300DWH	Plastic Door Speaker Surface Mount Frame — White	1	NM
NF100MWH	Master Retrofit Frame — White	1	NM
NF200MWH	Master Frame — White	1	NM
NF300DWH	Door Speaker Retrofit Frame — White	1	NM
NF300PWH	Outdoor Remote Station Retrofit Frame — White	1	NM
NF300RWH	Indoor Remote Station Retrofit Frame — White	1	NM
NPS103WH	Outdoor Remote Station (3-wire) — White	1	NM
NPS104WH	Outdoor Remote Station (4-wire) — White	1	NM
NR380WH	Indoor 8" Remote Station — White	1	NM
NRKF200P	Outdoor Remote Station Rough-In	1	NM
NRKR200R	Indoor Remote Station Rough-In (Pack of 5)	1	NM
NRKR300D	Door Speaker Rough-In	1	NM
NRKRWH300	Rough-In Kit	1	NM
NRKS200PWH	Outdoor Remote Station Surface Mount Frame — White	1	NM
NRKS300R	Indoor Remote Station Surface Mount Rough-In — White	1	NM
NRS103WH	Indoor Remote Station (3-wire) — White	1	NM
NRS104WH	Indoor Remote Station (4-wire) — White	1	NM
NW4S	Shielded Cable, 22 gauge, 75'	1	NM
NWH300	Master Station Rough-In	1	NM

Intercom Systems




NM200AL
NM200WH

NuTone® NM200 Master Station

Model No.	Description	Std. Pk.	Code
NM200AL	Master Station — Almond	1	NM
NM200WH	Master Station — White	1	NM


NuTone® NM200 Speakers and Accessories




NA300MCWH



NDB300AB
NDB300BB
NDB300N



NDB300WH




NPS200WH
NRS200AL
NRS200WH

Model No.	Description	Std. Pk.	Code
NA200TA	Transformer	1	NM
NA3003C	3-Note Chime Module	1	NM
NA3008C	8-Note Chime Module	1	NM
NA300MCWH	Volume Control — White	1	NM
NA300TA	Transformer	1	NM
NDB300AB	Door Speaker — Antique Brass	1	NM
NDB300BB	Door Speaker — Bright Brass	1	NM
NDB300N	Door Speaker — Nickel	1	NM
NDB300WH	Door Speaker — White	1	NM
NES300DBL	Plastic Door Speaker Surface Mount Frame — Black	1	NM
NES300DWH	Plastic Door Speaker Surface Mount Frame — White	1	NM
NF100CWH	■ Master and CD Combination Retrofit Frame — White	1	NM
NF100MWH	Master Retrofit Frame — White	1	NM
NF200MWH	Master Frame — White	1	NM
NF300DWH	Door Speaker Retrofit Frame — White	1	NM
NF300PWH	Outdoor Remote Station Retrofit Frame — White	1	NM
NF300RWH	Indoor Remote Station Retrofit Frame — White	1	NM
NM200K	Music Intercom Kit	1	NM
NPS200WH	Outdoor Remote Station — White	1	NM
NRKF200P	Outdoor Remote Station Rough-In	1	NM
NRKR200R	Indoor Remote Station Rough-In (Pack of 5)	1	NM
NRKR300D	Door Speaker Rough-In	1	NM
NRKRWH300	Rough-In Kit	1	NM
NRKS200PWH	Outdoor Remote Station Surface Mount Frame — White	1	NM
NRS200AL	Indoor Remote Station — Almond	1	NM
NRS200WH	Indoor Remote Station — White	1	NM
NW4S	Shielded Cable, 22 gauge, 75'	1	NM
NWH300	Master Station Rough-In	1	NM

■ Limited quantities available.

Intercom Systems



DR1BA
DR1SA

DR2SA

NuTone® Electronic Door Release

Model No.	Description	Std. Pk.	Code
DR1BA	Door Release, Electric, Wood Door Frame, Brass Anodized	1	IA
DR1SA	Door Release, Electric, Wood Door Frame, Silver Anodized	1	IA
DR2SA	Door Release, Electric, Metal Door Frame, Silver Anodized	1	IA

Ironing Centers — Built-In

NuTone® Ironing Centers



ICUDWH
ICUNUW

Model No.	Description	Std. Pk.	Code
<u>Ironing Centers</u>			
ICUDWHX	Built-In Ironing Center — White with White Raised Panel Door - Over Packed (includes hinges and ironing board cover)	1	IB
ICUNUWX	Built-In Ironing Center — Unfinished Birch, No Door - Over Packed (includes hinges and ironing board covers)	1	IB
<u>Custom Doors</u>			
ICDM	Custom Door — Mirror	1	IB
ICDFUW	Custom Door — Birch Flat Panel (Unfinished)	1	IB
ICDRUW	Custom Door — Birch Raised Panel (Unfinished)	1	IB
<u>Accessories</u>			
ICAK	Deluxe Accessory — LED Light, Electrical Outlet, Timer	1	IB
ICAB	Accessory — Replacement Ironing Board Cover	1	IB

NuTone® Ironing Centers

Model No.	Description	Std. Pk.	Code
<u>Custom Doors</u>			
AVDOFPN	■ Custom Door — Birch Flat Panel (Unfinished). Fits AVD40N and AVD50N.	1	IB
AVDORPN	■ Custom Door — Oak Raised Panel (Unfinished). Fits AVD40N and AVD50N.	1	IB
AVDWRPN	■ Custom Door — White Raised Panel. Fits AVD40N and AVD50N.	1	IB
<u>Accessories</u>			
AVDSMN	■ Surface Mount Collar. Fits AVD40N and AVD50N.	1	IB

■ Limited quantities available.

Range Hoods — Chimney



619004
6" Round Duct — Internal Blower
450 CFM, 9.0 Sones
614804
8" Round Duct — Internal Blower
900 CFM, 9.5 Sones
8" Round Duct — External Blower
280 – 1500 CFM

Broan® Elite 61000 Series

Wall-mounted hood with telescopic flue that accommodates 8' to 9' ceilings. Seamless corners provide stylish, easy cleaning surface. Three-speed blower with Heat Sentry™ and light control. Available in 30", 35-7/16" (90cm) and 48" widths in stainless. Two (30" & 35-7/16") or four (48") 20-watt halogen bulbs (included) provide bright cooktop lighting. Internal and external blower capability.

Model No.	Description	Std. Pk.	Code
30" 613004	Stainless Steel Range Hood	1	DH
90cm 619004	35-7/16" (90cm) Stainless Steel Range Hood	1	DH
619004EX	35-7/16" (90cm) Stainless Steel Range Hood, External Blower. Blowers are ordered separately. Select from Models 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37.	1	DH
48" 614804	● Stainless Steel Range Hood	1	DH
614804EX	● Stainless Steel Range Hood, External Blower. Blowers are ordered separately. Select from Models 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37.	1	DH
RFX6104	Ducted Flue Extension for 61000 Series with Internal Blower (not for Model 614804)	1	HA
RFX6104EX	Flue Extension for 61000EX Series with External Blower and Model 614804	1	HA
ROUNDFILTER	Replacement Non-ducted Charcoal Filter (for 613004 and 619004)	1	HA
ARP6	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 6" round when used with 613004 and 619004.	5 *	AC

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



8" Round Duct — Internal Blower
900 CFM, 9.5 Sones
8" Round Duct — External Blower
280 – 1500 CFM

Broan® Elite 63000 Series

Island-mounted hood with telescopic flue accommodates 8' to 9' ceilings. Seamless corners provide stylish, easy cleaning surface. Three-speed blower with Heat Sentry™. 27-9/16" x 39-3/8" (70cm x 100cm) in stainless. Four 20-watt halogen bulbs (included) provide bright cooktop lighting.

Model No.	Description	Std. Pk.	Code
637004	● 27-9/16" x 39-3/8" (70cm x 100cm) Stainless Steel Range Hood	1	DH
637004EX	● 27-9/16" x 39-3/8" (70cm x 100cm) Stainless Steel Range Hood, External Blower. Blowers are ordered separately. Select from Models 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37.	1	DH
RFX6304EX	Flue Extension for 9' to 10' ceilings	1	HA

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



6" Round Duct — Internal Blower
450 CFM, 9.0 Sones


Broan® Elite RM65000 Series

This delightful, hand-crafted design blends curved and angular surfaces to form a stunning union of stainless steel and glass. The 65000 Series' 450 CFM centrifugal blower is combined with an advanced, multi-speed electronic control featuring a convenient 10-minute delay shut-off and Heat Sentry™. Two 20-watt halogen bulbs (included), two level brightness.

Model No.	Description	Std. Pk.	Code
RM659004	● 35-7/16" (90cm) Stainless Steel Range Hood	1	DH
RFX6504	Flue Extension for 9' to 10' ceilings	1	HA
ARP6	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 6" round.	5 *	AC

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Range Hoods — Chimney



6" Round Duct — Internal Blower
High — 500 CFM, 10.5 Sones
Low — 200 CFM, 2.5 Sones


Compatible with Broan make-up air dampers.

Broan® Elite EI59 Series

Beautiful contemporary European glass island design. The curved glass canopy provides a stunning focal point without blocking the view of your surroundings. Electronic pushbutton control and halogen lighting (bulbs included).

Model No.	Description	Std. Pk.	Code
36" EI5936SS ●	Stainless Steel Range Hood	1	DH
FXNE59SS	Ducted or Non-ducted Flue Extension for 10' ceilings	1	AC
RKE59	Non-ducted Kit	1	AC
FILTERE56	Non-ducted Filter	1	AC
GU1035	Halogen Bulb; 120V, 35W	10 *	AC
MD6T ∅	6" Automatic Make-Up Air Damper	1	HA
MD8T ∅	8" Automatic Make-Up Air Damper	1	HA
MD10T ∅	10" Automatic Make-Up Air Damper	1	HA
BCR1	RF Remote Control	1	QA

∅ Work with fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



6" Round Duct — Internal Blower
High — 500 CFM, 10.5 Sones
Low — 200 CFM, 2.5 Sones


Compatible with Broan make-up air dampers.

Broan® Elite EW56 Series

Elegant European curved glass design that is both beautiful and functional. The airy design is a stunning focal point that complements its surrounding perfectly. Electronic pushbutton control and halogen lighting (bulbs included).

Model No.	Description	Std. Pk.	Code
30" EW5630SS ●	Stainless Steel Range Hood	1	DH
36" EW5636SS ●	Stainless Steel Range Hood	1	DH
FXNE56SS	Ducted or Non-ducted Flue Extension for 10' ceilings	1	AC
RKE56	Non-ducted Kit	1	AC
FILTERE56FL	Non-ducted Filter — Flat	1	AC
GU1035	Halogen Bulb; 120V, 35W	10 *	AC
MD6T ∅	6" Automatic Make-Up Air Damper	1	HA
MD8T ∅	8" Automatic Make-Up Air Damper	1	HA
MD10T ∅	10" Automatic Make-Up Air Damper	1	HA
BCR1	RF Remote Control	1	QA

∅ Work with fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



6" Round Duct — Internal Blower
High — 500 CFM, 10.5 Sones
Low — 200 CFM, 2.5 Sones

Compatible with Broan make-up air dampers.


Broan® Elite EW58 Series

Inspiring traditional European design. This wonderful design is executed to meet today's needs so that everyone can achieve their dream. Electronic pushbutton control and halogen lighting (bulbs included).

Model No.	Description	Std. Pk.	Code
30" EW5830SS ●	Stainless Steel Range Hood	1	DH
36" EW5836SS ●	Stainless Steel Range Hood	1	DH
FXNE58SS	Ducted or Non-ducted Flue Extension for 10' ceilings	1	AC
RKE58	Non-ducted Kit	1	AC
FILTERE56	Non-ducted Filter	1	AC
GU1035	Halogen Bulb; 120V, 35W	10 *	AC
MD6T ∅	6" Automatic Make-Up Air Damper	1	HA
MD8T ∅	8" Automatic Make-Up Air Damper	1	HA
MD10T ∅	10" Automatic Make-Up Air Damper	1	HA
BCR1	RF Remote Control	1	QA

∅ Work with fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Range Hoods — Chimney



6" Round Duct — Internal Blower
High — 480 CFM, 9.5 Sones
Low — 230 CFM, 3.0 Sones

Broan® Elite E54000 Series

The E54000 Series island hood offers a clean and contemporary style with a soft touch. Engineered to meet today's conventional cooking appliances. 480 CFM multi-speed blower, large dishwasher-safe filters and four halogen lights (bulbs included) provide effective performance and brilliant task lighting.

Model No.	Description	Std. Pk.	Code
E5490SS ●	27-9/16" x 35-7/16" Stainless Steel Range Hood	1	DH
FX54SS	Ducted Flue Extension for 10' ceilings	1	HA
FXN54SS	Non-ducted Flue Extension for 10' ceilings	1	HA
RK54	Non-ducted Recirculation Kit	1	HA
FILTERSQUARE	Replacement Non-ducted Charcoal Filter	1	HA
ARP6	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 6" round.	5 *	AC

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



6" Round Duct — Internal Blower
370 CFM, 7.0 Sones

Broan® Elite RM53000 Series

This Italian inspired brushed stainless steel range hood proves that simplicity can be the perfect design statement and a match for today's conventional cooking appliances. A quiet 370 CFM multi-speed blower with Heat Sentry™, dishwasher-safe filters and generous lighting (bulbs included) provide effective performance and convenient operation.

Model No.	Description	Std. Pk.	Code
30" RM533004	Stainless Steel Chimney Hood	1	DH
36" RM533604 ●	Stainless Steel Chimney Hood	1	DH
42" RM534204 ●	Stainless Steel Chimney Hood	1	DH
RFX5304	Ducted Flue Extension for 10' ceilings	1	HA
RFXN5304	Non-ducted Flue Extension for 10' ceilings	1	HA
RRK51	Non-ducted Recirculation Kit	1	HA
FILTERSQUARE	Replacement Non-ducted Charcoal Filter	1	HA
ARP6	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 6" round.	5 *	AC

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



6" Round Duct — Internal Blower
370 CFM, 7.0 Sones

Broan® Elite RM52000 Series

This wall-mounted chimney hood combines graceful curves and traditional European styling. The 52000 Series is engineered to meet the requirements of today's highly styled, conventional appliances and kitchens. Its 370 CFM centrifugal blower and multi-speed control with Heat Sentry™ provide quiet, effective performance. Halogen lighting (bulbs included) accentuates the beauty of a fully enclosed bottom containing dishwasher-safe filters.

Model No.	Description	Std. Pk.	Code
30" RM523004	Stainless Steel Chimney Hood	1	DH
36" RM523604	Stainless Steel Chimney Hood	1	DH
42" RM524204 ●	Stainless Steel Chimney Hood	1	DH
RFX5204	Ducted Flue Extension for 9' to 10' ceilings	1	HA
RFXN5204	Non-ducted Flue Extension for 9' to 10' ceilings	1	HA
RRK51	Non-ducted Recirculation Kit	1	HA
FILTERSQUARE	Replacement Non-ducted Charcoal Filter	1	HA
ARP6	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 6" round.	5 *	AC

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Range Hoods — Chimney




6" Round Duct — Internal Blower
370 CFM, 7.0 Sones

Broan® Elite RM51000 Series

The 51000 Series is a wall-mounted chimney hood with sleek, graceful curves that is engineered to meet the requirements of today's highly styled, conventional appliances and kitchens. Its 370 CFM centrifugal blower and multi-speed control with Heat Sentry™ provide quiet, effective performance. Halogen lighting (bulbs included) accentuates the beauty of a fully enclosed bottom containing dishwasher-safe filters.

Model No.	Description	Std. Pk.	Code
RM519004	35-7/16" (90cm) Stainless Steel Chimney Hood	1	DH
RFX5104	Ducted Flue Extension for 10' ceilings	1	HA
RRK51	Non-ducted Recirculation Kit	1	HA
FILTER SQUARE	Replacement Non-ducted Charcoal Filter (for RM51000, RM52000 and RM53000)	1	HA
ARP6	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 6" round.	5 *	AC

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.




6" Round Duct — Internal Blower
290 CFM, 6.5 Sones

Broan® Elite RM50000 Series

The 50000 Series combines European design with tremendous value to meet the requirements of today's conventional appliance and kitchen styles. Its 290 CFM centrifugal blower and multi-speed control with Heat Sentry™ provide quiet, effective performance. A fully enclosed bottom contains a dishwasher-safe filter for easy cleaning. Plus, dual lighting provides excellent cooktop illumination.

Model No.	Description	Std. Pk.	Code
30"	RM503001 ● White Chimney Hood	1	DH
	RM503004 ● Stainless Steel Chimney Hood	1	DH
	RM503023 ● Black Chimney Hood	1	DH
36"	RM503601 ● White Chimney Hood	1	DH
	RM503604 ● Stainless Steel Chimney Hood	1	DH
	RM503623 ● Black Chimney Hood	1	DH
RFX5001	Ducted Flue Extension for 9' to 10' ceilings — White	1	HA
RFX5004	Ducted Flue Extension for 9' to 10' ceilings — Stainless Steel	1	HA
RFXN5004	Non-ducted Flue Extension for 9' to 10' ceilings — Stainless Steel	1	HA
RFX5023	Ducted Flue Extension for 9' to 10' ceilings — Black	1	HA
FILTEREB40	Replacement Non-ducted Charcoal Filter (for RMP17004 and RM50000)	1	HA



6" Round Duct — Internal Blower
High — 290 CFM, 5.5 Sones
Normal — 135 CFM, 0.5 Sones

Broan® Elite RME50000 Series (ENERGY STAR®)


The RME Series model is part of our new ENERGY STAR® hood offering and an extension of our popular RM50000 chimney hood line. Designed to provide energy efficient operation with a very quiet 290 CFM centrifugal blower. Features include 3-speed slide control, Heat Sentry™, dual 13 watt fluorescent lighting and a dishwasher-safe filter.

Model No.	Description	Std. Pk.	Code
RME5030SS ●	30" Stainless Steel Chimney Hood	1	RH
RFX5004	Ducted Flue Extension for 9' to 10' ceilings — Stainless Steel	1	HA

Range Hoods — Downdrafts

Broan® Elite RMDD Series Downdraft System

Designed specifically to be compatible with most conventional and commercial style cooktops combining a sensational appearance with high performance features. Stainless steel construction on all exposed surfaces provides a durable finish and an unforgettable look.



- 3-1/4" x 10" Duct — Internal Blower
500 CFM
- 3-1/4" x 14" Duct — Internal Blower
500 CFM
- 3-1/4" x 14" Duct — External Blower
280 – 1500 CFM

Model No.	Description	Std. Pk.	Code
30" RMDD3004	Downdraft with Internal Blower	1	DH
RMDD3004EX	Downdraft for External Blower. Fits 3-1/4" x 14" duct. Transition (Models 459 & 414) required to 10" rd. Blowers are ordered separately. Select from Models 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37.	1	DH
36" RMDD3604	● Downdraft with Internal Blower	1	DH
RMDD3604EX	● Downdraft for External Blower. Fits 3-1/4" x 14" duct. Transition (Models 459 & 414) required to 10" rd. Blowers are ordered separately. Select from Models 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37.	1	DH
48" RMDD4804	● Downdraft with Internal Blower	1	DH
RMDD4804EX	● Downdraft for External Blower. Fits 3-1/4" x 14" duct. Transition (Models 459 & 414) required to 10" rd. Blowers are ordered separately. Select from Models 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37.	1	DH
RMDDRBK	Remote Button Kit	1	HA
ARP310	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 3-1/4" x 10".	5 *	AC

Downdrafts work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



- 3-1/4" x 10" Duct — Internal Blower
500 CFM

Broan® 27000 Series Downdraft System ECLIPSE®

Ultimate styling complements virtually every cooktop style. Mounts behind most built-in cooktops in island, peninsula and wall mount installations. The unit mounts flush with the cooktop when not in operation, and is activated by light pressure on the cover which automatically raises the chimney 7" above the cooktop. The elevated chimney enables smoke and vapor to be captured at the top of most cooking vessels. A touch on the top of the chimney retracts it to its down position. Washable aluminum filters.

Model No.	Description	Std. Pk.	Code
30" 273003	Downdraft with stainless steel cover. 28" wide intake fits most nominal 30" wide cooktops.	1	DH
273001C	White Cover Only — Optional	1	HA
273002C	■ Bisque Cover Only — Optional	1	HA
273023C	Black Cover Only — Optional	1	HA
36" 273603	● Downdraft with stainless steel cover. 34" wide intake fits most nominal 36" wide cooktops.	1	DH
273601C	White Cover Only — Optional	1	HA
273602C	■ Bisque Cover Only — Optional	1	HA
273623C	Black Cover Only — Optional	1	HA
ARP310	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 3-1/4" x 10".	5 *	AC

For replacement filters, see Broan's Replacement Parts Guide.

Downdrafts work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

■ Limited quantities available.

Range Hoods — Downdrafts

Broan® 28000 Series Remote Downdraft System ECLIPSE®




3-1/4" x 10" Duct — External Blower
280 – 1500 CFM

Model No.	Description	Std. Pk.	Code
30" 283003	Downdraft with stainless steel cover. Designed for use with exterior mounted blowers. 28" wide intake fits most nominal 30" wide cooktops. Transition required to 10" rd. Blower is ordered separately. Select from Models 332H, HLB3, HLB6, HLB9 and HLB11 on Page 37 (332KR not required).	1	DH
273001C	White Cover Only — Optional	1	HA
273002C	■ Bisque Cover Only — Optional	1	HA
273023C	Black Cover Only — Optional	1	HA
36" 283603	● Downdraft with stainless steel cover. Designed for use with exterior mounted blowers. 34" wide intake fits most nominal 36" wide cooktops. Transition required to 10" rd. Blower is ordered separately. Select from Models 332H, HLB3, HLB6, HLB9 and HLB11 on Page 37 (332KR not required).	1	DH
273601C	White Cover Only — Optional	1	HA
273602C	■ Bisque Cover Only — Optional	1	HA
273623C	Black Cover Only — Optional	1	HA

Downdrafts work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

■ Limited quantities available.

Range Hoods — Power Packs



6" Round Duct — Internal Blower
400 CFM, 9.0 Sones
8" Round Duct — External Blower
280 – 1500 CFM

Broan® Elite RMP Series Custom Power Pack


The Rangemaster Custom Power Pack is designed to fit flush with the bottom of a cabinet or custom hood (see "RML" Liner — Page 32). The interior or exterior blowers are combined with multi-speed control with Heat Sentry™ to provide quiet and effective performance. Halogen lighting complements the beauty of a fully enclosed bottom containing dishwasher-safe filters. Optional non-ducted filters (FILTEREB40) for indoor exhaust recirculation. Some ductwork required.

Model No.	Description	Std. Pk.	Code
RMP17004	Power Pack	1	DH
RMPE7004	Power Pack for External Blower. Blowers are ordered separately. Select from Models 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37.	1	DH
FILTEREB40	Replacement Non-ducted Charcoal Filter (for RMP17004 and RM50000)	1	HA
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC
ARP6	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 6" round.	5 *	AC

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Broan® Elite RMIP Series Pro-Style Insert

Pro-style insert fits flush with the bottom of the cabinet or custom hood. Internal and external centrifugal blowers from 280 to 1500 CFM with Multi-speed control and Heat Sentry™ to provide quiet and effective performance. Halogen Lighting (bulbs not included) for brilliant illumination and easy-to-clean fully enclosed design. Options include baffle filters and remote wall control.



RMP33
RMP45
3-1/4" x 10" Duct — Internal Blower
460 CFM, 10.5 Sones
3-1/4" x 14" Duct — External Blower
850 CFM, 10.5 Sones
10" Round Duct — External Blower
280 – 1500 CFM



RMPWC

Model No.	Description	Std. Pk.	Code
RMP33	Pro-Style Insert (blower sold separately), 33" Stainless, Micro Filters; for use with P5, P8, 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37	1	DH
RMIP45	● Pro-Style Insert (blower sold separately), 45", Stainless, Micro Filters; for use with P5, P8, 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11 on Page 37	1	DH
RMPWC	Wall-Mounted Remote Control for RMIP Series, Stainless	1	HA
RBFIP33	Baffle Filter Kit for RMP33, Stainless	1	AC
RBFIP45	Baffle Filter Kit for RMP45, Stainless	1	AC
PAR20	Halogen Bulb; 120V, 50W	6 *	AC
ARP310	CFM Reducer Kit. Reduces CFM to less than 300 CFM when used with P5 blower, 3-1/4" x 10".	5 *	AC

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.


Range Hoods — Power Packs

Broan® Elite RML Series Liners for Inserts and Power Packs

Liners feature an adjustable nose that moves 3" to provide application flexibility and a 4" depth for excellent capture.



Model No.	Description	Std. Pk.	Code
RML3336S	Liner for RMP33 — 36", Stainless (Adj. depth 22.5" - 25.5")	1	HA
RML3342S	Liner for RMP33 — 42", Stainless (Adj. depth 22.5" - 25.5")	1	HA
RML4548S	Liner for RMP45 — 48", Stainless (Adj. depth 22.5" - 25.5")	1	HA
RML4554S	● Liner for RMP45 — 54", Stainless (Adj. depth 22.5" - 25.5")	1	HA
RML4560S	● Liner for RMP45 — 60", Stainless (Adj. depth 22.5" - 25.5")	1	HA
RML7030L	Liner for RMP1-E — 30", Stainless (Adj. depth 20.5" - 23.5")	1	HA
RML7030S	Liner for RMP1-E — 30", Stainless (Adj. depth 17.5" - 20.5")	1	HA
RML7036L	Liner for RMP1-E — 36", Stainless (Adj. depth 20.5" - 23.5")	1	HA
RML7036S	Liner for RMP1-E — 36", Stainless (Adj. depth 17.5" - 20.5")	1	HA
RML7048L	Liner for RMP1-E — 48", Stainless (Adj. depth 20.5" - 23.5")	1	HA
RML7048S	Liner for RMP1-E — 48", Stainless (Adj. depth 17.5" - 20.5")	1	HA



Broan® 10000 Series Custom Hood Kit

Model 103023 fits wood hoods from 30" to 42" wide. Comes standard for 30" installation. Order Extension Kit No. 97009790 for installations up to 36". 42" requires some fabrication. Requires 16-1/2" minimum vertical clearance inside hood. Must use Model 103123 Rough-In Kit below.

Model No.	Description	Std. Pk.	Code
103023	■ ● Wood Hood Insert	1	DH
103123	■ Wood Hood Insert Rough-In Kit (Required)	1	DH

3-1/4" x 10" Duct — Internal Blower
360 CFM — 4.5 Sones Vertical
360 CFM — 4.5 Sones Horizontal

For replacement filters, see Broan's Replacement Parts Guide.

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.


■ Limited quantities available.

Broan® PM500SS Power Pack


This power pack is designed to fit flush to custom cabinet/hood or can be used with optional liners to protect cabinetry.

Model No.	Description	Std. Pk.	Code
PM500SS	Stainless Steel Power Pack, 20-1/2", 500 CFM	1	DH
<u>Liners</u>			
RML5230S	30" Stainless Adjustable Liner (Adjustable depth 17-1/2" to 20-1/2")	1	HA
LT30	30" Painted Liner	1	HA
LT36	36" Painted Liner	1	HA
LB30	30" Painted Liner	1	HA
LB36	36" Painted Liner	1	HA
<u>Non-ducted Recirculation</u>			
359NDK	Non-duct Accessory Kit for PM500 (99010374 - Replacement charcoal filter)	1	AC

Model PM500SS works with make-up air dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



Range Hoods — Power Packs



PM250 7" Round Duct — Internal Blower 250 CFM — 8.0 Sones
 PM390 6" Round Duct — Internal Blower 390 CFM — 6.0 Sones


Broan® PM Series Flush-Fit Power Packs

Flush-fitting integrated power packs and liners provide modern style, ventilation, dual 40 watt lighting (bulbs sold separately) and protection for custom cabinet and hood applications. The PM390 has a 390 CFM internal blower and features a three-speed slide control with Heat Sentry™. The PM250 has a 250 CFM two-speed fan with rocker switch control. Both units are designed to work with optional LT or LB liners.

Model No.	Description	Std. Pk.	Code
PM250	Power Pack, Silver Grille	1	RH
PM390	Power Pack, Silver Grille	1	RH
356NDK +	Non-duct Accessory Kit for PM250	1	HA
357NDK +	Non-duct Accessory Kit for PM390	1	HA
LB30 +	Liner 30N, Box Shape, for PM250, PM390 and PME300	1	HA
LB36 +	Liner 36N, Box Shape, for PM250, PM390 and PME300	1	HA
LT30 +	Liner 30N, T Shape, for PM250, PM390 and PME300	1	HA
LT36 +	Liner 36N, T Shape, for PM250, PM390 and PME300	1	HA
ARP6 +	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 6" round.	5 *	AC

+ Purchase separately.

Model PM390 works with make-up air dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



6" Round Duct — Internal Blower
 High — 290 CFM, 5.0 Sones
 Normal — 130 CFM, 0.5 Sones


Broan® PME300 Series Flush Fit Power Pack (ENERGY STAR®)

The PME Series model is part of our new ENERGY STAR® hood offering and an extension of our PM390 power pack line. Designed to provide energy efficient operation with a very quiet 290 CFM centrifugal blower. Features include 3-speed slide control, Heat Sentry™, dual 13 watt fluorescent light and a dishwasher-safe filter.

Model No.	Description	Std. Pk.	Code
PME300	Power Pack, Silver	1	RH
LB30 +	Liner 30N, Box Shape, for PM250, PM390 and PME300	1	HA
LB36 +	Liner 36N, Box Shape, for PM250, PM390 and PME300	1	HA
LT30 +	Liner 30N, T Shape, for PM250, PM390 and PME300	1	HA
LT36 +	Liner 36N, T Shape, for PM250, PM390 and PME300	1	HA

+ Purchase separately.

Range Hoods — High Performance



3-1/4" x 10" Duct — Internal Blower
600 CFM, 1.5 Sones

4-1/2" x 18" Duct — Internal Blower
1200 CFM, 2.0 Sones

10" Round Duct — External Blower
280 – 1500 CFM


Pro-Style Hoods — E60000 Series

The E60000 Series has a choice of two internal blowers or eight external blower options. Features include bright halogen lighting, dishwasher-safe baffle filters with a removable grease rail, variable speed control and Heat Sentry™. Options include a soffit flue, backsplash and non-duct recirculation. It is also compatible with Broan make-up air dampers. (Requires 50 watt max. halogen bulbs, not included; two in 30" and 36" — three in 42" and 48" widths.) Duct horizontal or vertical.

Model No.	Description	Std. Pk.	Code
<u>Internal Blower</u>			
30" E6030SS ●	Stainless Shell	1	DH
36" E6036SS ●	Stainless Shell	1	DH
42" E6042TSS ●	Stainless Shell	1	DH
48" E6048TSS ●	Stainless Shell	1	DH
<u>External Blower</u>			
30" E60E30SS ●	Stainless Shell	1	DH
36" E60E36SS ●	Stainless Shell	1	DH
42" E60E42SS ●	Stainless Shell	1	DH
48" E60E48SS ●	Stainless Shell	1	DH
AEE60302SS	12" High Soffit, 30" Hood	1	HA
AEE60362SS	12" High Soffit, 36" Hood	1	HA
AEE60422SS ●	12" High Soffit, 42" Hood	1	HA
AEE60482SS ●	12" High Soffit, 48" Hood	1	HA
ANKE60302SS	Non-Duct Recirculation Kit, 30" Hood	1	HA
ANKE60362SS	Non-Duct Recirculation Kit, 36" Hood	1	HA
ANKE60422SS	Non-Duct Recirculation Kit, 42" Hood	1	HA
ANKE60482SS	Non-Duct Recirculation Kit, 48" Hood	1	HA
ARP310	CFM Reducer Kit, reduces CFM to less than 300 CFM, 3-1/4" x 10"	5 *	AC
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC
MD6T Ø	6" Automatic Make-Up Air Damper	1	HA
MD8T Ø	8" Automatic Make-Up Air Damper	1	HA
MD10T Ø	10" Automatic Make-Up Air Damper	1	HA

Ø Work with fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Range Hoods — High Performance




10" Round Duct — Internal Blower
1100 CFM — 12.0 Sones Vertical

Broan® Elite Pro Outdoor Hood — EPD61 Series

The Pro Outdoor is made of corrosion resistant stainless steel and provides an extra deep 27" design, giving it improved performance and best-in-class capture! It includes a powerful 1100 CFM internal blower for more exhaust capacity, yet quiet operation. An optional 3" wall extension provides a full 30" of cook top coverage for a larger capture area. Requires 50 watt halogen bulbs (not included); two in 36" and three in 48".

Model No.	Description	Std. Pk.	Code
36" EPD6136SS ●	Professional Grade Brushed Stainless Steel Range Hood	1	OH
48" EPD6148SS ●	Professional Grade Brushed Stainless Steel Range Hood	1	OH
60" EPD6160SS ●	Professional Grade Brushed Stainless Steel Range Hood	1	OH
AWEPD36SS	3" Wall extension for 36" range hood (provides 30" depth)	1	OH
AWEPD48SS	3" Wall extension for 48" range hood (provides 30" depth)	1	OH
AWEPD60SS	3" Wall extension for 60" range hood (provides 30" depth)	1	OH
AEEP6SS	6" Flue cover for 8' ceiling (for standard 27" depth hood)	1	OH
AEEP6SSE	6" Flue cover for 8' ceiling (for extended 30" depth hood)	1	OH
AEEP18SS	18" Flue cover for 9' ceiling (for standard 27" depth hood)	1	OH
AEEP18SSE	18" Flue cover for 9' ceiling (for extended 30" depth hood)	1	OH
AEEP30SS	30" Flue cover for 10' ceiling (for standard 27" depth hood)	1	OH
AEEP30SSE	30" Flue cover for 10' ceiling (for extended 30" depth hood)	1	OH
AEEP2445SS	Professional Grade Brushed Stainless Steel Flue Extension, standard 13" depth and height adjustable from 24" to 45"	1	OH
AEEP2445SSE	Professional Grade Brushed Stainless Steel Flue Extension, extended 16" depth and height adjustable from 24" to 45"	1	OH
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC



3-1/4" x 10" Duct — Internal Blower
600 CFM, 1.5 Sones
4-1/2" x 18" Duct — Internal Blower
1200 CFM, 2.0 Sones
10" Round Duct — External Blower
280 – 1200 CFM


Pro-Style Hoods — E64000 Series

The E64000 Series has a choice of two internal blowers or eight external blower options. Features include bright halogen lighting, dishwasher-safe baffle filters with a removable grease rail, variable speed control and Heat Sentry™. Options include a soffit flue, backsplash and non-duct recirculation. It is also compatible with Broan make-up air dampers. (Requires 50 watt max. halogen bulbs, not included; two in 30" and 36" — three in 42" and 48" widths.) Duct horizontal or vertical.

Model No.	Description	Std. Pk.	Code
<u>Internal Blower</u>			
30" E6430SS	Stainless Shell	1	DH
36" E6436SS	Stainless Shell	1	DH
42" E6442SS ●	Stainless Shell	1	DH
48" E6448SS ●	Stainless Shell	1	DH
E6448TSS ●	Stainless Shell	1	DH
<u>External Blower</u>			
30" E64E30SS	Stainless Shell	1	DH
36" E64E36SS	Stainless Shell	1	DH
42" E64E42SS ●	Stainless Shell	1	DH
48" E64E48SS ●	Stainless Shell	1	DH
ANKE60302SS	Non-Duct Recirculation Kit, 30" Hood	1	HA
ANKE60362SS	Non-Duct Recirculation Kit, 36" Hood	1	HA
ANKE60422SS	Non-Duct Recirculation Kit, 42" Hood	1	HA
ANKE60482SS	Non-Duct Recirculation Kit, 48" Hood	1	HA
ARP310	CFM Reducer Kit, reduces CFM to less than 300 CFM, 3-1/4" x 10"	5 *	AC
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC
MD6T ∅	6" Automatic Make-Up Air Damper	1	HA
MD8T ∅	8" Automatic Make-Up Air Damper	1	HA
MD10T ∅	10" Automatic Make-Up Air Damper	1	HA

∅ Work with fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Range Hoods — High Performance



Broan® RMP Series Backsplash

Professional style backsplash with folding storage racks.

Model No.	Description	Std. Pk.	Code
30" RMP3004	Stainless Steel Backsplash	1	HA
36" RMP3604	Stainless Steel Backsplash	1	HA
42" RMP4204	Stainless Steel Backsplash	1	HA
48" RMP4804	Stainless Steel Backsplash	1	HA
54" RMP5404 ●	Stainless Steel Backsplash	1	HA
60" RMP6004 ●	Stainless Steel Backsplash	1	HA



Broan® Elite E661 Series

The E661 Series models are part of our new generation of range hoods; stylish, powerful and most of all, quieter than ever. Designed for high performance cooking applications, a sleek under-cabinet hood with ultra quiet internal 600 CFM blower. Features include multi-speed electronic controls with Heat Sentry™, three-level dual halogen lighting (bulbs included) and large professional style dishwasher-safe mesh filters.

Model No.	Description	Std. Pk.	Code
30" E66130BL ■	Black Range Hood	1	RH
E66130SS ■	Stainless Steel Range Hood	1	RH
E66130WH ■	White Range Hood	1	RH
36" E66136BL ■	Black Range Hood	1	RH
E66136SS ■	Stainless Steel Range Hood	1	RH
E66136WH ■	White Range Hood	1	RH
42" E66142SS ■	Stainless Steel Range Hood	1	RH
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC
T460	Transition; 3-1/4" x 14" to 7" Round	1	AC
T461	Adapter; 3-1/4" x 14" to 3-1/4" x 10"	1	AC
WC638	Wall Cap, 3-1/4" x 14", Black	1	AC
ARP314	CFM Reducer Kit. Reduces CFM to less than 300 CFM, 3-1/4" x 14".	5 *	AC

3-1/4" x 14" Duct — Internal Blower
 Horizontal: Normal (low) —
 130 CFM, 0.3 Sones High —
 310 CFM, 2.5 Sones Boost —
 600 CFM, 8.5 Sones


Vertical: Normal (low) —
 120 CFM, 0.4 Sones High —
 290 CFM, 2.5 Sones Boost —
 550 CFM, 8.5 Sones

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

■ Limited quantities available.

Broan® Elite Internal and External Mounted Blowers

Broan internal and external blowers are specially designed to provide powerful, but quiet kitchen ventilation solutions to meet the unique needs of any application.



331

Model No.	Description	Std. Pk.	Code
P5	500 CFM Blower for interior mounting for RMIP insert. 3-1/4" x 10" duct size at discharge. 120V / 60 Hz.	1	RH
P8	850 CFM Blower for interior mounting for RMIP insert. 3-1/4" x 14" duct size at discharge. 120V / 60 Hz. Fits only in 36", 42" and 48" range hoods.	1	RH
331H	+ 600 CFM Exterior Blower — 2.3 amps. Fits 10" round duct.	1	DH
332H	+ 900 CFM Exterior Blower — 5.7 amps. Fits 10" round duct.	1	DH
335	+ 1200 CFM Blower for exterior blower. 3.0 total amps. 10" round duct at discharge. 120V.	1	DH
336	+ 1500 CFM Blower for exterior blower. 3.8 total amps. 10" round duct at discharge. 120V.	1	DH
HLB3	+ 280 CFM In-Line Blower	1	DH
HLB6	+ 600 CFM In-Line Blower	1	DH
HLB9	●+ 800 CFM In-Line Blower	1	DH
HLB11	●+ 1100 CFM In-Line Blower	1	DH
332KR	Rough-in Kit for Models 331H, 332H, 335 and 336 exterior blowers and HLB3, HLB6, HLB9 and HLB11 in-line blowers. Fits 10" round duct. Only for use with RMIP insert.	1	HA
72V / 72W	Electronic Variable Speed Control, 6 amp capacity. 120V. Fits single gang box. Suitable for use with 331H, 332H, 335, 336, HLB3, HLB6, HLB9 and HLB11.	1	AC


+ The 332KR will be required if external blower is used with RMIP models.

Note: Broan internal and external blowers are designed and UL listed for use with Broan products only. Use with other manufacturers' products can not be recommended and may result in violation of local electrical codes or practices.

Range Hoods — Under Cabinet

Broan® EVOLUTION™ QP4 Series

EVOLUTION 4 is the ultimate in under-cabinet designs. It is the high performance solution, delivering up to 630 CFM, to complement higher BTU appliances and special cooking needs. Advanced, soft-touch controls include an ambient light sensor and sleep mode. Four 50-watt max. halogen bulbs are included.



3-1/4" x 14" Duct — Internal Blower
 430 CFM, 4.5 Sones Vertical
 470 CFM, 4.5 Sones Horizontal
 7" Round Duct — Internal Blower
 360 CFM, 4.5 Sones
 630 CFM, 7.5 Sones
 (Boost Mode)

Requires (4) 50 watt GU10 MR16 bulbs (included).


Model No.	Description	Std. Pk.	Code
30" QP430SS ■	Stainless Steel Range Hood	1	QP
36" QP436SS ■	Stainless Steel Range Hood	1	QP
42" QP442SS ■	Stainless Steel Range Hood	1	QP
BPP3FA30 ■	Replacement Filter	1	QA
BPP3FA36 ■	Replacement Filter	1	QA
BPP3FA42 ■	Replacement Filter	1	QA
BCR1	RF remote control	1	QA
BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC
MD6T ∅	6" Automatic Make-Up Air Damper	1	HA
MD8T ∅	8" Automatic Make-Up Air Damper	1	HA
MD10T ∅	10" Automatic Make-Up Air Damper	1	HA
T460	Transition; 3-1/4" x 14" to 7" Round	1	AC
T461	Adapter; 3-1/4" x 14" to 3-1/4" x 10"	1 *	AC
WC638	Wall Cap, 3-1/4" x 14", Black	1	AC

∅ Work with fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

■ Limited quantities available.

Broan® EVOLUTION™ QP3 Series

EVOLUTION 3 provides ultra quiet operation and a very powerful 450 CFM boost mode. Advanced, soft-touch controls include an ambient light sensor and sleep mode. Four 50-watt max. halogen bulbs are included.



3-1/4" x 10" Duct — Internal Blower
 320 CFM, 5.5 Sones Vertical
 360 CFM, 5.0 Sones Horizontal
 7" Round Duct — Internal Blower
 300 CFM, 5.5 Sones
 450 CFM, 7.0 Sones
 (Boost Mode)

Converts to non-ducted. Add non-ducted filter (available separately).

Requires (4) 50 watt GU10 MR16 bulbs (included).

Model No.	Description	Std. Pk.	Code
30" QP330BL ■	Black-on-Black Range Hood	1	QP
QP330SS ■	Stainless Steel Range Hood	1	QP
QP330WW ■	White-on-White Range Hood	1	QP
36" QP336BL ■	Black-on-Black Range Hood	1	QP
QP336SS ■	Stainless Steel Range Hood	1	QP
QP336WW ■	White-on-White Range Hood	1	QP
42" QP342BL ■	Black-on-Black Range Hood	1	QP
QP342SS ■	Stainless Steel Range Hood	1	QP
QP342WW ■	White-on-White Range Hood	1	QP
BPPF30	Non-duct Filters for QP130, QP230 and QP330	6 *	QA
BPPF36	Non-duct Filters for QP136, QP236 and QP336	3 *	QA
BPPF42	Non-duct Filters for QP142, QP242 and QP342	1	QA
BPP3FA30	Replacement QP330 aluminum grease filter	1	QA
BPP3FA36	Replacement QP336 aluminum grease filter	1	QA
BPP3FA42	Replacement QP342 aluminum grease filter	1	QA
BCR1	RF remote control	1	QA
BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC
MD6T ∅	6" Automatic Make-Up Air Damper	1	HA
MD8T ∅	8" Automatic Make-Up Air Damper	1	HA
MD10T ∅	10" Automatic Make-Up Air Damper	1	HA


∅ Work with fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

■ Limited quantities available.

Range Hoods — Under Cabinet

Broan® EVOLUTION™ QP2 Series

EVOLUTION 2 has the control, power and easy-to-clean features every cook loves. Very quiet operation with a 350 CFM boost mode, the QP2 four 50-watt max. halogen bulbs (included) and a soft-touch three-speed control panel.



3-1/4" x 10" Duct — Internal Blower
310 CFM, 6.0 Sones Vertical
350 CFM, 5.0 Sones Horizontal
7" Round Duct — Internal Blower
280 CFM, 6.0 Sones

Requires (4) 50 watt GU10 MR16 bulbs (included).

Model No.	Description	Std. Pk.	Code
30"	QP230BC ■ Bisque-on-Bisque Range Hood	1	QP
	QP230BL ■ Black-on-Black Range Hood	1	QP
	QP230SS ■ Stainless Steel Range Hood	1	QP
	QP230WW ■ White-on-White Range Hood	1	QP
36"	QP236BC ■ Bisque-on-Bisque Range Hood	1	QP
	QP236BL ■ Black-on-Black Range Hood	1	QP
	QP236SS ■ Stainless Steel Range Hood	1	QP
	QP236WW ■ White-on-White Range Hood	1	QP
42"	QP242BC ■ Bisque-on-Bisque Range Hood	1	QP
	QP242BL ■ Black-on-Black Range Hood	1	QP
	QP242SS ■ Stainless Steel Range Hood	1	QP
	QP242WW ■ White-on-White Range Hood	1	QP
BPPF30	Non-duct Filters for QP130, QP230 and QP330	6 *	QA
BPPF36	Non-duct Filters for QP136, QP236 and QP336	3 *	QA
BPPF42	Non-duct Filters for QP142, QP242 and QP342	1	QA
BPP2FA30	Replacement QP230 aluminum grease filter	1	QA
BPP2FA36	Replacement QP236 aluminum grease filter	1	QA
BPP2FA42	Replacement QP242 aluminum grease filter	1	QA
BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC

■ Limited quantities available.

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Broan® EVOLUTION™ QP1 Series

EVOLUTION 1 has the same great basic features of the QP2, with a 300 CFM boost mode and a two-speed control for blowers and lighting. Four 35-watt halogen bulbs (not included) light the cooktop.



3-1/4" x 10" Duct — Internal Blower
280 CFM, 5.0 Sones Vertical
300 CFM, 5.0 Sones Horizontal
7" Round Duct — Internal Blower
260 CFM, 5.5 Sones

Converts to non-ducted. Add non-ducted filter (available separately).

Requires (4) 35 watt GU10 MR16 bulbs (purchase separately).

Model No.	Description	Std. Pk.	Code
30"	QP130BL ■ Black-on-Black Range Hood	1	QP
	QP130SS ■ Stainless Steel Range Hood	1	QP
	QP130WW ■ White-on-White Range Hood	1	QP
36"	QP136BL ■ Black-on-Black Range Hood	1	QP
	QP136SS ■ Stainless Steel Range Hood	1	QP
	QP136WW ■ White-on-White Range Hood	1	QP
42"	QP142BL ■ Black-on-Black Range Hood	1	QP
	QP142SS ■ Stainless Steel Range Hood	1	QP
	QP142WW ■ White-on-White Range Hood	1	QP
BPPF30	Non-duct Filters for QP130, QP230 and QP330	6 *	QA
BPPF36	Non-duct Filters for QP136, QP236 and QP336	3 *	QA
BPPF42	Non-duct Filters for QP142, QP242 and QP342	1	QA
BPPFA30	Replacement QP130 aluminum grease filters	3 *	QA
BPPFA36	Replacement QP136 aluminum grease filters	3 *	QA
BPPFA42	Replacement QP142 aluminum grease filter	1	QA
BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
GU1035	Halogen Bulb; 120V, 35W	10 *	AC

■ Limited quantities available.

Range Hoods — Under Cabinet

Broan® QS3 Series ALLURE III

The popular QS3 Series range hood provides an ultra quiet, extra powerful 430 CFM boost mode. Easy-to-clean bottom pan and filters with three-level lighting and Advanced Heat Sentry™. Optional non-duct operation. Works with optional make-up air dampers.



3-1/4" x 10" Duct — Internal Blower
280 CFM — 5.5 Sones Vertical
300 CFM — 4.5 Sones Horizontal
7" Round Duct — Internal Blower
270 CFM — 5.5 Sones Vertical
(Boost Mode) 430 CFM,
8.0 Sones Horizontal

Converts to non-ducted. Add non-ducted filter (available separately).

	Model No.	Description	Std. Pk.	Code
30"	QS330AA ■	Almond-on-Almond Range Hood	1	AH
	QS330BC ■	Bisque-on-Bisque Range Hood	1	AH
	QS330BL ■	Black Range Hood	1	AH
	QS330SS ■	Stainless Steel Range Hood	1	AH
	QS330WW ■	White-on-White Range Hood	1	AH
36"	QS336AA ■	Almond-on-Almond Range Hood	1	AH
	QS336BC ■	Bisque-on-Bisque Range Hood	1	AH
	QS336BL ■	Black Range Hood	1	AH
	QS336SS ■	Stainless Steel Range Hood	1	AH
	QS336WW ■	White-on-White Range Hood	1	AH
42"	QS342AA ■	Almond-on-Almond Range Hood	1	AH
	QS342BC ■	Bisque-on-Bisque Range Hood	1	AH
	QS342BL ■	Black Range Hood	1	AH
	QS342SS ■	Stainless Steel Range Hood	1	AH
	QS342WW ■	White-on-White Range Hood	1	AH
	BPSF30	Non-ducted Filter for 30" series hoods (S99010308 — Single Pack)	4 *	AC
	BPSF36	Non-ducted Filter for 36" series hoods (S99010309 — Single Pack)	4 *	AC
	BPSF42	Non-ducted Filter for 42" series hoods (S99010310 — Single Pack)	8 *	AC
	BPS3FA30	Aluminum Filter for 30" series hoods (S99010305 — Single Pack)	6 *	AC
	BPS3FA36	Aluminum Filter for 36" series hoods (S99010306 — Single Pack)	6 *	AC
	BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
	PAR20	Halogen Bulb; 120V, 50W	6 *	AC

■ Limited quantities available.

Single packs are higher priced.

For aluminum filter for 42" series hood, order service part S99010307 (2-pack).

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Range Hoods — Under Cabinet

Broan® QS2 Series ALLURE II

Finally, a range hood with all the best features at a reasonable price! The QS2 Series has very quiet operation with a powerful 300 CFM blower. Easy-to-clean bottom pan and filters with three-level lighting and Heat Sentry™. Optional non-duct operation.



3-1/4" x 10" Duct — Internal Blower
 280 CFM — 5.5 Sones Vertical
 300 CFM — 4.5 Sones Horizontal
 7" Round Duct — Internal Blower
 280 CFM — 5.0 Sones Vertical
 Converts to non-ducted. Add non-ducted filter (available separately).

Model No.	Description	Std. Pk.	Code
30"	QS230AA ■ Almond-on-Almond Range Hood	1	AH
	QS230BC ■ Bisque-on-Bisque Range Hood	1	AH
	QS230BL ■ Black Range Hood	1	AH
	QS230SS ■ Stainless Steel Range Hood	1	AH
	QS230WW ■ White-on-White Range Hood	1	AH
	36"	QS236AA ■ Almond-on-Almond Range Hood	1
QS236BC ■ Bisque-on-Bisque Range Hood		1	AH
QS236BL ■ Black Range Hood		1	AH
QS236SS ■ Stainless Steel Range Hood		1	AH
QS236WW ■ White-on-White Range Hood		1	AH
42"		QS242AA ■ Almond-on-Almond Range Hood	1
	QS242BC ■ Bisque-on-Bisque Range Hood	1	AH
	QS242BL ■ Black Range Hood	1	AH
	QS242SS ■ Stainless Steel Range Hood	1	AH
	QS242WW ■ White-on-White Range Hood	1	AH
	BPSF30	Non-ducted Filter for 30" series hoods (S99010308 — Single Pack)	4 *
BPSF36	Non-ducted Filter for 36" series hoods (S99010309 — Single Pack)	4 *	AC
BPSF42	Non-ducted Filter for 42" series hoods (S99010310 — Single Pack)	8 *	AC
BPS2FA30	Aluminum Filter for 30" series hoods (S99010302 — Single Pack)	6 *	AC
BPS2FA36	Aluminum Filter for 36" series hoods (S99010303 — Single Pack)	6 *	AC
ARP310	CFM Reducer Kit, reduces CFM to less than 300 CFM, 3-1/4" x 10"	5 *	AC
BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
PAR20	Halogen Bulb; 120V, 50W	6 *	AC

■ Limited quantities available.

Single packs are higher priced.

For aluminum filter for 42" series hood, order service part S99010304 (2-pack).

Range Hoods — Under Cabinet

Broan® QS1 Series ALLURE I

The quietest range hood in its category operates quietly and has 220 CFM power at the high setting. Easy cleaning and a two-level light/speed setting make it the perfect choice for the everyday kitchen.




3-1/4" x 10" Duct — Internal Blower
210 CFM — 5.5 Sones Vertical
220 CFM — 5.0 Sones Horizontal
7" Round Duct — Internal Blower
230 CFM — 5.0 Sones Vertical
Converts to non-ducted. Add non-ducted filter (available separately).

	Model No.	Description	Std. Pk.	Code
30"	QS130AA ■	Almond-on-Almond Range Hood	1	AH
	QS130BC ■	Bisque-on-Bisque Range Hood	1	AH
	QS130BL ■	Black Range Hood	1	AH
	QS130SS ■	Stainless Steel Range Hood	1	AH
	QS130WW ■	White-on-White Range Hood	1	AH
36"	QS136AA ■	Almond-on-Almond Range Hood	1	AH
	QS136BC ■	Bisque-on-Bisque Range Hood	1	AH
	QS136BL ■	Black Range Hood	1	AH
	QS136SS ■	Stainless Steel Range Hood	1	AH
	QS136WW ■	White-on-White Range Hood	1	AH
42"	QS142AA ■	Almond-on-Almond Range Hood	1	AH
	QS142BC ■	Bisque-on-Bisque Range Hood	1	AH
	QS142BL ■	Black Range Hood	1	AH
	QS142SS ■	Stainless Steel Range Hood	1	AH
	QS142WW ■	White-on-White Range Hood	1	AH
	BPSF30	Non-ducted Filter for 30" series hoods (S99010308 — Single Pack)	4 *	AC
	BPSF36	Non-ducted Filter for 36" series hoods (S99010309 — Single Pack)	4 *	AC
	BPSF42	Non-ducted Filter for 42" series hoods (S99010310 — Single Pack)	8 *	AC
	BPS1FA30	Aluminum Filter for 30" series hoods (S99010299 — Single Pack)	3 *	AC
	BPS1FA36	Aluminum Filter for 36" series hoods (S99010300 — Single Pack)	3 *	AC
	BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
	PAR20	Halogen Bulb; 120V, 50W	6 *	AC

■ Limited quantities available.

Single packs are higher priced.

For aluminum filter for 42" series hood, order service part S99010301 (2-pack).




3-1/4" x 10" Duct — Internal Blower
210 CFM, 5.0 Sones — High
110 CFM, 1.5 Sones — Normal
7" Round Duct — Internal Blower
210 CFM, 1.5 Sones
Includes one compact fluorescent
4 watt night light bulb.

QSE Series (ENERGY STAR)

The QSE Series models are part of our new ENERGY STAR hood offering and an extension of our popular Allure, America's contemporary style choice. Designed to provide energy efficient operation with a quiet 210 CFM axial blade blower. Features include convenient two-speed rocker control, two levels of lighting and dishwasher-safe filters.

	Model No.	Description	Std. Pk.	Code
30"	QSE130SS ■	Stainless Range Hood	1	AH
	QSE130BL ■	Black Range Hood	1	AH
	QSE130WW ■	White Range Hood	1	AH
	BPS1FA30	Aluminum filter for 30" Series hoods	3 *	AC
	BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC

■ Limited quantities available.



3-1/4" x 10" Duct — Internal Blower
290 CFM, 5.5 Sones — High
100 CFM, 0.9 Sones — Low


QDE Series (ENERGY STAR)

A sleek, contemporary styled range hood with high-performance, 290 CFM capability and ENERGY STAR qualification. Features include energy efficient dual 13-watt lamps (included), 2-speed control, fully enclosed bottom pan for easy cleaning and dishwasher-safe filters.

	Model No.	Description	Std. Pk.	Code
30"	QDE30WW ■	White-on-White Range Hood	1	RH
	QDE30SS ■	Stainless Steel Range Hood	1	RH
	BPQDE30	Aluminum replacement grease filters for QDE30 Series (3 Pack)	3 *	AC

■ Limited quantities available.

Range Hoods — Under Cabinet



3-1/4" x 10" Duct — Internal Blower
440 CFM, 7.0 Sones — High
200 CFM, 0.7 Sones — Normal

Includes one 42 watt compact fluorescent and one 4 watt night light bulb.


APE Series (ENERGY STAR)

The APE Series models are part of our new ENERGY STAR hood offering and an extension of our popular 9" professional style under-cabinet line. Designed to provide energy efficient operation with a very quiet 440 CFM dual centrifugal blower. Features include hidden variable speed control with last setting memory, two levels of lighting. Heat Sentry™ and dishwasher safe filters with antimicrobial protection.

Model No.	Description	Std. Pk.	Code
30" APE130SS ■	Stainless Range Hood	1	RH
BPAPFA	Replacement Grease Filter with antimicrobial protection (3 packs/2 filters per pack)	3 *	AC

■ Limited quantities available.

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



3-1/4" x 10" Duct — Internal Blower
440 CFM — Horizontal and
Vertical 7.0 Sones — High
120 CFM, 0.5 Sones — Low

Converts to non-ducted. Add non-ducted recirculation kit (available separately).


Pro-Style Hoods AP1 Series

Broan's newest 9" pro-style hoods — never before have appearance and value been so elegantly combined. Two halogen bulbs (sold separately) provide two-level lighting. Dishwasher-safe, anti-microbial filters look new over repeated cleanings. Hood features variable speed controls and an optional non-duct choice.

Model No.	Description	Std. Pk.	Code
30" AP130SS ■	Variable, 430 Stainless Steel Range Hood	1	RH
AP130WW ■	Variable, White on White Range Hood	1	RH
AP130BL ■	Variable, Black on Black Range Hood	1	RH
36" AP136SS ■	Variable, 430 Stainless Steel Range Hood	1	RH
AP136WW ■	Variable, White on White Range Hood	1	RH
AP136BL ■	Variable, Black on Black Range Hood	1	RH
30" NDK35830SS ■	Non-ducted Recirculation Kit for 9N Pro Hood, Stainless	1	HA
NDK35830WW ■	Non-ducted Recirculation Kit for 9N Pro Hood, White	1	HA
NDK35830BL ■	Non-ducted Recirculation Kit for 9N Pro Hood, Black	1	HA
36" NDK35836SS ■	Non-ducted Recirculation Kit for 9N Pro Hood, Stainless	1	HA
NDK35836WW ■	Non-ducted Recirculation Kit for 9N Pro Hood, White	1	HA
NDK35836BL ■	Non-ducted Recirculation Kit for 9N Pro Hood, Black	1	HA
88F	Replacement Non-ducted Filter for 88000, AP1 and RP2 Series. Master Pack contains 6 pairs of filters. (S97007662 — Single Pack)	6 *	AC
BPAPFA	Replacement Grease Filter with antimicrobial protection (3 packs/2 filters per pack)	3 *	AC
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC

■ Limited quantities available.

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.



3-1/4" x 10" Duct — Internal Blower
440 CFM — Horizontal and
Vertical 7.0 Sones — High
120 CFM, 0.5 Sones — Low

Pro-Style Hoods RP1 Series

Broan's newest 9" pro-style hoods — never before have appearance and value been so elegantly combined. Two halogen bulbs (sold separately) provide two-level lighting. Dishwasher-safe filters for easy cleaning. Hood features a two-speed rocker blower control.

Model No.	Description	Std. Pk.	Code
30" RP130SS ■	430 Stainless Steel Range Hood	1	RH
RP130WW ■	White on White Range Hood	1	RH
RP130BL ■	Black on Black Range Hood	1	RH
36" RP136SS ■	430 Stainless Steel Range Hood	1	RH
RP136WW ■	White on White Range Hood	1	RH
RP136BL ■	Black on Black Range Hood	1	RH
BPRPFA	Replacement Grease Filter (3 packs/2 filters per pack) (S97017455 — Single Pack)	3 *	AC
GU10	Halogen Bulb; 120V, 50W max.	10 *	AC

■ Limited quantities available.

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Range Hoods — Under Cabinet

Broan® 88000 Series

An infinite speed slide control operates a powerful, quiet blower. Can convert to non-duct operation. Damper/adapter included, filters sold separately. Uses two 75-watt bulbs (sold separately) and optional make-up air dampers.



3-1/4" x 10" Duct — Internal Blower
 360 CFM — 5.5 Sones Vertical
 350 CFM — 6.0 Sones Horizontal
 Converts to non-ducted. Add non-ducted filters (available separately).

	Model No.	Description	Std. Pk.	Code
30"	883001 ■	White Range Hood	1	RH
	883002 ■	Bisque Range Hood	1	RH
	883004 ■	Stainless Steel Range Hood	1	RH
	883008 ■	Almond Range Hood	1	RH
	883011 ■	White on White Range Hood	1	RH
	883023 ■	Black Range Hood	1	RH
36"	883601 ■	White Range Hood	1	RH
	883604 ■	Stainless Steel Range Hood	1	RH
	883608 ■	Almond Range Hood	1	RH
	883623 ■	Black Range Hood	1	RH
42"	884201 ■	White Range Hood	1	RH
	884204 ■	Stainless Steel Range Hood	1	RH
	884223 ■	Black Range Hood	1	RH
48"	884801 ■	White Range Hood	1	RH
	884804 ■	Stainless Steel Range Hood	1	RH
	884823 ■	Black Range Hood	1	RH
	88F	Replacement Non-ducted Filter for 88000, AP1 and AP2 Series. Master Pack contains 6 pairs of filters. (S97007662 — Single Pack)	6 *	AC

■ Limited quantities available.

Single packs are higher priced.

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Broan® Range Hood Specials

IMPORTANT: Orders for specials become non-cancellable upon acceptance by the Company. Range hood specials will be shipped within three weeks from receipt of order. Ducted only design, with infinite speed slide control and last-setting memory.



89000 Series — Solid-State
 3-1/4" x 10" Duct — Internal Blower
 460 CFM — 6.0 Sones Vertical
 440 CFM — 7.0 Sones Horizontal




88000 Series — Solid-State
 3-1/4" x 10" Duct — Internal Blower
 360 CFM — 5.5 Sones Vertical
 350 CFM — 6.0 Sones Horizontal
 Converts to non-ducted. Add non-ducted filters (available separately).

	Model No.	Description	Std. Pk.	Code
30"	893001 ■	White Range Hood Special	1	RH
	893004 ■	Stainless Steel Range Hood Special	1	RH
	893011 ■	White-on-White Range Hood Special	1	RH
	893023 ■	Black Range Hood Special	1	RH
36"	893601 ■	White Range Hood Special	1	RH
	893604 ■	Stainless Steel Range Hood Special	1	RH
	893623 ■	Black Range Hood Special	1	RH
39"	893901 ■	White Range Hood Special	1	RH
	893904 ■	Stainless Steel Range Hood Special	1	RH
42"	894201 ■	White Range Hood Special	1	RH
	894204 ■	Stainless Steel Range Hood Special	1	RH
	894223 ■	Black Range Hood Special	1	RH
48"	894801 ■	White Range Hood Special	1	RH
	894804 ■	Stainless Steel Range Hood Special	1	RH
	Model No.	Description	Std. Pk.	Code
39"	883901 ■	White Range Hood Special	1	RH
	883904 ■	Stainless Steel Range Hood Special	1	RH

■ Limited quantities available.

Range hoods work with make-up dampers (MD6TU, MD8TU and MD10TU) and fresh air inlets (641FA, 643FA and 610FA) — see accessories on Page 5.

Range Hoods — Under Cabinet



3-1/4" x 10" Duct — Internal Blower
300 CFM — 4.5 Sones Vertical

Broan® Elite 15000 Series Slide Out SILHOUETTE™

Thin-line styling to complement today's contemporary and European styled kitchens. Superior air movement provided by a high efficiency, dual centrifugal blower system. Solid-state infinite speed slide control with memory. Heat Sentry™. Bright, economical 24" fluorescent light (tube not included). Washable foam filter.

	Model No.	Description	Std. Pk.	Code
30"	153001	White Slide Out	1	DH
	153004	Brushed Aluminum Slide Out	1	DH
	153023	Black Slide Out	1	DH
36"	153601	White Slide Out	1	DH
	153604	Brushed Aluminum Slide Out	1	DH
	153623	Black Slide Out	1	DH

For replacement filters, see Broan's Replacement Parts Guide.



3-1/4" x 10" Duct — Internal Blower
200 CFM, 5.0 Sones Vertical
190 CFM, 4.5 Sones Horizontal
7" Round Duct — Internal Blower
250 CFM, 4.5 Sones

Broan® QML Series

This Pro-Style under cabinet hood is available in a 30" width, making it the perfect fit for the most common cook-top size. The sleek 6" high design brings a modern style to today's kitchens. The canopy type range hood has a fully enclosed bottom design, making it very easy to clean. Dual halogen lighting with two light levels provides brilliant cook-top illumination (GU1035, MR16 bulbs not included), and the two-speed rocker control switch makes it easy to use. Dishwasher safe grease filter ensures peak performance for many years to come.

The QML can be installed to duct outdoors or as non-ducted with the purchase of the BPQFT filter. (3-1/4" x 10" damper/duct connector and 7" round duct adapter plate included.)

	Model No.	Description	Std. Pk.	Code
30"	QML30BL ■	Black Range Hood	1	QP
	QML30SS ■	Stainless Range Hood	1	QP
	QML30WW ■	White Range Hood	1	QP
	BPQTF	Non-ducted Filters (99010317 — Single Pack)	4 *	AC
	BPQTAf	Aluminum Grease Filters (99010316 — Single Pack)	4 *	AC
	GU1035	Halogen Bulb; 120V, 35W	10 *	AC

■ Limited quantities available.

Range Hoods — Under Cabinet

Broan® QT20000 Series QUIET HOOD

Patented air chamber design reduces noise up to 40% over conventional hoods. Convertible to ducted or non-ducted. Infinite rotary speed control and dual 40-watt bulbs with night-light (bulbs sold separately).



3-1/4" x 10" Duct — Internal Blower
200 CFM — 4.5 Sones Vertical
170 CFM — 4.5 Sones Horizontal
7" Rounded Duct — Internal Blower
220 CFM — 4.5 Sones Vertical
Converts to non-ducted. Add BPQTF
non-ducted filter (sold separately).

	Model No.	Description	Std. Pk.	Code
30"	QT230AA ■	Almond-on-Almond Range Hood	1	AH
	QT230BC ■	Bisque-on-Bisque Range Hood	1	AH
	QT230BL ■	Black Range Hood	1	AH
	QT230SS ■	Stainless Steel Range Hood	1	AH
	QT230WW ■	White-on-White Range Hood	1	AH
36"	QT236AA ■	Almond-on-Almond Range Hood	1	AH
	QT236BC ■	Bisque-on-Bisque Range Hood	1	AH
	QT236BL ■	Black Range Hood	1	AH
	QT236SS ■	Stainless Steel Range Hood	1	AH
	QT236WW ■	White-on-White Range Hood	1	AH
42"	QT242AA ■	Almond-on-Almond Range Hood	1	AH
	QT242BC ■	Bisque-on-Bisque Range Hood	1	AH
	QT242BL ■	Black Range Hood	1	AH
	QT242SS ■	Stainless Steel Range Hood	1	AH
	QT242WW ■	White-on-White Range Hood	1	AH
	BPQTF	Non-ducted Filters (99010317 — Single Pack)	4 *	AC
	BPQAF	Aluminum Grease Filters (99010316 — Single Pack)	4 *	AC
	BP87 ■	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC

■ Limited quantities available.
Single packs are higher priced.

Broan® 46000 Series

Convertible to ducted or non-ducted (non-duct filter sold separately). Variable speed rotary control. 75-watt cooktop lighting (bulb sold separately).



3-1/4" x 10" Duct — Internal Blower
190 CFM — 7.5 Sones Vertical
190 CFM — 7.5 Sones Horizontal
7" Rounded Duct — Internal Blower
220 CFM — 7.5 Sones
Converts to non-ducted.

	Model No.	Description	Std. Pk.	Code
24"	462401	White Range Hood	1	RH
	462404	Stainless Steel Range Hood	1	RH
	462423	Black Range Hood	1	RH
30"	463001	White Range Hood	1	RH
	463002	Bisque Range Hood	1	RH
	463004	Stainless Steel Range Hood	1	RH
	463008 ■	Almond Range Hood	1	RH
	463011	White-on-White Range Hood	1	RH
	463023	Black Range Hood	1	RH
36"	463601	White Range Hood	1	RH
	463602	Bisque Range Hood	1	RH
	463604	Stainless Steel Range Hood	1	RH
	463608 ■	Almond Range Hood	1	RH
	463623	Black Range Hood	1	RH
42"	464201	White Range Hood	1	RH
	464202	Bisque Range Hood	1	RH
	464204	Stainless Steel Range Hood	1	RH
	464208 ■	Almond Range Hood	1	RH
	41F	Replacement Non-ducted Filter for F40000, 41000 and 46000 Series range hoods. Master Pack contains 6 filters. (S97007696 — Single Pack)	6 *	AC
	BP29	10-1/2" x 8-3/4" Washable Aluminum Filter for F40000, 40000, 42000 and 46000 Series. Contains 6 filters. (S97006931 — Single Pack)	6 *	AC

■ Limited quantities available.
Single packs are higher priced.

Range Hoods — Under Cabinet

Broan® 43000 Series

Adapt to any installation with these four-way convertible range hoods. An enclosed light and fan/filter assembly makes for easy cleaning.



3-1/4" x 10" Duct — Internal Blower
 190 CFM — 7.0 Sones Vertical
 160 CFM — 7.0 Sones Horizontal
 7" Rounded Duct — Internal Blower
 220 CFM — 8.0 Sones Vertical

Converts to non-ducted. Includes washable aluminum filter with light lens.

Model No.	Description	Std. Pk.	Code	
30"	433004	Stainless Steel Range Hood	1	LL
	433011	White-on-White Range Hood	1	LL
	433018 ■	Almond-on-Almond Range Hood	1	LL
	433022	Bisque-on-Bisque Range Hood	1	LL
	433023	Black Range Hood	1	LL
	36"	433604	Stainless Steel Range Hood	1
433611		White-on-White Range Hood	1	LL
433618 ■		Almond-on-Almond Range Hood	1	LL
433622		Bisque-on-Bisque Range Hood	1	LL
433623		Black Range Hood	1	LL
BP57		11-3/8" x 11-3/4" Washable Aluminum and Charcoal Filter with light lens. Master pack contains 8 filters. (SR610050 — Single Pack.)	8 *	AC
BP58	Replacement Charcoal Filter Pack. Each pack contains three 7-3/4" x 10-1/2" pads. Master pack contains 8 filter packs. (SR610051 — Single Pack)	8 *	AC	


■ Limited quantities available.

Single packs are higher priced.

Range Hoods — Under Cabinet

Broan® F40000 Series

Adapt to any installation with these four-way convertible range hoods. An enclosed light and fan/filter assembly makes for easy cleaning.



3-1/4" x 10" Duct — Internal Blower
 160 CFM — 6.5 Sones Vertical
 160 CFM — 6.5 Sones Horizontal
 7" Round Duct — Internal Blower
 190 CFM — 6.5 Sones

Converts to non-ducted. Includes washable aluminum filter. Non-ducted filter purchased separately.

	Model No.	Description	Std. Pk.	Code
24"	F402401	White Range Hood	1	LL
	F402402 ■	Bisque Range Hood	1	LL
	F402404	Stainless Steel Range Hood	1	LL
	F402408	Almond Range Hood	1	LL
	F402411	White-on-White Range Hood	1	LL
	F402422	Bisque-on-Bisque Range Hood	1	LL
	F402423	Black Range Hood	1	LL
	30"	F403001	White Range Hood	1
F403002 ■		Bisque Range Hood	1	LL
F403004		Stainless Steel Range Hood	1	LL
F403008		Almond Range Hood	1	LL
F403011		White-on-White Range Hood	1	LL
F403022		Bisque-on-Bisque Range Hood	1	LL
F403023		Black Range Hood	1	LL
36"		F403601	White Range Hood	1
	F403602 ■	Bisque Range Hood	1	LL
	F403604	Stainless Steel Range Hood	1	LL
	F403608	Almond Range Hood	1	LL
	F403611	White-on-White Range Hood	1	LL
	F403622	Bisque-on-Bisque Range Hood	1	LL
	F403623	Black Range Hood	1	LL
	42"	F404201	White Range Hood	1
F404202 ■		Bisque Range Hood	1	LL
F404204		Stainless Steel Range Hood	1	LL
F404208		Almond Range Hood	1	LL
F404211		White-on-White Range Hood	1	LL
F404222		Bisque-on-Bisque Range Hood	1	LL
F404223		Black Range Hood	1	LL
41F		Replacement Non-ducted Filter for F40000, 41000 and 46000 Series range hoods. Master Pack contains 6 filters. (S97007696 — Single Pack)	6 *	AC
BP29	10-1/2" x 8-3/4" Washable Aluminum Filter for F40000, 40000, 42000 and 46000 Series. Contains 6 filters. (S97006931 — Single Pack)	6 *	AC	
BP87Q	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC	

■ Limited quantities available.

Single packs are higher priced.

Range Hoods — Under Cabinet

Broan® 42000 Series 7" ROUND DUCTED

High quality, economy level range hood installs as 7" round ducted only. Dishwasher-safe grease filter.



7" Round Duct — Internal Blower
190 CFM — 6.0 Sones Vertical

BP87 Damper must be purchased separately, except on "D" version models.

	Model No.	Description	Std. Pk.	Code
24"	422401	White Range Hood	1	LL
	422401D	White Range Hood (with damper)	1	LL
	422402	Bisque Range Hood	1	LL
	422404	Stainless Steel Range Hood	1	LL
	422408	■ Almond Range Hood	1	LL
30"	423001	White Range Hood	1	LL
	423001D	White Range Hood (with damper)	1	LL
	423002	Bisque Range Hood	1	LL
	423004	Stainless Steel Range Hood	1	LL
	423008	■ Almond Range Hood	1	LL
	423008D	■ Almond Range Hood (with damper)	1	LL
	423023	Black Range Hood	1	LL
36"	423601	White Range Hood	1	LL
	423601D	White Range Hood (with damper)	1	LL
	423602	Bisque Range Hood	1	LL
	423604	Stainless Steel Range Hood	1	LL
	423608	■ Almond Range Hood	1	LL
	423608D	■ Almond Range Hood (with damper)	1	LL
	423623	Black Range Hood	1	LL
42"	424201	White Range Hood	1	LL
	424201D	White Range Hood (with damper)	1	LL
	424202	Bisque Range Hood	1	LL
	424204	Stainless Steel Range Hood	1	LL
	424208	■ Almond Range Hood	1	LL
	BP29	10-1/2" x 8-3/4" Washable Aluminum Filter for F40000, 40000, 42000 and 46000 Series. Contains 6 filters. (S97006931 — Single Pack)	6 *	AC
	BP87Q	7" Damper for round discharge range hood. (S97010792 — Single Pack)	3 *	AC
	T457	7" to 5" duct reducer	1	AC

■ Limited quantities available.

Single packs are higher priced.

Range Hoods — Under Cabinet

Broan® 40000 Series 3-1/4" x 10" DUCTED

High quality, economy level range hood installs as 3-1/4" x 10" ducted only. Dishwasher-safe grease filter.



3-1/4" x 10" Duct — Internal Blower
160 CFM — 6.5 Sones Vertical
160 CFM — 6.5 Sones Horizontal

	Model No.	Description	Std. Pk.	Code
21"	402101	White Range Hood	1	LL
	402102	Bisque Range Hood	1	LL
	402108	■ Almond Range Hood	1	LL
24"	402401	White Range Hood	1	LL
	402402	Bisque Range Hood	1	LL
	402404	Stainless Steel Range Hood	1	LL
	402408	■ Almond Range Hood	1	LL
30"	403001	White Range Hood	1	LL
	403002	Bisque Range Hood	1	LL
	403004	Stainless Steel Range Hood	1	LL
	403008	■ Almond Range Hood	1	LL
	403023	Black Range Hood	1	LL
36"	403601	White Range Hood	1	LL
	403602	Bisque Range Hood	1	LL
	403604	Stainless Steel Range Hood	1	LL
	403608	■ Almond Range Hood	1	LL
	403623	Black Range Hood	1	LL
42"	404201	White Range Hood	1	LL
	404202	Bisque Range Hood	1	LL
	404208	■ Almond Range Hood	1	LL
	BP29	10-1/2" x 8-3/4" Washable Aluminum Filter for F40000, 40000, 42000 and 46000 Series. Contains 6 filters. (S97006931 — Single Pack)	6 *	AC

■ Limited quantities available.

Single packs are higher priced.

Broan® 37000 Series (SHELL ONLY)

Shell utilizes a 40000 Series shell, but contains no fan, light, switches or knockouts.



	Model No.	Description	Std. Pk.	Code
24"	372401	White Range Hood Shell	1	LL
	372408	■ Almond Range Hood Shell	1	LL
30"	373001	White Range Hood Shell	1	LL
	373002	Bisque Range Hood Shell	1	LL
	373004	Stainless Steel Range Hood Shell	1	LL
	373008	■ Almond Range Hood Shell	1	LL
36"	373601	White Range Hood Shell	1	LL
	373604	Stainless Steel Range Hood Shell	1	LL

■ Limited quantities available.

Range Hoods — Under Cabinet

Broan® 41000 Series NON-DUCTED

High quality, economy level range hood installs as non-ducted only. Two-speed fan control. Charcoal replacement filter sold separately.



Non-ducted — Includes filter

	Model No.	Description	Std. Pk.	Code
21"	412101	White Non-ducted Range Hood	1	LL
	412102	Bisque Non-ducted Range Hood	1	LL
	412108 ■	Almond Non-ducted Range Hood	1	LL
	412123	Black Non-ducted Range Hood	1	LL
24"	412401	White Non-ducted Range Hood	1	LL
	412402	Bisque Non-ducted Range Hood	1	LL
	412404	Stainless Steel Non-ducted Range Hood	1	LL
	412408 ■	Almond Non-ducted Range Hood	1	LL
30"	413001	White Non-ducted Range Hood	1	LL
	413002	Bisque Non-ducted Range Hood	1	LL
	413004	Stainless Steel Non-ducted Range Hood	1	LL
	413008 ■	Almond Non-ducted Range Hood	1	LL
	413023	Black Non-ducted Range Hood	1	LL
36"	413601	White Non-ducted Range Hood	1	LL
	413602	Bisque Non-ducted Range Hood	1	LL
	413604	Stainless Steel Non-ducted Range Hood	1	LL
	413608 ■	Almond Non-ducted Range Hood	1	LL
	413623	Black Non-ducted Range Hood	1	LL
42"	414201	White Non-ducted Range Hood	1	LL
	414202	Bisque Non-ducted Range Hood	1	LL
	414204	Stainless Steel Non-ducted Range Hood	1	LL
	414208 ■	Almond Non-ducted Range Hood	1	LL
	41F	Replacement Non-ducted Filter for F40000, 41000 and 46000 Series range hoods. Master Pack contains 6 filters. (S97007696 — Single Pack)	6 *	AC

■ Limited quantities available.

Single packs are higher priced.

Range Hoods — Accessories

Broan® SP and EP Backsplashes (24" HIGH)



All Backsplashes furnished in two colors — one per side except stainless steel.


Economy (EP) Backsplashes are packaged 4 per carton and must be ordered in multiples of 4. Prices shown are for each wall shield.

	Model No.	Description	Std. Pk.	Code
24"	SP240108	White/Almond Backsplash	1	AC
	SP2404	Stainless Steel Backsplash	1	AC
	SP240223	Bisque/Black Backsplash	1	AC
30"	SP300108	White/Almond Backsplash	1	AC
	SP3004	Stainless Steel Backsplash	1	AC
	SP300223	Bisque/Black Backsplash	1	AC
36"	SP360108	White/Almond Backsplash	1	AC
	SP3604	Stainless Steel Backsplash	1	AC
	SP360223	Bisque/Black Backsplash	1	AC
42"	SP420108 ■	White/Almond Backsplash	1	AC
	SP4204	Stainless Steel Backsplash	1	AC
	SP420223	Bisque/Black Backsplash	1	AC
30"	EP300108 ■	White/Almond Backsplash	4 *	AC
	EP300223	Bisque/Black Backsplash	4 *	AC

■ Limited quantities available.

Note: Backsplashes are accessories and cannot be combined with any other product groups to meet volume requirements.

Range Hoods — Accessories



Broan® Range Hood Wall Brackets

Designed for use with 37000, 40000, 41000, 42000, 43000, 46000, 52000, 88000, 89000, AP1 (ducted only), F40000, QL1, QS1, QS2 (36" and 42" only), QS3 (36" and 42" only), QT20000 and RP1 Series.

Model No.	Description	Std. Pk.	Code
35	Wall Hanging Kit for mounting all hoods to wall when cabinets are not used	1	AC



Broan® Range Hood Electrical Cord Connection Kit

Designed for easy electrical wiring of range hoods. Can be used with Broan, NuTone, Nautilus or Kenmore range hoods.

Model No.	Description	Std. Pk.	Code
HCK44	Power Cord Kit on individual display card	10 *	AC
HCK44D	Power Cord Kit individual packaged in a polybag. Master Pack — 50.	50 *	AC

Broan: 40000, 41000, 42000, 43000, 46000, 52000, 53000, 88000, 89000, B30, CBD1, CBD3, CBX1, CJD1, CJD3, QL, QML, OP, QS1, QS2, QS3, QT20000, AP, RP, E661, QSE1, Glacier, Antero, Sahale, Spire, Alta, Tenaya, Corteo

NuTone: RL, SL, WA65, WS1, WS2, WS3, NS1, NSP, NS6500, Mantra, Osmos


Kenmore: 5094, 5104, 5114, 5134, 5164, 5174, 5184, 5204, 5205, 5214, 5215, 5234, 5244, 5254, 5260, 5270, 5324, 5334, 5501, 5511, 5521, 5535, 5580, 5817, 5818

Broan® Range Hood Lamp Accessories

Model No.	Description	Std. Pk.	Code
PAR20	Halogen Bulb; 120V, 50W for QS1, QS2, QS3 and RMIP Series	6 *	AC
GU10	Halogen Bulb; 120V, 50W for E66, RMP, E60, E64, AP, QP2, QP3, QP4 and RP Series	10 *	AC
GU1035	Halogen Bulb; 120V, 35W for EI59, EW58, EW56, QML and QP1 Series	10 *	AC

Trash Compactor Accessories


Broan® Elite Trash Compactor Accessories




Model No.	Description	Std. Pk.	Code
15TCBB	■ Cutting Board for 15" compactor	1	CP
15TCBL	15" Compactor Bags, 12 count	1	CP
15TCOD	Odor Control Disc	1	CP
15TCTK	■ Free-standing Toe Kick Kit	1	CP
1006	12" Compactor Bags (includes 10 packs of 12)	10 *	CP

■ Limited quantities available.

Ventilation Fans — ULTRA™



ZN80
ZN110



ZN80L
ZN110L


NuTone® ULTRA™ Green Multi-Speed Series

We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. Multi-speed capability ideal for meeting ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 — as well as local/spot ventilation needs. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 50 CFM and 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).


Model No.	Description	Std. Pk.	Code
Fans			
ZN80	◆ 30 CFM to 80 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
ZN110	◆ 30 CFM to 110 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
Fan/Light/Night Light			
ZN80L	◆ 30 CFM to 80 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZN110L	◆ 30 CFM to 110 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP



All models are ENERGY STAR certified products.



XN50
XN80
XN110



XN50L
XN80L
XN110L

NuTone® ULTRA™ Green Single-Speed Series


We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 compliant. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 50 CFM and 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).

Model No.	Description	Std. Pk.	Code
Fans			
XN50	◆ 50 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
XN80	◆ 80 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
XN110	◆ 110 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
Fan/Light/Night Light			
XN50L	◆ 50 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
XN80L	◆ 80 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
XN110L	◆ 110 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP




All models are ENERGY STAR certified products.


Ventilation Fans — ULTRA™




ZN80M
ZN110M



ZN110H



ZN80ML
ZN110ML



ZN110HL


NuTone® ULTRA™ Green Multi-Speed Series — Sensing

We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. Multi-speed capability ideal for meeting ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 — as well as local/spot ventilation needs. Humidity or motion sensing triggers fan to ramp up from lower continuous ventilation level to maximum CFM. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).

Model No.	Description	Std. Pk.	Code
Fans			
ZN80M	◆ 80 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan	1	HP
ZN110H	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan	1	HP
ZN110M	◆ 110 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan	1	HP
Fan/Light/Night Light			
ZN80ML	◆ 80 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included),	1	HP
ZN110HL	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZN110ML	◆ 110 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP




All models are ENERGY STAR certified products.



XN110H

XN110HL



NuTone® ULTRA™ Green Single-Speed Series — Sensing


We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 compliant. Humidity sensing models will automatically turn fan on when rapid rise in humidity is sensed. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).

Model No.	Description	Std. Pk.	Code
Fan			
XN110H	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan	1	HP
Fan/Light/Night Light			
XN110HL	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP




All models are ENERGY STAR certified products.

Ventilation Fans — ULTRA™



RN80
RN110



RN80L
RN110L

NuTone® ULTRA™ Pro Fan and Fan/Light Series


The preferred install choice for professionals to deliver quiet performance *ULTRA*Quick™ installation, with no attic access required. QStream™ sound technology features airflow-smoothing baffles to reduce noise caused by turbulence and QFlow™ sound technology that removes the duct damper from the airstream to reduce static pressure. 4" duct for ideal retrofit installation and ENERGY STAR® certified. 10-1/2" x 11-3/8" x 7-5/8" housing fits 2" x 8" ceiling construction. UL Listed for use over bathtubs and showers when connected to a GFCI protected branch circuit.

Model No.	Description	Std. Pk.	Code
Fans			
RN80	80 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
RN110	110 CFM, 0.6 Sones, ENERGY STAR Fan	1	HP
Fan/Light			
RN80L	80 CFM, <0.3 Sones, ENERGY STAR Fan/Light, two energy efficient 18W GU24 Fluorescent Lights (bulbs included)	1	HP
RN110L	110 CFM, 0.8 Sones, ENERGY STAR Fan/Light, two energy efficient 18W GU24 Fluorescent Lights (bulbs included)	1	HP



All models are ENERGY STAR certified products.

Ventilation Fans — QT Series™



SSQTXE080
SSQTXE110



SMSCPLR

Broan SmartSense® Intelligent Ventilation System


The intelligent fan control system creates an integrated residential exhaust ventilation system using Broan's industry leading ventilation control technology and award winning QTXE fans. The Broan SmartSense system uses Broan's Link-Logic™ control technology powered by INSTEON™, a powerful communication technology to monitor everyday manual fan usage throughout the home. Broan SmartSense calculates additional ventilation required by Green Building and ASHRAE Standard 62 related requirements and automatically controls installed fans to achieve proper ventilation. SSQTXE080 and SSQTXE110 fans can provide a single fan solution for small apartments or mix and matched for a customized, integrated ventilation system.

Model No.	Description	Std. Pk.	Code
SSQTXE080	80 CFM SmartSense Fan with Control	1	HV
SSQTXE110	110 CFM SmartSense Fan with Control	1	HV
SMSCPLR †	SmartSense Phase Coupler	1	AR

† The SmartSense Phase Coupler is only required when fans are located on separate phases of power. If fans are on the same circuit or phase, the phase coupler is not necessary.

Broan® Ventilation Fan with Sensonic™ Speakers and Speaker Kit

Unlike wireless speakers that require counter space, Sensonic speakers with Bluetooth® wireless technology fill your room with rich sound from above. From hard rock to news talk, play any audio through the dual high-fidelity speakers and enjoy entertainment and privacy at the touch of a button. It's brilliant audio performance concealed behind the fan grille.



SPK110

SPKACC

Model No.	Description	Std. Pk.	Code
SPK110	Sensonic Speaker Fan; 110 CFM, 1.0 Sones	1	HV
SPKACC	Sensonic Speaker Accessory	1	AC


Ventilation Fans — QT Series™

NuTone® QT Series™ Fan and Fan/Light/Night Light Series (QTXEN Models)


The industry's quietest, most powerful and stylish fans with a 3 year warranty. 6" ducting for superior performance and ENERGY STAR certified. Includes hanger bar system for fast and flexible installations for all types of construction. 10-1/2" x 11-3/8" x 7-5/8" high housing. 12-7/8" x 13-5/8" grille (QTXEN fans) and 13" x 14" grille (QTXEN fan/lights). Type IC.




QTXEN080
QTXEN110



QTXEN150



QTXEN080FLT
QTXEN110FLT



QTXEN150FLT


Model No.	Description	Std. Pk.	Code
Fans			
QTXEN080	◆ 80 CFM, 0.3 Sones, ENERGY STAR Fan	1	HV
QTXEN110	◆ 110 CFM 0.7 Sones, ENERGY STAR Fan	1	HV
QTXEN150	◆ 150 CFM, 1.4 Sones, ENERGY STAR Fan	1	HV
Fan/Light/Night Light			
QTXEN080FLT	◆ 80 CFM, 0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HV
QTXEN110FLT	◆ 110 CFM, 0.7 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HV
QTXEN150FLT	◆ 150 CFM, 1.4 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HV




All models are ENERGY STAR certified products.

NuTone® LunAura Collection Ambient Ultra Silent™ Fan/Light


Great for any room in the home. The benefits of powerful, ultra silent, ENERGY STAR certified ventilation. Now come with a soft beautiful blue LED night light which delivers improved safety and navigation as well as a calming spa setting.



QTNLEDA



QTNLEDB



Model No.	Description	Std. Pk.	Code
QTNLEDA	110 CFM, 0.7 Sones, ENERGY STAR Fan/Light/Night Light with 36 watt (2-18) GU24 bulbs included. 6" or 4" duct. Round design.	1	NF
QTNLEDB	110 CFM, 0.7 Sones, ENERGY STAR Fan/Light/Night Light with 36 watt (2-18) GU24 bulbs included. 6" or 4" duct. Square/Diamond design.	1	NF




All models are ENERGY STAR certified products.


Ventilation Fans — InVent™ Series

NuTone® InVent™ Series Ventilation Fans


New, versatile housing platform that marks a revolution of our mid-range ventilation fans and allows for easy installation in both new construction and retrofit applications. 10" x 9-1/4" x 5-3/4" housing features foldable mounting ears for easy, room-side replacement. 4" duct connector mounts from the inside of the housing and features a new damper technology, improving air tightness scores.




AEN50
AEN80
AEN110
AEN80B
AN110



AN70L
AN80L
AN110L



AEN80L
AEN110L
AEN80BL




MMG

MHB4

MMDC4

MQF4

RDM1



RDMWT

Model No.		Description	Std. Pk.	Code
Ventilation Fans				
AN110	Ω	110 CFM, 3.0 Sones	1	HM
AEN50	Ω	50 CFM, 0.5 Sones, ENERGY STAR Fan	1	HM
AEN80	Ω	80 CFM, 0.8 Sones, ENERGY STAR Fan	1	HM
AEN110	Ω	110 CFM, 1.3 Sones, ENERGY STAR Fan	1	HM
AEN80B	Ω	80 CFM, 1.5 Sones, ENERGY STAR Fan	1	HM
Ventilation Fan/Lights				
AN70L		70 CFM, 2.0 Sones, Fan/Light	1	HM
AN80L		80 CFM, 1.0 Sones, Fan/Light	1	HM
AN110L		110 CFM, 1.3 Sones, Fan/Light	1	HM
AEN80BL	Ω	LED Light, 80 CFM, 1.5 Sones, ENERGY STAR Fan/Light	1	HM
AEN80L	Ω	LED Light, 80 CFM, 0.8 Sones, ENERGY STAR Fan/Light	1	HM
AEN110L	Ω	LED Light, 110 CFM, 1.3 Sones, ENERGY STAR Fan/Light	1	HM
Accessories				
MHB4		Hanger Bars	1	AC
MMDC4	■	Metal Duct Connector	1	AC
MMG		Metal Grille, White	1	AC
MQF4		QFlow Duct Connector	1	AC
RDM1		Radiation Damper	1	HM
RDMWT		Radiation Damper for UL wood truss assembly listings L521, L528, L546, L558, L562, L574, L576, L581, L583, L585, P522, P533, P538, P545 and P547. Available May, 2017.	1	HM

Ω Works with Model RDM1 and RDMWT radiation damper.



Select models are ENERGY STAR certified products — see product description

■ Limited quantities available.

Ventilation Fans

NuTone® Recessed Fan/Lights

Recessed lights are popular lighting solutions. But NuTone took it a step further by incorporating powerful ventilation in the same design. Our new fan/lights disappear into the ceiling with other recessed lights, so they are practical decorating solutions for any room in the house. In the bath they control humidity, and in a utility room, kitchen or high-traffic family room they keep the air fresh and comfortable. 12-3/4" x 8-1/4" x 6-3/4" high housing. 7-3/8" round trim. Damper/duct connector fits 4" duct. Type IC. Fits 2" x 6" ceiling construction.



744NT
744FLNT
744LEDNT
744SFLNT


Model No.	Description	Std. Pk.	Code
744NT	◆ Recessed Fan/Light, 70 CFM, 1.5 Sones, 6" white trim. Uses 75W max R30 or BR30 bulb for standard applications.	1	NF
744FLNT	◆ ENERGY STAR Recessed Fan/Light, 70 CFM, 1.5 Sones, 6" white trim. Uses 16W R30 fluorescent bulb (bulb included).	1	NF
744LEDNT	◆ ENERGY STAR Recessed Fan/LED Light, 70 CFM, 1.5 Sones, 6" white trim. Uses 10W BR30 LED bulb (bulb included).	1	NF
744SFLNT	◆ ENERGY STAR Recessed Humidity Sensing Fan/Fluorescent Light, 70 CFM, 1.5 Sones, 6" white trim. Uses 16W R30 fluorescent bulb (bulb included).	1	NF



Select models are ENERGY STAR certified products.

NuTone® LoProfile™ Ventilation Fan

The new NuTone LoProfile™ fan is our latest solution for installations where conventional ventilation simply won't fit. Where multi-family applications require it, the LoProfile™ fan is narrow enough to be installed in a wall between 2 x 4 studs. When plumbing or electrical obstructions are found behind the drywall in ceiling remodel applications our LoProfile™ fan can still fit without having to move anything. And that means most any room with space constraints can have powerful, quiet and efficient ventilation.




Model No.	Description	Std. Pk.	Code
LPN80	ENERGY STAR Fan, 80 CFM, 1.0 Sones	1	HV



ENERGY STAR certified product.

Ventilation Fans

NuTone® EZFit Ventilation Fan



EZFit ventilation fan easily replaces your existing fan in 40 minutes entirely from the room-side. EZLock tabs secure fan directly to drywall, eliminating need for joist/truss mounting. EZConnect wiring connectors eliminate clumsy wire nuts. EZDuct connector allows attachment of existing duct from inside housing so no need to go in the attic. Slim housing fits in virtually all ceiling spaces. Housing dimensions: 12" L x 10-1/2" W x 5" H. Grille dimensions: 12-1/2" L x 13" W.

Model No.	Description	Std. Pk.	Code
EZ80N	ENERGY STAR Ventilation Fan. 80 CFM, 1.0 Sones	1	HV



ENERGY STAR certified product.

NuTone Basic® Fans

Molded plastic impeller, two-pole motor, 7-1/4" x 7-1/2" x 3-5/8" high galvanized steel housing for ceiling or wall installation. Spring mounted 8-11/16" x 9" plastic grille. Damper/duct connector fits 3" round duct. Snap-in motor plate requires no tools for installation or removals. Fits 2" x 4" ceiling or wall construction.




695
696N

Model No.	Description	Std. Pk.	Code
695	◆ 70 CFM, 6.0 Sones. Fan — 3" Duct	1	LV
696N	◆ 50 CFM, 4.0 Sones. Fan — 3" Duct	1	LV

All models also available in project packs, see Page 62.

NuTone® Fan/Lights

Powerful fans remove stale air and damaging moisture. 9" x 9" x 6" housing. Damper/duct connector fits 4" round duct. Bright lighting and 7W night light. All models are Type IC. Bulbs not included.




8663RP
8664RP


Model No.	Description	Std. Pk.	Code
8663RP	100 CFM, 3.5 Sones. Fan/Light/Night Light, Round White Grille with glass lens, 100W max Incandescent Light, 7W Night Light.	1	HV
8664RP	100 CFM, 3.5 Sones. Fan/Light, Round White Grille with glass lens, 100W max Incandescent Light.	1	HV

NuTone® Fan/Lights

Operate fan and light together or independently. Damper/duct connector fits 4" round duct. All models are Type IC. Bulbs not included. Fits 2" x 6" ceiling construction.



668RP



763


Model No.	Description	Std. Pk.	Code
668RP	◆ 70 CFM, 4.0 Sones. Fan with 100W max incandescent light (bulb not included) — 4" Duct.	1	LV
763	◆ 50 CFM, 2.5 Sones. Fan with 100W max incandescent light (bulb not included) — 4" Duct.	1	LV
MCB2	Mounting Channel/Brackets for Single Packs (2 channels/4 brackets). Works with Model 763.	1	AC

Select models available in project packs, see Page 62.

Ventilation Fans

NuTone® Bath Fan Upgrade Kit

The patented economy fan Bath Fan Upgrade Kit improves performance, reduces the sound level, and upgrades the appearance of your economy fan in 10 minutes. Provide easy upgrade for economy fan without replacing the entire housing, rewiring and reconnecting the duct. Helps ensure tenant/homeowner is using the fan when needed most. Reduces sound up to 50%, improves air movement up to 20% and helps control humidity that causes mold and mildew. Kit includes quiet fan motor, grille, wrench and two motor plates.



690NT

Model No.	Description	Std. Pk.	Code
690NT	◆ 60 CFM, 3.0 Sones Fan, Economy Upgrade Kit	1	UK

The 690NT Upgrade Kit replaces the models below.

Model No.	Housing Dimension
NuTone: 693, 695 & 696N	7-1/2" x 7-1/4" or 8" x 7-1/4"
Broan: 670, 671, 688 & 689	7-1/2" x 7-1/4" only 8" x 8-1/4" are not compatible.
Nautilus: N671 & N688	


NuTone® Duct-Free Fan

No ductwork necessary! Ideal for powder rooms and closets. Fits in 2" x 4" construction.


Model No.	Description	Std. Pk.	Code
682NT	Duct-Free Fan with plastic grille. Includes long lasting, easy to replace, activated charcoal filter. Easy snap-in mounting.	1	LV

Ventilation Fans — Project Packs

NuTone® InVent™ Series Project Packs (Housing and Finish Packs)



AN000HF



AN000HL

Model No.	Description	Std. Pk.	Code
<u>Housing Packs</u>			
AN000HF	Ventilation Fan Housing Pack	4 *	HM
AN000HL	Ventilation Fan/Light Housing Pack	4 *	HM
<u>Finish Packs</u>			
AEN50F	Ω 50 CFM, 0.5 Sones, ENERGY STAR Finish Pack	4 *	HM
AEN80BF	Ω 80 CFM, 1.5 Sones, ENERGY STAR Finish Pack	4 *	HM
AEN80BLF	Ω LED Light, 80 CFM, 1.5 Sones, ENERGY STAR Finish Pack	4 *	HM
AEN80F	Ω 80 CFM, 0.8 Sones, ENERGY STAR Finish Pack	4 *	HM
AEN80LF	Ω LED Light, 80 CFM, 0.8 Sones, ENERGY STAR Finish Pack	4 *	HM
AEN110F	Ω 110 CFM, 1.3 Sones, ENERGY STAR Finish Pack	4 *	HM
AN70LF	70 CFM, 2.0 Sones, Finish Pack	4 *	HM
AN80HDF	■ 80 CFM, 2.0 Sones, Metal Grille, Finish Pack	4 *	HM
AN110F	Ω 110 CFM, 3.0 Sones, Finish Pack	4 *	HM

Ω Works with Model RDM1 and RDMWT radiation damper.


■ Limited quantities available.



Select models are ENERGY STAR certified products — see product description.

Ventilation Fans — Project Packs

NuTone® LoProfile™ Project Pack



The new NuTone LoProfile™ fan is our latest solution for installations where conventional ventilation simply won't fit. Where multi-family applications require it, the LoProfile™ fan is narrow enough to be installed in a wall between 2 x 4 studs. When plumbing or electrical obstructions are found behind the drywall in ceiling remodel applications, our LoProfile™ fan can still fit without having to move anything. And that means most any room with space constraints can have powerful, quiet and efficient ventilation. Project Packs offer availability to buy housings for rough-in and motor/blower assemblies and grille later for finishing.

Model No.	Description	Std. Pk.	Code
LP80H	Housing Pack for LPN80	4 *	HV
LPN80F	ENERGY STAR Finish Pack. Motor and Grille Assembly, 80 CFM, 1.0 Sones.	4 *	HV



ENERGY STAR certified products.

NuTone® Radiation Damper Accessory Kit

Model No.	Description	Std. Pk.	Code
RDFQF	Radiation damper accessory that works with Models SSQTXE110, SSQTXE080, QTREN080, QTREN110, QTXEN050, QTXEN080, QTXEN110, QTRN110F, QTREN110F, QTRN080F and QTREN080F.	1	HV
RDFQL	Radiation damper accessory that works with Models QTREN080FLT, QTREN110FLT, QTXEN080FLT, QTXEN110FLT, QTREN110FLFT and QTREN080FLFT. Also works with Models QTXEN110S and QTXEN110SFLT when used with RDJUMPO accessory.	1	HV
RDFU	Radiation damper accessory that works with Models QTXEN150, QTXEN150FLT, RN80, RN110, XN50, XN80, XN110, ZN80 and ZN110. Also works with Models RN80L, RN110L, XN110HL, ZN110HL, ZN80ML, ZN110ML, XN50L, XN80L, XN110L, ZN80L, ZN110L, XN110H, ZN110H, ZN80M and ZN110M when used with RDJUMPU accessory.	1	HP
RDFUWT	Radiation damper accessory that works with Models QTXEN150, QTXEN150FLT, RN80, RN110, XN50, XN80, XN110, ZN80 and ZN110. Also works with Models RN80L, RN110L, XN110HL, ZN110HL, ZN80ML, ZN110ML, XN50L, XN80L, XN110L, ZN80L, ZN110L, XN110H, ZN110H, ZN80M and ZN110M when used with RDJUMPU accessory. For UL wood truss assembly listings L521, L528, L546, L558, L562, L574, L576, L581, L583, L585, P522, P533, P538, P545 and P547. Available May, 2017.	1	HP
RDJ1	Radiation damper accessory with metal grille and metal duct connector (no housing). Works with 50NT, 80NT, HD50NT and HD80NT.	1	HV
RDF1	Radiation damper. Works with ULTRA® Series non-sensing fans (not fan/lights) and LPN80.	1	HP
Accessories			
RDJUMPO	Wiring jumper kit required for use with RDFQL when used with Models QTXEN110S and QTXEN110SFLT.	1	AC
RDJUMPU	Wiring jumper kit required for use with RDFU when used with Models XN110HL, ZN110HL, ZN80ML, ZN110ML, XN50L, XN80L, XN110L, ZN80L, ZN110L, XN110H, ZN110H, ZN80M and ZN110M.	1	AC
804QDD	■ 4" metal connector for use with QT models.	1	AC

■ Limited quantities available.

Ventilation Fans — Project Packs

NuTone® Fan & Fan/Light Project Packs

NuTone's Project Packs offer a variety of housings packed and sold separately from motor assembly and grille. You can buy housings for rough-in ... by assemblies and grilles later for finishing.

Fan/Light Project Packs — Fits 2" x 6" Ceiling Construction

Model No.	Description	Std. Pk.	Code
763F	50 CFM, 2.5 Sones, Fan/Light Finish Pack	4 *	LV
763H	50 CFM, 2.5 Sones, Fan/Light Finish Pack	4 *	LV

Basic Fan Project Packs — Fits 2" x 4" Ceiling or Wall Construction

Model No.	Description	Std. Pk.	Code
690RA	Housing Pack. Housing for 695RB and 696RNB.	6 *	LV
690RMTLA	Series "A" Unit with Metal Duct Collar. Housing for 696RNB and 695RB (replaces 690MTL).	6 *	LV
695RB	◆ Finish Pack. Fan Motor/Grille Assembly. 70 CFM, 6.0 Sones. Uses 690RA housing pack.	6 *	LV
696RNB	◆ Finish Pack. Fan Motor/Grille Assembly. 50 CFM, 4.0 Sones. Uses 690RA housing pack.	6 *	LV

Ventilation Fans — Remote In-Line


NuTone® In-Line Fans

Remote mounted for adaptable and quiet ventilation.

Model No.	Description	Std. Pk.	Code
ILF120	4" — 110 CFM In-Line Fan, ENERGY STAR certified	1	HV
ILF130	5" — 130 CFM In-Line Fan, ENERGY STAR certified	1	HV
ILF250	6" — 250 CFM In-Line Fan, ENERGY STAR certified	1	HV
ILF360	8" — 360 CFM In-Line Fan	1	HV
ILF530	10" — 530 CFM In-Line Fan	1	HV
ILRF	4"/5" Radon In-Line Fan	1	HV



Select models are ENERGY STAR certified products — see product description.



NuTone® In-Line Fan Kits (Complete Installation Kits)

Kit includes all components to install a single dual point exhaust system (except wall control, wire and ducting). Each kit includes fan, damper and duct clamps.

Model No.	Description	Std. Pk.	Code
ILFK120	4" — 110 CFM In-Line Fan/Grille — Kit, ENERGY STAR certified	1	HV
ILFK130	5" — 130 CFM In-Line Fan/Grille — Kit, ENERGY STAR certified	1	HV
ILFK250	6" — 250 CFM In-Line Fan/Grille — Kit, ENERGY STAR certified	1	HV
ILFK2502	6" — 250 CFM In-Line Fan/Grille — Kit (Includes Y-adaptor and two grilles), ENERGY STAR certified	1	HV



Select models are ENERGY STAR certified products — see product description.


NuTone® In-Line Fan Accessories

Model No.	Description	Std. Pk.	Code
CVG4	4" Grille	1	AC
CVG6	6" Grille	1	AC
CVLD4	4" Sleeve with Damper	1	AC
CVLD6	6" Sleeve with Damper	1	AC
FY6	6" x 6" x 6" Y-Adaptor	1	AC
FY86	8" x 6" x 6" Y-Adaptor	1	AC

Ventilation Fans — Heater Combinations

NuTone® QT Series™ Heater/Fan/Light

Powerful heating, lighting and ventilation available at the touch of a switch. Quiet, high output 1500 watt heater with exclusive PowerHeat™ design. Requires a dedicated 20 amp circuit. 3 year warranty. 6" ducting for superior performance. 17-5/8" x 11-3/8" x 7-5/8" high housing with hanger bar system. 20" x 15" grille. Fits 2" x 8" ceiling construction.



QTXN110HL
QTXN110HFLT




77DW
77DV

Model No.	Description	Std. Pk.	Code
QTXN110HL	110 CFM, 0.9 Sones, Fan with 1500W heater, 2-60W max incandescent lights and 7W night light (bulbs not included). Recommend 77 Series switch.	1	HV
QTXN110HFLT	110 CFM, 0.9 Sones, Fan with 1500W heater, 2-18W high efficiency, GU24 based fluorescent light (bulbs included) and 7W night light (bulb included) Recommend 77 Series switch.	1	HV
77DW / 77DV	Three-Switch Control for use with sensing Fan/Lights (top switch provides three settings for sensor On/Auto/Off), remaining switches control light, night light and QT Heater/Fan/Light/Night Light (top switch controls light and night light, remaining switches control fan and heater).	1	AC

NuTone® Directionally-Adjustable Heater with Fan and Light


These heaters feature 1500 watts of powerful, directionally-adjustable heat along with 100 CFM of ventilation at only 2.0 sones. They have 4" ducting and fit in 2" x 6" ceiling construction. Attractive grilles are 17-1/2" x 11-1/2" covering a 16" x 10-1/4" x 5-7/8" housing.



Model No.	Description	Std. Pk.	Code
765HL	Features 100W max incandescent lighting (bulb not included)	1	LV
765HFL	Features 27W fluorescent lighting (bulb included)	1	LV

NuTone® Heater Combinations with Wall Switch Included

Comfort and convenience combined. Produces instant heat when needed. Select a heater with ventilation fan and/or light with night light (bulbs not included). Housing sizes are noted below and all fit in 2" x 8" ceiling construction.




Model No.	Description	Std. Pk.	Code
9093WH	70 CFM, 3.5 Sones, Combination fan with 1500W heater, 100W incandescent light, 7W night light and white enamel grille. Includes a four-function wall switch. 4" duct connector.	1	HV
9905	70 CFM, 4.0 Sones, Combination fan with 1500W heater. Includes two-function switch. 4" duct connector.	1	HV
9960	1500W heater with 100W max incandescent light and 7W night light. Includes three-function switch.	1	HV
9965	70 CFM, 4.0 Sones, Combination fan with 1500W heater, 100W max incandescent light and 7W night light. Includes four-function switch. 4" duct connector.	1	HV
QT9093WH	110 CFM, 3.0 Sones, Combination fan with 1500W heater, 100W max incandescent light, 7W night light and white enamel grille. Includes a four-function wall switch. 4" duct connector.	1	HV

Rough-in housing sizes: 9093WH — 15-3/8" dia. x 7-1/2"
 9095 — 9-3/4" x 14" x 7-3/4"
 9960 — 9-3/4" x 14" x 7-3/4"
 9965 — 9-3/4" x 14" x 7-3/4"
 QT9093WH — 13-1/4 dia. x 7-1/2"

Ventilation Fans — Heater Combinations

NuTone® Heater Combinations

1300W heating provides optimum performance in smaller spaces. Attractive grille styling. Duct connector with damper fits 4" round duct. 7-7/8" x 14-5/8" x 5-5/8" high housing fits in 2" x 6" ceiling construction.



Model No.	Description	Std. Pk.	Code
605RP	70 CFM, 4.0 Sones, Exhaust fan with 1300W heater	1	LV
665RP	70 CFM, 4.0 Sones, Exhaust fan with 1300W heater and 100W incandescent light (bulb not included).	1	LV

NuTone® Bulb Heaters and Heater/Fans

Produce instant warmth with standard BR40/R40 size 250-watt infrared bulbs (not included). Attractive molded plastic grilles. Damper/duct connector fits 4" round duct (Models 9417DN and 9427P). Models 9412D and 9417DN grilles measure 10-1/4" x 10-1/4". Models 9422P and 9427P grilles measure 10-1/4" x 15-5/8". Housing sizes are noted below. Includes adjustable hanger bar system that spans up to 24". Fits in 2" x 8" ceiling construction.



Model No.	Description	Std. Pk.	Code
9412D	Single 250W Bulb Heat — Non IC	1	HV
9417DN	Single 250W Bulb Heat with 70 CFM, 4.0 Sones Exhaust Fan — Type IC, UL listed for 60°C wiring (retrofit)	1	HV
9422P	Double 250W Bulb Heat Lamp — Type IC	1	HV
9427P	Double 250W Bulb Heat with 70 CFM, 4.0 Sones Exhaust Fan — Type IC, UL listed for 60°C wiring (retrofit)	1	HV

Rough-in housing sizes: 9412D — 8-3/8" x 8-1/8" x 6"
 9417DN — 8-3/8" x 8-1/8" x 6-3/8"
 9422P — 8-3/8" x 14-1/4" x 6"
 9427P — 8-3/8" x 14-1/4" x 6-3/8"


Ventilation Fans — Utility

NuTone® — Vertical Discharge Fan




Model No.	Description	Std. Pk.	Code
8210	210 CFM, 6.5 Sones. 7" Round Vertical Discharge	1	HV

NuTone® — Side Discharge Fans




Model No.	Description	Std. Pk.	Code
8310	160 CFM, 5.0 Sones. 8" Round Side Discharge	1	HV

Ventilation Fans — ULTRA™



ZB80
ZB110



ZB80L
ZB110L


Broan® ULTRA™ Green Multi-Speed Series

We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. Multi-speed capability ideal for meeting ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 — as well as local/spot ventilation needs. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 50 CFM and 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).


Model No.	Description	Std. Pk.	Code
Fans			
ZB80	◆ 30 CFM to 80 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
ZB110	◆ 30 CFM to 110 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
Fan/Light/Night Light			
ZB80L	◆ 30 CFM to 80 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZB110L	◆ 30 CFM to 110 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP



All models are ENERGY STAR certified products.



XB50
XB80
XB110



XB50L
XB80L
XB110L

Broan® ULTRA™ Green Single-Speed Series


We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 compliant. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 50 CFM and 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).

Model No.	Description	Std. Pk.	Code
Fans			
XB50	◆ 50 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
XB80	◆ 80 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
XB110	◆ 110 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
Fan/Light/Night Light			
XB50L	◆ 50 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
XB80L	◆ 80 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
XB110L	◆ 110 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP




All models are ENERGY STAR certified products.


Ventilation Fans — ULTRA™




ZB80M
ZB110M



ZB110H



ZB80ML
ZB110ML



ZB110HL


Broan® ULTRA™ Green Multi-Speed Series — Sensing

We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. Multi-speed capability ideal for meeting ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 — as well as local/spot ventilation needs. Humidity or motion sensing triggers fan to ramp up from lower continuous ventilation level to maximum CFM. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).


Model No.	Description	Std. Pk.	Code
Fans			
ZB80M	◆ 80 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan	1	HP
ZB110H	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan	1	HP
ZB110M	◆ 110 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan	1	HP
Fan/Light/Night Light			
ZB80ML	◆ 80 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZB110HL	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZB110ML	◆ 110 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP



All models are ENERGY STAR certified products.



XB110H



XB110HL

Broan® ULTRA™ Green Single-Speed Series — Sensing


We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 compliant. Humidity sensing models will automatically turn on when rapid rise in humidity is sensed. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).

Model No.	Description	Std. Pk.	List Price	Code
Fan				
XB110H	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan	1		HP
Fan/Light/Night Light				
XB110HL	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1		HP




All models are ENERGY STAR certified products.

Ventilation Fans — ULTRA™



RB80
RB110



RB80L
RB110L

Broan® ULTRA™ Pro Fan and Fan/Light Series


The preferred install choice for professionals to deliver quiet performance *ULTRA*Quick™ installation, with no attic access required. QStream™ sound technology features airflow-smoothing baffles to reduce noise caused by turbulence and QFlow™ sound technology that removes the duct damper from the airstream to reduce static pressure. 4" duct for ideal retrofit installation and ENERGY STAR® qualified. 10-1/2" x 11-3/8" x 7-5/8" housing fits 2" x 8" ceiling construction. UL Listed for use over bathtubs and showers when connected to a GFCI protected branch circuit.

Model No.	Description	Std. Pk.	Code
Fans			
RB80	80 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
RB110	110 CFM, 0.6 Sones, ENERGY STAR Fan	1	HP
Fan/Light			
RB80L	80 CFM, <0.3 Sones, ENERGY STAR Fan/Light, two energy efficient 18W GU24 Fluorescent Lights (bulbs included)	1	HP
RB110L	110 CFM, 0.8 Sones, ENERGY STAR Fan/Light, two energy efficient 18W GU24 Fluorescent Lights (bulbs included)	1	HP



All models are ENERGY STAR certified products.

Ventilation Fans — QT Series™



SSQTXE080
SSQTXE110



SMSCPLR

Broan SmartSense® Intelligent Ventilation System


The intelligent fan control system creates an integrated residential exhaust ventilation system using Broan's industry leading ventilation control technology and award winning QTXE fans. The Broan SmartSense system uses Broan's Link-Logic™ control technology powered by INSTEON™, a powerful communication technology to monitor everyday manual fan usage throughout the home. Broan SmartSense calculates additional ventilation required by Green Building and ASHRAE Standard 62 related requirements and automatically controls installed fans to achieve proper ventilation. SSQTXE080 and SSQTXE110 fans can provide a single fan solution for small apartments or mix and matched for a customized, integrated ventilation system.

Model No.	Description	Std. Pk.	Code
SSQTXE080	80 CFM SmartSense Fan with Control	1	HV
SSQTXE110	110 CFM SmartSense Fan with Control	1	HV
SMSCPLR †	SmartSense Phase Coupler	1	AR


† The SmartSense Phase Coupler is only required when fans are located on separate phases of power. If fans are on the same circuit or phase, the phase coupler is not necessary.

Broan® Ventilation Fan with Sensonic™ Speakers and Speaker Kit

Unlike wireless speakers that require counter space, Sensonic speakers with Bluetooth® wireless technology fill your room with rich sound from above. From hard rock to news talk, play any audio through the dual high-fidelity speakers and enjoy entertainment and privacy at the touch of a button. It's brilliant audio performance concealed behind the fan grille.



SPK110




SPKACC

Model No.	Description	Std. Pk.	Code
SPK110	Sensonic Speaker Fan; 110 CFM, 1.0 Sones	1	HV
SPKACC	Sensonic Speaker Accessory	1	AC


Ventilation Fans — QT Series™

Broan® QT Series™ (QTXE Models)


The industry's quietest, most powerful and stylish fans with a 3 year warranty. 6" ducting for superior performance and ENERGY STAR certified. Includes hanger bar system for fast and flexible installations for all types of construction. Fits in 2" x 8" ceiling construction. 10-1/2" x 11-3/8" x 7-5/8" high housing. 14" x 15" grille (QTXE fans) and 13-3/8" x 14-1/4" grille (QTXE fan/lights).




QTXE080
QTXE110



QTXE150



QTXE080FLT
QTXE110FLT



QTXE150FLT


Model No.	Description	Std. Pk.	Code
Fans			
QTXE080	◆ 80 CFM, 0.3 Sones, ENERGY STAR Fan	1	HV
QTXE110	◆ 110 CFM, 0.7 Sones, ENERGY STAR Fan	1	HV
QTXE150	◆ 150 CFM, 1.4 Sones, ENERGY STAR Fan	1	HV
Fan/Light/Night Light			
QTXE080FLT	◆ 80 CFM, 0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HV
QTXE110FLT	◆ 110 CFM, 0.7 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HV
QTXE150FLT	◆ 150 CFM, 1.4 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HV



All models are ENERGY STAR certified products.

Broan® QT Series™ Humidity Sensing Fan and Fan/Light

Humidity sensing integrated in a ventilation fan is another industry exclusive! Featuring Sensaire® technology and models that are ENERGY STAR® certified, this Ultra Silent™ Humidity Sensing fan is the most effective way to control excess humidity and moisture, even in the most frequently used bathrooms. Homeowners and property managers will appreciate the fact that Broan's humidity sensing fan is automatic — once there is a rapid rise in humidity, the fan will automatically turn on to exhaust excess moisture and turn off once the job is done. The industry's quietest, most powerful and stylish fan with a 3 year warranty. 6" ducting for superior performance. Fits 2" x 8" ceiling construction. 10-1/2" x 11-3/8" x 7-5/8" high housing. 13" x 13-3/4" grille.




QTXE110S


Model No.	Description	Std. Pk.	Code
Fan			
QTXE110S	◆ 110 CFM, 0.7 Sones, ENERGY STAR Humidity Sensing Fan	1	HV

Broan® InVent Series Sensing Ventilation Fans and Fan/Lights

Introducing the InVent Series humidity sensing fan and fan/light. Building on the innovative features of the InVent Series, the humidity sensing product line will utilize our patented Sensaire™ sense-on-rise technology. The sensor has a user adjustable sensitivity control that simultaneously adjusts the humidity rate-of-rise sensitivity and the humidity set point. In addition to the flexible installation, this humidity sensing product line features LED lighting.



AE80S
AE110S




AE80SL
AE110SL

Model No.	Description	Std. Pk.	Code
Fan			
AE80S	80 CFM, 0.8 Sones, ENERGY STAR Sensing Fan	1	HM
AE110S	110 CFM, 1.0 Sones, ENERGY STAR Sensing Fan	1	HM
Fan/Light			
AE80SL	80 CFM, 0.8 Sones, ENERGY STAR Sensing Fan with LED Light	1	HM
AE110SL	110 CFM, 1.0 Sones, ENERGY STAR Sensing Fan with LED Light	1	HM
Housing Pack			
A000HFS	Sensing Fan Housing Pack — Fan Models Only (Compatible with AE80F and AE110F finish packs.)	4 *	HM


Ventilation Fans — InVent™ Series

Broan® InVent™ Series Ventilation Fans


New, versatile housing platform that marks a revolution of our mid-range ventilation fans and allows for easy installation in both new construction and retrofit applications. 10" x 9-1/4" x 5-3/4" housing features foldable mounting ears for easy, room-side replacement. 4" duct connector mounts from the inside of the housing and features a new damper technology, improving air tightness scores.




A80
A110
AE50
AE80
AE110
AE80B




A50L
A70L
A80L
A110L



AE80L
AE110L
AE80BL



A80HD




MMG

MHB4

MDC4

MQF4

RDM1



RDMWT

Model No.		Description	Std. Pk.	Code
Ventilation Fans				
A80	Ω	80 CFM, 2.0 Sones	1	HM
A110	Ω	110 CFM, 3.0 Sones	1	HM
A80HD	Ω	80 CFM, 2.0 Sones, Metal Grille	1	HM
AE50	Ω	50 CFM, 0.5 Sones, ENERGY STAR Fan	1	HM
AE80	Ω	80 CFM, 0.8 Sones, ENERGY STAR Fan	1	HM
AE110	Ω	110 CFM, 1.3 Sones, ENERGY STAR Fan	1	HM
AE80B	Ω	80 CFM, 1.5 Sones, ENERGY STAR Fan	1	HM
Ventilation Fan/Lights				
A50L		50 CFM, 1.5 Sones	1	HM
A70L		70 CFM, 2.0 Sones	1	HM
A80L		80 CFM, 1.0 Sones	1	HM
A110L		110 CFM, 1.3 Sones	1	HM
AE80BL	Ω	LED Light, 80 CFM, 1.5 Sones, ENERGY STAR Fan/Light	1	HM
AE80L	Ω	LED Light, 80 CFM, 0.8 Sones, ENERGY STAR Fan/Light	1	HM
AE110L	Ω	LED Light, 110 CFM, 1.3 Sones, ENERGY STAR Fan/Light	1	HM
Accessories				
MHB4		Hanger Bars	1	AC
MMDC4	■	Metal Duct Connector	1	AC
MMG		Metal Grille, White	1	AC
MQF4		QFlow Duct Connector	1	AC
RDM1		Radiation Damper	1	HM
RDMWT		Radiation Damper for UL wood truss assembly listings L521, L528, L546, L558, L562, L574, L576, L581, L583, L585, P522, P533, P538, P545 and P547. Available May, 2017.	1	HM

Ω Works with Model RDM1 and RDMWT radiation damper. Sensing models work with RDMTW only.




Select models are ENERGY STAR certified products— see product description.

■ Limited quantities available.

Ventilation Fans

Broan® Recessed Fan/Lights

Recessed lights are popular lighting solutions. But Broan took it a step further by incorporating powerful ventilation in the same design. Our new fan/lights disappear into the ceiling with other recessed lights, so they are practical decorating solutions for any room in the house. In the bath they control humidity, and in a utility room, kitchen or high-traffic family room they keep the air fresh and comfortable. 12-3/4" x 8-1/4" x 6-3/4" high housing. 7-3/8" round trim. Damper/duct connector fits 4" duct. Type IC. Fits in 2" x 8" ceiling construction.



744
744FL
744LED
744SFL


Model No.	Description	Std. Pk.	Code
744	◆ Recessed Fan/Light, 70 CFM, 1.5 Sones. 6" white trim. Use 75W max R30 or BR30 bulb for standard applications.	1	NF
744FL	◆ Recessed Fan/Fluorescent Light, ENERGY STAR, 70 CFM, 1.5 Sones. 6" white trim. Uses 16W R30 fluorescent bulb (bulb included).	1	NF
744LED	◆ Recessed Fan/LED Light, ENERGY STAR, 70 CFM, 1.5 Sones. 6" white trim. Uses 10W BR30 LED bulb (bulb included).	1	NF
744SFL	◆ ENERGY STAR Recessed Humidity Sensing Fan/Fluorescent Light, 70 CFM, 1.5 Sones. 6" white trim. Uses 16W R30 fluorescent bulb (bulb included).	1	NF



Select models are ENERGY STAR certified products — see product description.

Broan® Ventilation Fan with Soft Surround™ LED Lighting Technology

Powerful, uniquely designed ventilation fan with LED light removes stale air and moisture from bathrooms. HVI certified at 110 CFM, 1.5 Sones. 9-1/4" x 10" x 5-3/4" housing. Damper/duct connector fits 4" round duct. Energy efficient 9 watt LED light is integrated into the unique, low profile grille. The perimeter lighting provides outstanding room coverage and the lens has quality diffusion that eliminates hot spots for a soft yet bright glow. Up to 25,000 hour life means the light may never have to be replaced.



Model No.	Description	Std. Pk.	Code
791LEDM	ENERGY STAR Ventilation Fan with LED lighting, 110 CFM, 1.5 Sones. Uses 9W integrated LED module (included).	1	HM



ENERGY STAR certified products.

Broan® Decorative Fan/Light


Styling that takes decorative light/fans to the next level. Designs are attractive as lights alone and make no concessions to ventilation function. Styles cover a range of decorating tastes from antique to contemporary. All accept two 60-watt max incandescent bulbs (bulbs not included). Corrosion-resistant finishes. Plug-in light fixture assemblies. Plug-in permanently lubricated motors. 8" x 8-1/4" x 5-3/4" high housing. 4" round duct connectors. Type IC. Fits in 2" x 6" ceiling construction.

741SN




754RB

761BN
761RB
761WHA



Model No.	Description	Std. Pk.	Code
741SN	Decorative Satin Nickel Fan/Light with frosted glass, 70 CFM, 3.5 Sones. 13-3/8" diameter base.	1	HV
754RB	Decorative Oil-Rubbed Bronze Fan/Light, white alabaster glass, 70 CFM, 3.5 Sones. 13-3/8" diameter base.	1	HV
761BN	Decorative Brushed Nickel Fan/Light, with opal glass, 80 CFM, 2.5 Sones. 13-1/4" diameter base.	1	HV
761RB	Decorative Oil-Rubbed Bronze Fan/Light, with ivory alabaster glass, 80 CFM, 2.5 Sones. 13-1/4" diameter base.	1	HV
761WHA	Decorative White Fan/Light, with white alabaster glass, 80 CFM, 2.5 Sones. 13-1/4" diameter base.	1	HV
MCB2	Mounting Channel/Brackets for single packs (2 channels, 4 brackets).	1	AC

Ventilation Fans



Broan® LoProfile™ Ventilation Fan

The new Broan LoProfile™ fan is our latest solution for installations where conventional ventilation simply won't fit. Where multi-family applications require it, the LoProfile™ fan is narrow enough to be installed in a wall between 2 x 4 studs. When plumbing or electrical obstructions are found behind the drywall in ceiling remodel applications our LoProfile™ fan can still fit without having to move anything. And that means most any room with space constraints can have powerful, quiet and efficient ventilation.

Model No.	Description	Std. Pk.	Code
Fan LP80	80 CFM, 1.0 Sones, ENERGY STAR Fan.	1	HV




ENERGY STAR certified products.



Broan® Heavy Duty™ Fan/Light

Heavy Duty™ fan/light was designed for continuous operation — perfect for tough, light-commercial applications. Motor has heavy duty, long-life bearings, tamper proof construction, and is totally enclosed for added protection against dirt and dust. Centrifugal blower wheel provides quiet, efficient ventilation. Convenient mounting ears speed installation. Fan/light unit has white molded 11-1/8" x 10-5/8" polymeric grille and shatter-resistant light lens. 8" x 8-1/4" x 5-3/4" high housing. Damper/duct connector fits 4" round duct. Type IC (Insulation Contact). Fits in 2" x 6" ceiling construction.

Model No.	Description	Std. Pk.	Code
HD80L	♦ Heavy Duty Fan/Light, 80 CFM, 2.5 Sones. 100W max Incandescent Light (bulb not included). Type IC.	1	HV
MCB2	Mounting Channel/Brackets for single packs (2 channels, 4 brackets).	1	AC



RDH

Broan® Radiation Damper Project Packs

Model No.	Description	Std. Pk.	Code
RDH	Housing with radiation damper attached	4 *	HV
80RDF	80 CFM motor with metal grille finish pack	4 *	HV
110RDF	110 CFM motor with metal grille finish pack	4 *	HV
HD50RDF	Heavy duty 50 CFM motor with metal grille finish pack	4 *	HV



Broan® Metal Grille Kit — Selected Ventilation Fans

Everything you need to furnish a metal grille for most standard Broan exhaust fans. Spring-mounted hardware included.

Model No.	Description	Std. Pk.	Code
S97011308	White Metal Grille Kit, fits Models 670, 671, 688 & 689	1	PT



750
751


Broan® Fan/Lights

9" x 9" x 6" housing. Damper/duct connector fits 4" round duct. Bright 100-watt max light capacity. All models are Type IC. Bulbs not included. Fits in 2" x 6" ceiling construction.

Model No.	Description	Std. Pk.	Code
750	♦ Fan/Light/Night Light, 100 CFM, 3.5 Sones, round white grille with glass lens	1	HV
751	♦ Fan/Light, 100 CFM, 3.5 Sones, round white grille with glass lens	1	HV
MCB2	Mounting Channel/Brackets for single packs (2 channels, 4 brackets).	1	AC

Ventilation Fans

Broan® Economy Fans



Molded plastic impeller, two-pole motor, 7-1/4" x 7-1/2" x 3-5/8" high galvanized steel housing for ceiling or wall installation. Spring mounted 9-1/4" x 9" plastic grille. Damper/duct connector fits 3" round duct. Snap-in motor plate requires no tools for installation or removal. Fits 2" x 4" ceiling or wall construction.

Model No.	Description	Std. Pk.	Code
670	◆ Ventilation Fan, 50 CFM, 3.5 Sones	1	LV
671	◆ Ventilation Fan, 70 CFM, 6.0 Sones	1	LV
688	◆ Ventilation Fan, 50 CFM, 4.0 Sones	1	LV
689	◆ Ventilation Fan, 60 CFM, 5.5 Sones	1	LV

All models available in project packs, see Page 76.

Broan® Economy Fan/Light




Compact unit provides ventilator and 100-watt light capacity in one unit (bulb not included). Molded 11-1/8" x 10-5/8" plastic grille and shatter-resistant lens. 8" x 8-1/4" x 5-3/4" high housing. Fits 4" round duct. Fits in 2" x 6" ceiling construction.

Model No.	Description	Std. Pk.	Code
678	◆ 50 CFM, 2.5 Sones Fan/Light. Type IC.	1	LV
MCB2	Mounting Channel/Brackets for single packs (2 channels, 4 brackets).	1	AC

All models available in project packs, see Page 76.

Broan® Bath Fan Upgrade Kit

The patented economy fan Bath Fan Upgrade Kit improves performance, reduces the sound level, and upgrades the appearance of your economy fan in 10 minutes. Provide easy upgrade for economy fan without replacing the entire housing, rewiring and reconnecting the duct. Helps ensure tenant/homeowner is using the fan when needed most. Reduces sound up to 50%, improves air movement up to 20% and helps control humidity that causes mold and mildew. Kit includes quiet fan motor, grille, wrench and two motor plates.



Model No.	Description	Std. Pk.	Code
690	60 CFM, 3.0 Sones, Economy Upgrade Kit	1	UK

The 690 Upgrade Kit replaces the models below.

Model No.	Housing Dimension
Broan: 670, 671, 688 & 689	7-1/2" x 7-1/4" only 8" x 8-1/4" are not compatible.
Nautilus: N671 & N688	
NuTone: 693, 695 & 696N	7-1/2" x 7-1/4" or 8" x 7-1/4"


Broan® Duct-Free Fan

No ductwork necessary! Ideal for powder rooms and closets. Type IC (Insulation Contact). Fits in 2" x 4" construction.


Model No.	Description	Std. Pk.	Code
682	Duct-free Fan with plastic grille. Includes long lasting, easy to replace activated charcoal filter. Easy snap-in mounting.	1	LV

Ventilation Fans — Project Packs

Broan® InVent™ Series Project Packs (Housing and Finish Packs)



A000HF




A000HL

Model No.	Description	Std. Pk.	Code
Housing Packs			
A000HF	Ventilation Fan Housing Pack	4 *	HM
A000HL	Ventilation Fan/Light Housing Pack	4 *	HM
Finish Packs			
A70LF	70 CFM, 2.0 Sones, Finish Pack	4 *	HM
A80F	Ω 80 CFM, 2.0 Sones, Finish Pack	4 *	HM
A80HDF	Ω 80 CFM, 2.0 Sones, Metal Grille, Finish Pack	4 *	HM
A110F	Ω 110 CFM, 3.0 Sones, Finish Pack	4 *	HM
AE50F	Ω 50 CFM, 0.5 Sones, ENERGY STAR Finish Pack	4 *	HM
AE80BF	Ω 80 CFM, 1.5 Sones, ENERGY STAR Finish Pack	4 *	HM
AE80BLF	Ω LED light, 80 CFM, 1.5 Sones, ENERGY STAR Finish Pack	4 *	HM
AE80F	Ω 80 CFM, 0.8 Sones, ENERGY STAR Finish Pack	4 *	HM
AE80LF	Ω LED light, 80 CFM, 0.8 Sones, ENERGY STAR Finish Pack	4 *	HM
AE110F	Ω 110 CFM, 1.3 Sones, ENERGY STAR Finish Pack	4 *	HM
AE110LF	Ω LED light, 110 CFM, 1.3 Sones, ENERGY STAR Finish Pack	4 *	HM

Ω Works with Model RDM1 and RDMWT radiation damper.





Select models are ENERGY STAR certified products — see product description.



LP80H

LP80F



Broan® LoProfile™ Project Packs

The new Broan LoProfile™ fan is our latest solution for installations where conventional ventilation simply won't fit. Where multi-family applications require it, the LoProfile™ fan is narrow enough to be installed in a wall between 2 x 4 studs. When plumbing or electrical obstructions are found behind the drywall in ceiling remodel applications, our LoProfile™ fan can still fit without having to move anything. And that means most any room with space constraints can have powerful, quiet and efficient ventilation. Project Packs offer availability to buy housings for rough-in and motor/blower assemblies and grille later for finishing.

Model No.	Description	Std. Pk.	Code
LP80H	Housing Pack for LP80	4 *	HV
LP80F	ENERGY STAR Finish Pack. Motor and Grille Assembly. 80 CFM, 1.0 Sones.	4 *	HV



Select models are ENERGY STAR certified products — see product description.

Broan® Radiation Damper Accessory Kit

Model No.	Description	Std. Pk.	Code
RDFQF	Radiation damper accessory that works with Models QTRE080, QTRE080C2S, QTRE080R, QTRE110, QTXE050, QTXE080, QTXE110, SSQTXE110, SSQTXE80, QTR110F, QTRE110F, QTR080F and QTRE080F.	1	HV
RDFQL	Radiation damper accessory that works with Models QTRE080FLT, QTRE110FLT, QTXE110FLT, QTXE080FLT, QTXE110FLT, QTRE110FLFT and QTRE080FLFT. Also works with Models QTXE110S and QTXE110SFLT when used with RDJUMPQ accessory.	1	HV
RDFU	Radiation damper accessory that works with Models QTXE150, QTXE150FLT, RB80, RB110, XB50, XB80, XB110, ZB80 and ZB110. Also works with Models RB80L, RB110L, XB110HL, ZB110HL, ZB80ML, ZB110ML, XB50L, XB80L, XB110L, ZB80L, ZB110L, XB110H, ZB110H, ZB80M and ZB110M when used with RDJUMPU accessory.	1	HP
RDFUWT	Radiation damper accessory that works with Models QTXE150, QTXE150FLT, RB80, RB110, XB50, XB80, XB110, ZB80 and ZB110. Also works with Models RB80L, RB110L, XB110HL, ZB110HL, ZB80ML, ZB110ML, XB50L, XB80L, XB110L, ZB80L, ZB110L, XB110H, ZB110H, ZB80M and ZB110M when used with RDJUMPU accessory. For UL wood truss assembly listings L521, L528, L546, L558, L562, L574, L576, L581, L583, L585, P522, P533, P538, P545 and P547. Available May, 2017.	1	HP
RDJ1	Radiation damper accessory with metal grille and metal duct connector (no housing). Works with 770, 784, 676, 684, HD50 and HD80.	1	HV
RDF1	Radiation damper. Works with ULTRA® Series non-sensing fans (not fan/lights) and LP80.	1	HP
Accessories			
RDJUMPQ	Wiring jumper kit required for use with RDFQL when used with Models QTXE110S and QTXE110SFLT.	1	AC
RDJUMPU	Wiring jumper kit required for use with RDFU when used with Models XB110HL, ZB110HL, ZB80ML, ZB110ML, XB50L, XB80L, XB110L, ZB80L, ZB110L, XB110H, ZB110H, ZB80M and ZB110M.	1	AC
804QDD	■ 4" metal connector for use with QT models.	1	AC

■ Limited quantities available.

Broan® Fan and Combination Unit Project Packs

Broan's project packs offer a variety of housings packed and sold separately from motor assembly and grille. You can buy housings for rough-in ... buy assemblies and grilles later for finishing. Type IC.

Fan/Light Project Packs — Fits 2" x 6" Ceiling Construction

Model No.	Description	Std. Pk.	Code
2677H	Housing Pack for 2678F, 2679F, 2680F, FL2679F, FL2679FT, FL2680F and FL2680FT. Type IC. Mounting ears.	4 *	LV
3677H	Housing Pack. Same as 2677H, except includes built-in slide channels and mounting brackets.	4 *	LV
2678F	◆ Finish Pack. Motor, Reflector and Grille Assembly. 50 CFM, 2.5 Sones, 100W light. Uses 2677H or 3677H housing pack.	4 *	LV

Ventilation Fans — Project Packs

Broan Economy Fan Project Packs — Fits 2" x 4" Ceiling or Wall Construction

Model No.	Description	Std. Pk.	Code
1667H	Housing Pack for 1670F, 1671F, 1688F and 1689F (damper/plastic duct connector included)	6 *	LV
1667HMTL	Housing Pack for 1670F, 1671F, 1688F and 1689F (damper/metal duct connector included)	6 *	LV
1670F	◆ Finish Pack. Motor Assembly and Grille. 50 CFM, 3.5 Sones.	6 *	LV
1671F	◆ Finish Pack. Motor Assembly and Grille. 70 CFM, 6.0 Sones.	6 *	LV
1688F	◆ Finish Pack. Motor Assembly and Grille. 50 CFM, 4.0 Sones.	6 *	LV
1689F	◆ Finish Pack. Motor Assembly and Grille, 60 CFM, 5.5 Sones	6 *	LV

Combination Unit Project Packs — Fits 2" x 6" Ceiling Construction

Model No.	Description	Std. Pk.	Code
654H	Housing Pack for 655F, 656F, 657F, 658F and 659F (damper/duct connector included). Type IC.	4 *	LV
655F	Finish Pack. Heater/Fan/Light Assembly and Grille. 70 CFM, 4.0 Sones, 100W light, 1300W heater. Uses 654H housing pack.	1	LV
656F	Finish Pack. Heater/Light Assembly and Grille. 100W light, 1300W heater. Uses 654H housing pack.	1	LV
657F	◆ Finish Pack. Fan/Light Assembly and Grille. 70 CFM, 4.0 Sones, 100W light. Uses 654H housing pack.	1	LV
658F	Finish Pack. Heater/Fan Assembly and Grille. 70 CFM, 4.0 Sones, 1300W heater. Uses 654H housing pack.	1	LV
659F	Finish Pack. Heater/Fan/Light Assembly and Grille. 50 CFM, 2.5 Sones, 100W light, 1300W heater. Uses 654H housing pack.	1	LV

Bulb Heater/Fan Project Packs — Fits 2" x 6" Ceiling Construction

Model No.	Description	Std. Pk.	Code
162H	■ Housing and Blower Assembly for 162F. Type IC.	4 *	HV
162F	■ Grille and Springs	4 *	HV

■ Limited quantities available.

Ventilation Fans — Remote In-Line

It's a pretty simple concept. Mount a high efficiency ventilator in an out-of-the-way location and get the exhaust needed with virtually no sound. Suitable for intermittent or continuous duty. Install the fan in the attic, basement, crawlspace or wherever is convenient. Energy efficient, permanently lubricated motors with high-pressure centrifugal blower wheels accommodate longer duct runs. Designed for quick, easy installation. Removable panels offer easy access to the motor without disturbing ductwork.

Broan® Single-Port Remote In-Line Ventilators

6" round inlet and outlet.



Model No.		Description	Std. Pk.	Code
SP100	+	Ventilator, 110 CFM, 1.0 Sone	1	HV
SP140	+	Ventilator, 150 CFM, 1.5 Sones	1	HV
SP200	+	Ventilator, 210 CFM, 2.0 Sones	1	HV
CVG4		4" Grille	1	AC
CVG6		6" Grille	1	AC


+ HVI rated airflow at 0.2" static pressure. These products were tested using sound test procedures similar to those used by HVI for other exhaust fans.

Broan® Multi-Port Remote In-Line Ventilators

Ventilate multiple rooms simultaneously. (1) 6" round outlet, (4) 4 round inlets and two inlet covers furnished.



MP100
MP140
MP200



MP280

Model No.		Description	Std. Pk.	Code
MP100	+	Ventilator, 110 CFM, 1.0 Sone	1	HV
MP140	+	Ventilator, 150 CFM, 1.5 Sones	1	HV
MP200	+	Ventilator, 210 CFM, 2.0 Sones	1	HV
MP280	+	Ventilator, 290 CFM, 3.0 Sones	1	HV
CVG4		4" Grille	1	AC
CVG6		6" Grille	1	AC

+ HVI rated airflow at 0.2" static pressure. These products were tested using sound test procedures similar to those used by HVI for other exhaust fans.

Ventilation Fans — Heater Combinations

Broan® QT Series™ Heater/Fan/Light

Powerful heating, lighting and ventilation available at the touch of a switch. Quiet, high output 1500 watt heater with exclusive PowerHeat™ design. Requires a dedicated 20 amp circuit. 3 year warranty. 6" ducting for superior performance. 17-5/8" x 11-3/8" x 7-5/8" high housing with hanger bar system. 20" x 15" grille. Fits in 2" x 8" ceiling construction.



QTX110HL
QTX110HFLT




77DW / 77DV

Model No.	Description	Std. Pk.	Code
QTX110HL	110 CFM, 0.9 Sones, Fan with 1500W heater, 2-60W max incandescent light and 7W night light (bulbs not included). Recommend 77 Series switch.	1	HV
QTX110HFLT	110 CFM, 0.9 Sones, Fan with 1500W heater, 2-18W high efficiency, GU24 based fluorescent light (bulbs included) and 7W night light (bulb included). Recommend 77 Series switch.	1	HV
77DW / 77DV	Three-Switch Control for use with sensing Fan/Lights (top switch provides three settings for sensor On/Auto/Off), remaining switches control light, night light and QT Heater/Fan/Light/Night Light (top switch controls light and night light, remaining switches control fan and heater).	1	AC

Broan® Directionally-Adjustable Heater with Fan and Light

These heaters feature 1500 watts of powerful, directionally-adjustable heat along with 100 CFM of ventilation at only 2.0 sones. They have 4" ducting and fit in 2" x 6" ceiling construction. Attractive grilles are 17-1/2" x 11-1/2" covering a 16" x 10-1/4" x 5-7/8" housing.



Model No.	Description	Std. Pk.	Code
100HL	Features 100W max incandescent lighting (bulb not included)	1	LV
100HFL	Features 27W fluorescent lighting (bulb included)	1	LV

Broan® Heater Combinations

Model 655 Heater/Fan/Light (featured) has a 1300-watt fan-forced heater and 70 CFM, 3.5 Sones ventilator, plus 100-watt light capacity in one compact unit (bulb not included). Two separate motors for heater and ventilator. Attractive 16-3/4" x 10-5/8" molded plastic grille and shatter-resistant lens. Built-in damper/duct connector fits 4" round duct. 14-1/4" x 8-1/4" x 5-3/4" high housing. Bulbs not included with any combination unit. All units are Type IC (Insulation Contact). Fits in 2" x 6" ceiling construction.



655 659
656 696
657




658

Model No.	Description	Std. Pk.	Code
655	Heater/Fan/Light, 70 CFM, 4.0 Sones	1	LV
656	Heater/Light; same as Model 655 but does not include fan	1	LV
657	◆ Fan/Light; same as Model 655 but does not include heater	1	LV
658	Heater/Fan; same as Model 655 but does not include light	1	LV
659	Heater/Fan/Light; same as Model 655 except 50 CFM, 2.5 Sones	1	LV
696	Fan/Light; same as Model 657 except 100 CFM, 4.5 Sones. Includes acoustic insulation.	1	LV

Select models available in project packs, see Page 75.

Ventilation Fans — Heater Combinations

Broan® Bulb Heaters and Heater/Fans



Produce instant warmth with standard BR40/R40 size 250-watt infrared bulbs (not included). Attractive molded plastic grilles. Damper/duct connector fits 4" round duct (Models 162 and 164). Models 161 and 162 grilles measure 10-1/4" x 10-1/4". Models 163 and 164 grilles measure 10-1/4" x 15-5/8". Housing sizes are noted below. Includes adjustable hanger bar system that spans up to 24". Fits 2" x 8" ceiling construction.

Model No.	Description	Std. Pk.	Code
161	Single 250W Bulb Heat — Not Type IC	1	HV
162	Single 250W Bulb Heat with 70 CFM, 4.0 Sones Exhaust Fan — Type IC, UL Listed for 60°C wiring (retrofit)	1	HV
163	Double 250W Bulb Heat Lamp — Type IC	1	HV
164	Double 250W Bulb Heat with 70 CFM, 4.0 Sones Exhaust Fan	1	HV

Select models available in project packs, see Page 75.

Rough-in housing sizes: 161 — 8-3/8" x 8-1/8" x 6"
 162 — 8-3/8" x 8-1/8" x 6-3/8"
 163 — 8-3/8" x 14-1/4" x 6"
 164 — 8-3/8" x 14-1/4" x 6-3/8"

Broan® Room-to-Room Fans



Install in interior walls to provide air flow of heated or cooled air from one room to another. Permanently lubricated motor. Models 510 and 511 have built-in switch for variable speed sound level selection. Models 510 and 511 adjust to fit walls from 3" to 5-1/2" thick.

Model No.	Description	Std. Pk.	Code
510	10" Fan, 380 CFM, 6.5 Sones. 13-1/2" square plastic grille.	1	HV
511	8" Fan, 180 CFM, 3.5 Sones. 13-1/2" square plastic grille.	1	HV
512	6" Fan with 8" Diameter Plastic Grille, 90 CFM, 3.5 Sones. Installs in interior walls up to 5-1/8" thick. Use with Model 57W/57V speed control or 69W/69V on/off switch (available separately).	1	HV


Broan® Through the Wall Fan



This versatile unit can be installed in outside walls from 5-1/4" to 10" thick. Exterior, white louvered, polymeric wall cap blends with any exterior wall covering. Includes white plastic interior grille, fan, flexible ducting and exterior louvered wall cap with birdscreen. Interior grille measures 8" round. Wall cap measures 8" square.

Model No.	Description	Std. Pk.	Code
512M	Through the Wall Ventilator, 70 CFM, 3.5 Sones	1	HV

Ventilation Fans — Utility



Broan® Direct Discharge Fans

Housing adjusts to fit walls 4-1/2" to 9-1/2" thick. Permanently lubricated motor with "twist-lock" installation; built-in backdraft damper.

Model No.	Description	Std. Pk.	Code
508	270 CFM, 10" Fan, 6.0 Sones, 13-1/2" square plastic grille	1	HV
509	180 CFM, 8" Fan, 6.5 Sones, 11-1/2" square plastic grille	1	HV
509S	8" Fan. Same as Model 509 (built-in on/off switch included).	1	HV



Broan® Chain-Operated Fans

Pull chain opens door and turns on fan – no wall switch to wire. Specially designed high performance fan blade. Housing adjusts to fit walls 4-1/2" to 9-1/2" thick.

Model No.	Description	Std. Pk.	Code
506	470 CFM, 10" Fan, 8.0 Sones, 13-1/2" square plastic grille	1	HV
507	250 CFM, 8" Fan, 7.0 Sones, 11-1/2" square plastic grille	1	HV



Broan® Vertical Discharge Fans

Quiet, efficient operation. Model 504 uses a 10" round duct or can be used with Model 472 reducer-damper (available separately) for 8" round duct. Housing is 10-1/4" x 7". Model 505 has a built-in backdraft damper, uses 8" round duct. Housing is 8-1/4" x 7".

Model No.	Description	Std. Pk.	Code
504	350 CFM, 10" Fan, 6.5 Sones, 13-1/2" square plastic grille	1	HV
505	180 CFM, 8" Fan, 5.5 Sones, 11-1/2" square plastic grille	1	HV
673	♦ Ventilation Fan, 60 CFM, 4.5 Sones	1	LV



Broan® Side Discharge Fans

Mounting brackets are adjustable to allow installation in walls or ceilings with studs or joists up to 24" on center. Requires 3-1/4" x 10" duct. Housing has built-in backdraft damper. Model 502 housing is 16-3/4" x 13-7/8". Model 503 housing is 14" x 12".

Model No.	Description	Std. Pk.	Code
502	270 CFM, 10" Fan, 8.0 Sones, 13-1/2" square plastic grille	1	HV
503	160 CFM, 8" Fan, 5.0 Sones, 11-1/2" square plastic grille	1	HV



Broan® Motordor® Wall Fan


The updated version of Broan's very first fan! Separate motor opens door when fan is turned on; closes door when turned off. 13-1/2" square grille. Housing is 11-1/2" square. Adjusts to fit walls from 5-1/2" to 9-7/8" thick.

Model No.	Description	Std. Pk.	Code
12C	360 CFM, 8" Fan, 8.0 Sones, 13-1/2" square plastic grille	1	HV

Ventilation Fans — Utility

Broan® Metal Grille Kits and Filters — Utility Fans

Everything you need to furnish a heavy duty metal grille for most Broan Utility Ventilators. All mounting hardware included.



Model No.	Description	Std. Pk.	Code
S97013825	White Painted Steel Metal Grille Kit for 10" fan units without switch hole	1	PT
S97013826	White Painted Steel Metal Grille Kit for 8" fan units without switch hole	1	PT
S97013827	White Painted Steel Metal Grille Kit for 10" fan units with switch hole	1	PT
S99010042	Washable Aluminum Filter for use with 8" utility ventilators	1	PT
S99010271	Washable Aluminum Filter for use with 10" utility ventilators	1	PT

Ventilation Fans — High Capacity

Broan® Ceiling Mount Ventilators — 100, 150, 200, 250 and 300 CFM

Incredibly Reliable – Unbelievably Quiet!® The quietest in the industry — Single, impact resistant centrifugal blower wheel driven by low RPM motor. 12-1/4" x 12-1/2" x 11-3/4" high housing. Low profile white polymeric grille (14" x 14") or sturdy, low profile metal grille finished with painted white enamel (14" x 14"). Built-in backdraft damper. Discharges horizontally or vertically through 6" or 8" round duct. Housings lined with acoustic insulation (except Model L300KMG). All ratings at 60 Hz.



Model No.	Description *	Std. Pk.	Code
L100	Ventilator; 109 CFM Horizontal, 0.9 Sones; 112 CFM Vertical, 1.0 Sones. Polymeric grille. 6" rd. duct connector. 120V.	1	HV
L100MG	Ventilator; 115 CFM Horizontal/Vertical, 0.9 Sones. Metal grille. 6" rd. duct connector. 120V.	1	HV
L150	Ventilator; 157 CFM Horizontal, 1.5 Sones; 160 CFM Vertical, 1.6 Sones. Polymeric grille. 6" rd. duct connector. 120V.	1	HV
L150MG	Ventilator; 161 CFM Horizontal, 1.4 Sones; 162 CFM Vertical, 1.6 Sones. Metal grille. 6" rd. duct connector. 120V.	1	HV
L200	Ventilator; 210 CFM Horizontal, 1.7 Sones; 207 CFM Vertical, 2.0 Sones. Polymeric grille. 8" rd. duct connector. 120V.	1	HV
L200MG	Ventilator; 215 CFM Horizontal, 1.9 Sones; 209 CFM Vertical, 1.8 Sones. Metal grille. 8" rd. duct connector. 120V.	1	HV
L250	Ventilator; 259 CFM Horizontal, 2.2 Sones; 259 CFM Vertical, 2.7 Sones. Polymeric grille. 8" rd. duct connector. 120V.	1	HV
L250MG	Ventilator; 265 CFM Horizontal, 2.5 Sones; 262 CFM Vertical, 2.7 Sones. Metal grille. 8" rd. duct connector. 120V.	1	HV
L300	Ventilator; 308 CFM Horizontal, 2.9 Sones; 313 CFM Vertical, 3.0 Sones. Polymeric grille. 8" rd. duct connector. 120V.	1	HV
L300MG	Ventilator; 316 CFM Horizontal, 3.0 Sones; 314 CFM Vertical, 2.8 Sones. Metal grille. 8" rd. duct connector. 120V.	1	HV
L300KMG	▲ Ventilator; 277 CFM Horizontal, 3.1 Sones; 277 CFM Vertical, 3.7 Sones. Metal grille and blower wheel. 8" rd. duct connector. Suitable for kitchen installation. 120V.	1	HV

* AMCA licensed CFM/Sone ratings at 0.125" static pressure.

▲ Indicates product is suitable for kitchen installation.

Ventilation Fans — High Capacity

Broan® Ceiling Mount Ventilators — 400, 500 and 700 CFM

Two impact resistant centrifugal blower wheels driven by low RPM motor (kitchen units have metal wheels). 21-1/2" x 21-1/4" x 11-3/4" high housing. Sturdy, low profile metal grille finished with painted white enamel (20" x 14"). Discharges horizontally or vertically through 4-1/2" x 18-1/2" duct connector. Housings lined with acoustic insulation (except kitchen models). All ratings at 60 Hz.



Model No.	Description *	Std. Pk.	Code
L400	Ventilator; 434 CFM Horizontal, 2.3 Sones; 416 CFM Vertical, 2.6 Sones. 120V.	1	HV
L400K ▲	Ventilator; 406 CFM Horizontal, 3.3 Sones; 399 CFM Vertical, 3.3 Sones. Metal wheels. 120V.	1	HV
L500	Ventilator; 514 CFM Horizontal, 3.3 Sones; 512 CFM Vertical, 3.2 Sones. 120V.	1	HV
L500K ▲	Ventilator; 481 CFM Horizontal, 4.4 Sones; 473 CFM Vertical, 4.0 Sones. Metal wheels. 120V.	1	HV
L700	Ventilator; 701 CFM Horizontal, 4.7 Sones; 687 CFM Vertical; 5.0 Sones. 120V.	1	HV
423	Duct Transition — 4-1/2" x 18-1/2" to 10" rd. for 400, 500 & 700 CFM models	1	AC

* AMCA licensed CFM/Sone ratings at 0.125" static pressure.

▲ Indicates product is suitable for kitchen installation.

Broan® Ceiling Mount Ventilators — 900 and 1500 CFM

Single, impact resistant centrifugal blower wheel driven by low RPM motor. 22" x 18" x 18" high housing. Sturdy, low profile metal grille finished with painted white enamel (23-7/8" x 19-7/8"). Discharges horizontally or vertically through 8" x 12" duct connector. Housings lined with acoustic insulation. All ratings at 60 Hz.




Model No.	Description *	Std. Pk.	Code
L900	Ventilator; 901 CFM Horizontal, 4.1 Sones; 885 CFM Vertical, 3.4 Sones. 120V.	1	HV
L1500	Ventilator; 1513 CFM Horizontal, 8.4 Sones; 1502 CFM Vertical, 8.4 Sones. 120V.	1	HV
T81212	Duct Transition — 8" x 12" to 12" rd. for 900 & 1500 CFM models	1	AC

* AMCA licensed CFM/Sone ratings at 0.125" static pressure.


Ventilation Fans — High Capacity

Broan® In-Line Ventilators — 100, 150, 200, 250 and 300 CFM

Single impact resistant centrifugal blower wheel driven by low RPM motor. 12-1/4" x 12-1/2" x 11-3/4" high housing. Removable access panel. No insulation inside housing.



L100L



L200L

Model No.	Description *	Std. Pk.	Code
L100L ▲	Ventilator; 106 CFM Straight Through, 0.7 Sones; 95 CFM Right Angle, 0.3 Sones. 6" rd. duct connectors. 120V.	1	HV
L150L ▲	Ventilator; 147 CFM Straight Through, 1.1 Sones; 142 CFM Right Angle, 1.3 Sones. 6" rd. duct connectors. 120V.	1	HV
L200L ▲	Ventilator; 195 CFM Straight Through, 1.9 Sones; 183 CFM Right Angle, 1.0 Sones. 8" rd. duct connectors. 120V.	1	HV
L250L ▲	Ventilator; 245 CFM Straight Through, 2.3 Sones; 238 CFM Right Angle, 1.7 Sones. 8" rd. duct connectors. 120V.	1	HV
L300L ▲	Ventilator; 293 CFM Straight Through, 3.1 Sones; 283 CFM Right Angle, 2.4 Sones. 8" rd. duct connectors. 120V.	1	HV

* AMCA licensed CFM/Sone ratings at 0.125" static pressure.

▲ Indicates product is suitable for kitchen installation.

Broan® In-Line Ventilators — 400, 500 and 700 CFM

Two impact resistant centrifugal blower wheels driven by low RPM motor. 21-1/2" x 21-1/4" x 11-3/4" high housing. Two 4-1/2" x 18-1/2" duct connectors. Removable access panel.




Model No.	Description *	Std. Pk.	Code
L400L	Ventilator; 406 CFM Straight Through, 1.6 Sones; 391 CFM Right Angle, 1.2 Sones. 120V.	1	HV
L400KL ▲	Ventilator; 375 CFM Straight Through, 3.1 Sones; 380 CFM Right Angle, 2.0 Sones. 120V.	1	HV
L500L	Ventilator; 519 CFM Straight Through/Right Angle, 3.4 Sones. 120V.	1	HV
L500KL ▲	Ventilator; 472 CFM Straight Through, 3.8 Sones; 459 CFM Right Angle, 1.8 Sones. 120V.	1	HV
L700L	Ventilator; 681 CFM Straight Through, 3.7 Sones; 629 CFM Right Angle, 2.7 Sones. 120V.	1	HV
423	Duct Transition — 4-1/2" x 18-1/2" to 10" rd. for 400, 500 & 700 CFM models	1	AC

* AMCA licensed CFM/Sone ratings at 0.125" static pressure.

▲ Indicates product is suitable for kitchen installation.

Broan® In-Line Ventilators — 900 and 1500

Single impact resistant centrifugal blower wheel driven by low RPM motor. 22" x 18" x 18" high housing. Two 8" x 12" duct connectors. Removable access panel.



Model No.	Description *	Std. Pk.	Code
L900L	Ventilator; 894 CFM Straight Through, 3.8 Sones; 858 CFM Right Angle, 3.4 Sones. 120V.	1	HV
L1500L	Ventilator; 1214 CFM Straight Through, 6.7 Sones; 1076 CFM Right Angle, 3.5 Sones. 120V.	1	HV
T81212	Duct Transition — 8" x 12" to 12" rd. for 900 & 1500 CFM models	1	AC

* AMCA licensed CFM/Sone ratings at 0.125" static pressure.

Ventilation Fans — High Capacity


Broan® Cabinet Ventilators — 2000 and 3500 CFM

Twin, double inlet metal blower wheels 8" x 7-7/8". Fits 7-3/4" x 33-3/4" duct. Ratings at 60 Hz.

Model No.	Description *	Std. Pk.	Code
L2000L	Ventilator; 1791 CFM Straight Through, 9.4 Sones; 1898 CFM Right Angle, 10.1 Sones. 120V.	1	HV
L3500EXL	Ventilator; 3452 CFM Straight Through, 14.5 Sones; 3696 CFM Right Angle, 14.2 Sones. 240V	1	HV


* AMCA licensed CFM/Sone ratings at 0.125" static pressure.

Broan® Accessories for High Capacity Ventilation Fans



961L

981L



982L

983L



LAF1



LAF2



RD1

RD2

RD3




MG1

Model No.	Description	Std. Pk.	Code
80L	Variable Speed Control — 3.0 Amp, 120 Volts, 60 Hz (may be used with select models).	1	AC
277V	Electronic Variable Speed Control, 277V, 6A — Ivory. For models with "C" suffix.	1	AC
423	Duct Transition — 4-1/2" x 18-1/2" to 10" rd. for 400, 500 & 700 CFM models	1	AC
961L	In-line Adapter Kit, 6" rd. for 100 & 150 CFM ceiling mount models	1	AC
981L	In-line Adapter Kit, 8" rd. for 200, 250 & 300 CFM ceiling mount models	1	AC
982L	In-line Adapter Kit, 4-1/2" x 18-1/2" for 400, 500 & 700 CFM ceiling mount models	1	AC
983L	In-line Adapter Kit, 8" x 12" for 900 & 1500 CFM ceiling mount models	1	AC
D100	■ Damper Kit for Model L2000L Ventilator. Twin damper flaps and mounting hardware.	1	AC
D101	Damper Kit for Model L3500EXL Ventilator. Twin damper flaps and mounting hardware.	1	AC
G102	Grille Kit for Model L2000L Ventilator. White enameled steel grille measures 16-1/4" x 39-5/8".	1	AC
G103	Grille Kit for Model L3500EXL Ventilator. White enameled steel grille measures 18-3/8" x 47-1/4".	1	AC
LAF1	Grease Filter for use with metal grilles — Models L100, L150, L200, L250 and L300 Series.	1	AC
LAF2	Grease Filter for Models L400K & L500K	1	AC
MG1	Metal Grille Kit for 100, 150, 200, 250 & 300 CFM ceiling mount models	1	AC
RD1	Ceiling Radiation/Fire Damper for 100, 150, 200, 250 & 300 CFM ceiling mount models. UL rated 3 hours.	1	AC
RD2	Ceiling Radiation/Fire Damper for 400, 500 & 700 CFM ceiling mount models. UL rated 3 hours.	1	AC
RD3	Ceiling Radiation/Fire Damper for 900 & 1500 CFM ceiling mount models. UL rated 3 hours.	1	AC
T81212	Duct Transition, 8" x 12" to 12" rd. for 900 & 1500 CFM models	1	AC
V104	Vibration Dampening Hangers. Fits both Models L2000L and L3500EXL ventilators. Set of four required.	4 *	AC

■ Limited quantities available.

Whole House Mechanical Ventilation



SSQTXE080
SSQTXE110



SMSCPLR



SMD6
SMD8

Broan SmartSense® Intelligent Ventilation System

The intelligent fan control system creates an integrated residential exhaust ventilation system using Broan's industry leading ventilation control technology and award winning QTXE fans. The Broan SmartSense system uses Broan's Link-Logic™ control technology powered by INSTEON™, a powerful communication technology to monitor everyday manual fan usage throughout the home. Broan SmartSense calculates additional ventilation required by Green Building and ASHRAE Standard 62 related requirements and automatically controls installed fans to achieve proper ventilation. SSQTXE080 and SSQTXE110 fans can provide a single fan solution for small apartments or mix and matched for a customized, integrated ventilation system.

Model No.	Description	Std. Pk.	Code
SSQTXE080	80 CFM SmartSense Fan with Control	1	HV
SSQTXE110	110 CFM SmartSense Fan with Control	1	HV
SMSCPLR	+ SmartSense Phase Coupler	1	AR
SMD6	6" LinkLogic automatic make-up air damper	1	HA
SMD8	8" LinkLogic automatic make-up air damper	1	HA

† The SmartSense Phase Coupler is only required when fans are located on separate phases of power. If fans are on the same circuit or phase, the phase coupler is not necessary.

Broan® Fresh Air Systems

The key to maintaining good indoor air quality and controlling excess moisture is to simultaneously introduce fresh air from outside while expelling stale air from inside. All without compromising your home's energy-efficiency or comfort. That's precisely what Broan's indoor air quality units do. With unparalleled performances, easy maintenance and reliability, the I.A.Q. line offers solutions to every budget and application, from residential to light-commercial.



AE60

Model No.	Description	Std. Pk.	Code
AE60	Air Exchanger, 160 – 185 CFM	1	AQ
B12LCDARNW	Light Commercial Heat Recovery Ventilator, recirculation defrost, aluminum core, reverse door, normal low speed, white pre paint	1	AQ
B12LCDASNW	Light Commercial Heat Recovery Ventilator, recirculation defrost, aluminum core, standard door, normal low speed, white pre paint	1	AQ
B12LCDPRNC	Light Commercial Heat Recovery Ventilator, recirculation defrost polypropylene core, reverse door, normal low speed, corrosion resistant	1	AQ
B12LCDPRNW	Light Commercial Heat Recovery Ventilator, recirculation defrost, polypropylene core, reverse door, normal low speed, white pre paint	1	AQ
B12LCDPSNC	Light Commercial Heat Recovery Ventilator, recirculation defrost, polypropylene core, standard door, normal low speed, corrosion resistant	1	AQ
B12LCDPSNW	Light Commercial Heat Recovery Ventilator, recirculation defrost, polypropylene core, standard door, normal low speed, white pre paint	1	AQ
B12LCEARNW	Light Commercial Heat Recovery Ventilator, exhaust only, aluminum core, reverse door, normal low speed, white pre paint	1	AQ
B12LCEASNW	Light Commercial Heat Recovery Ventilator, exhaust only, aluminum core, standard door, normal low speed, white pre paint	1	AQ
B12LCEPRNC	Light Commercial Heat Recovery Ventilator, exhaust only, polypropylene core, reverse door, normal low speed, corrosion resistant	1	AQ
B12LCEPRNW	Light Commercial Heat Recovery Ventilator, exhaust only, polypropylene core, reverse door, normal low speed, white pre paint	1	AQ
B12LCEPSNC	Light Commercial Heat Recovery Ventilator, exhaust only, polypropylene core, standard door, normal low speed, corrosion resistant	1	AQ
B12LCEPSNW	Light Commercial Heat Recovery Ventilator, exhaust only, polypropylene core, standard door, normal low speed, white pre paint	1	AQ
B6LCDARN	Light Commercial Heat Recovery Ventilator, recirculation defrost, aluminum core, reverse door, normal low speed	1	AQ
B6LCDASN	Light Commercial Heat Recovery Ventilator, recirculation defrost, aluminum core, standard door, normal low speed	1	AQ




Select models are ENERGY STAR certified products — see product description.

Whole House Mechanical Ventilation

Broan® Fresh Air Systems CONTINUED



ERVH100S
HRVH100SE



ERV70S



ERV70T



ERV140TE
HRV150TE

Model No.	Description	Std. Pk.	Code
B6LCDPRN	Light Commercial Heat Recovery Ventilator, recirculation defrost, polypropylene core, reverse door, normal low speed	1	AQ
B6LCDPSN	Light Commercial Heat Recovery Ventilator, recirculation defrost, polypropylene core, standard door, normal low speed	1	AQ
B6LCEARN	Light Commercial Heat Recovery Ventilator, exhaust only, aluminum core, reverse door, normal low speed	1	AQ
B6LCEASN	Light Commercial Heat Recovery Ventilator, exhaust only, aluminum core, standard door, normal low speed	1	AQ
B6LCEPRN	Light Commercial Heat Recovery Ventilator, exhaust only, polypropylene core, reverse door, normal low speed	1	AQ
B6LCEPSN	Light Commercial Heat Recovery Ventilator, exhaust only, polypropylene core, standard door, normal low speed	1	AQ
ERV70S	Energy Recovery Ventilator, 70 CFM max, side ports	1	AQ
ERV70T	Energy Recovery Ventilator, 70 CFM max, top ports	1	AQ
ERV100S	Sky Energy Recovery Ventilator, 100 CFM, side port	1	AQ
ERV100SP	Sky Energy Recovery Ventilator, 100 CFM, plus side port	1	AQ
ERV110S	Flex Heat Recovery Ventilator, 110 CFM, side port	1	AQ
ERV110T	Flex Heat Recovery Ventilator, 110 CFM, top port	1	AQ
ERV120S	Flex Energy Recovery Ventilator, 120 CFM, side port	1	AQ
ERV120T	Flex Energy Recovery Ventilator, 120 CFM, top port	1	AQ
ERV140TE	Energy Recovery Ventilator, 140 CFM max, top ports, ENERGY STAR certified.	1	AQ
ERV180S	Advance Energy Recovery Ventilator, 180 CFM, side port	1	AQ
ERV200TE	HE Energy Recovery Ventilator, 200 CFM, ECM, top port	1	AQ
ERV250TE	HE Energy Recovery Ventilator, 250 CFM, ECM, top port	1	AQ
ERVH100S	Energy Recovery Ventilator, 100 CFM max, side ports, ENERGY STAR certified.	1	AQ
ERVS100S	Sky Energy Recovery Ventilator, 100 Humidity Sensing, side port	1	AQ
HRV80S	Flex Heat Recovery Ventilator, 80 CFM, side port	1	AQ
HRV80T	Flex Heat Recovery Ventilator, 80 CFM, top port	1	AQ
HRV90S	Flex Heat Recovery Ventilator, 90 CFM, side port	1	AQ
HRV90T	Flex Heat Recovery Ventilator, 90 CFM, top port	1	AQ
HRV120S	Flex Heat Recovery Ventilator, 120 CFM, side port	1	AQ
HRV120T	Flex Heat Recovery Ventilator, 120 CFM, top port	1	AQ
HRV150S	Advance Heat Recovery Ventilator, 150 CFM, side port	1	AQ
HRV150TE	■ Heat Recovery Ventilator, 156 CFM max, top ports, ENERGY STAR certified.	1	AQ
HRV160T	Advance Heat Recovery Ventilator, 160 CFM, top port	1	AQ
HRV160TE	HE Heat Recovery Ventilator, 160 CFM, ECM, top port	1	AQ
HRV190S	Advance Heat Recovery Ventilator, 190 CFM	1	AQ
HRV200TE	HE Heat Recovery Ventilator, 200 CFM, ECM, top port	1	AQ
HRV250TE	HE Heat Recovery Ventilator, 250 CFM, DCM, top port	1	AQ
HRVH100S	Advance Heat Recovery Ventilator, HEPA, 100 CFM, side port	1	AQ
HRVH100SE	■ Heat Recovery Ventilator, 104 CFM max, side ports, ENERGY STAR certified.	1	AQ


■ Limited quantities available.



Select models are ENERGY STAR certified products — see product description.

Whole House Mechanical Ventilation

Broan® Fresh Air System Accessories



Model No.	Description	Std. Pk.	Code
59V / 59W	60 Minute Time Control, with "continuous on" feature. Fits single gang box.	1	AC
61V / 61W	15 Minute Time Control, no "continuous on" feature. Fits single gang box.	1	AC
82W	Premium Humidity Control with Sensaire technology that senses rapid rise in humidity. Also includes duty cycle timer. Fits in single gang box. (White)	1	AC
634M	Steel Roof Cap for 6" round duct. Includes damper and birdscreen. Black.	1	AC
641	Aluminum Wall Cap for 6" round duct (includes damper and birdscreen). Natural finish.	1	AC
ACCGSEF2	2-Core Foam Filter Kit	1	GA
ACCGSFF2	HRV Core Foam Filters (Two Pieces)	1	GA
ACCGSFH	HEPA Filter Only	1	GA
ACCGSFHP2	1 Year HEPA Filter Kit (Two pre-filters and one HEPA)	1	GA
ACCGSFHP10	1 Year HEPA Filter Multi-Pack (Ten ACCGSFHP2)	1	GA
ACCGSFP2	Pre-filter Kit (Two Pieces)	1	GA
ACCGSFP20	Pre-filter Multi-Pack (Ten ACCGSFP2)	1	GA
ACCGSUP5	Alpine/Pine Filter Kit (Five Pieces)	1	GA
ACCGSUHD	AirDuo Outdoor Hood	1	GA
ACCHEPAPFK	Prefilter Kit	1	AQ
ACCHEPARF	Replacement HEPA Filter for ERVH100SE/HRVH100SE	1	AQ
ACCWMK	Walk Mount Bracket Kit	1	AQ
B1600705	Light Commercial Heat Recovery Ventilator Pool	1	AQ
BD4	Pressure Relief Damper with Wall Cap and 4" collar	1	AQ
BD6	Pressure Relief Damper with Wall Cap and 6" collar	1	AQ
DT4C	Flex Duct, 4", Non-insulated (25')	4 *	AC
DT4W	Flex Duct, 4", Insulated (25')	1	AC
DT6C	Flex Duct, 6", Non-insulated (25')	1	AC
DT6W	Flex Duct, 6", Insulated (25')	1	AC
EH6	Exterior Inlet/Outlet Hood, 6"	1	AQ
TYIK1	Installation Kit (Tandem Y, complete exterior vent, screws)	1	AQ
VB20W	▲ 20-Minute Push Button Timer	1	AQ
VB60W	20/40/60 Minute Wall Control	1	AQ
VT1W	□ Basic Wall Control. Off-low-high rocker switch. Dehumidistat. Low Voltage.	1	AQ
VT4W	‡ Wall Control, Off/Low/High Speed/Intermittent 20 min./hour	1	AQ
VT5W	« Programmable Electronic Wall Control with LCD Display. Four modes and filter function.	1	AQ
VT6W	Constructo Wall Control	1	AQ
VT7W	Deco-Touch Wall Control	1	AQ
VT8W	Altitude Wall Control	1	AQ
VT9W	HE Wall Control	1	AQ
VT10W	Pool Plus Wall Control	1	AQ


‡ Can be used with HRV90H and ERV90HC.

▲ Can be used with all units except GSE, GSH, GSV and GSF units.


« Can only be used with GSE and GSH units.

□ Can only be used with HRV100 and HRV200.

Whole House Mechanical Ventilation



ZB80
ZB110



ZB80L
ZB110L


Broan® ULTRA™ Green Multi-Speed Series

We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. Multi-speed capability ideal for meeting ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 — as well as local/spot ventilation needs. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 50 CFM and 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).


Model No.	Description	Std. Pk.	Code
Fans			
ZB80	◆ 30 CFM to 80 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
ZB110	◆ 30 CFM to 110 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
Fan/Light/Night Light			
ZB80L	◆ 30 CFM to 80 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZB110L	◆ 30 CFM to 110 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP




All models are ENERGY STAR certified products.




ZB80M
ZB110M



ZB110H



ZB80ML
ZB110ML



ZB110HL

Broan® ULTRA™ Green Multi-Speed Series — Sensing

We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. Multi-speed capability ideal for meeting ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 — as well as local/spot ventilation needs. Humidity or motion sensing triggers fan to ramp up from lower continuous ventilation level to maximum CFM. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).


Model No.	Description	Std. Pk.	Code
Fans			
ZB80M	◆ 80 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan	1	HP
ZB110H	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan	1	HP
ZB110M	◆ 110 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan	1	HP
Fan/Light/Night Light			
ZB80ML	◆ 80 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZB110HL	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZB110ML	◆ 110 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP




All models are ENERGY STAR certified products.

See Ventilation Fan section for other Whole House Mechanical Ventilation options.

Whole House Mechanical Ventilation



ZN80
ZN110



ZN80L
ZN110L


NuTone® ULTRA™ Green Multi-Speed Series

We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. Multi-speed capability ideal for meeting ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 — as well as local/spot ventilation needs. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 50 CFM and 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).


Model No.	Description	Std. Pk.	Code
Fans			
ZN80	◆ 30 CFM to 80 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
ZN110	◆ 30 CFM to 110 CFM, <0.3 Sones, ENERGY STAR Fan	1	HP
Fan/Light/Night Light			
ZN80L	◆ 30 CFM to 80 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZN110L	◆ 30 CFM to 110 CFM, <0.3 Sones, ENERGY STAR Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP




All models are ENERGY STAR certified products.




ZN80M
ZN110M



ZN110H



ZN80ML
ZN110ML



ZN110HL

NuTone® ULTRA™ Green Multi-Speed Series — Sensing

We started with installation and worked back to build the ultimate bath fan. Unique telescoping mounting frame is ideal for both new construction and retrofit. No attic access needed! DC motor for efficiency. Multi-speed capability ideal for meeting ASHRAE 62.2, LEED, ENERGY STAR® for Homes and CA Title 24 — as well as local/spot ventilation needs. Humidity or motion sensing triggers fan to ramp up from lower continuous ventilation level to maximum CFM. Powerful operation maintained over a wide range of real-world installations (CFM rating at 0.1" static pressure maintained through 0.25" static pressure). Fits in 2" x 8" ceiling construction. 10-1/2" L x 11-3/8" W x 7-5/8" H housing. 13" x 14" grille (fan) and 13" x 13-1/4" (fan/light/night light). All models have a 6" duct connector and the 80 CFM models include a 6" to 4" reducer. All ULTRA 80 and 110 CFM fans can also be used with the MD6TU universal make-up air damper if 6" rigid duct is used. ULTRA non-sensing fans (not fan/lights) can also be used with the RDF1 radiation damper. Now with QStream sound technology that features airflow-smoothing baffles to reduce noise caused by turbulence (50 and 80 CFM models only).

Model No.	Description	Std. Pk.	Code
Fans			
ZN80M	◆ 80 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan	1	HP
ZN110H	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan	1	HP
ZN110M	◆ 110 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan	1	HP
Fan/Light/Night Light			
ZN80ML	◆ 80 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZN110HL	◆ 110 CFM, <0.3 Sones, ENERGY STAR Humidity Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP
ZN110ML	◆ 110 CFM, <0.3 Sones, ENERGY STAR Motion Sensing Fan with 36W Fluorescent Light (2-18 watt GU24 bulbs included) and 4W Night Light (bulb not included)	1	HP



All models are ENERGY STAR certified products.

Carton/UPC Directory

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
1006	0 26715 02320 2	—	—	10	20.00	1.48	1.05	0.83	1.28
100HFL	0 26715 18026 4	1	16.90	—	—	1.76	0.87	1.17	1.78
100HL	0 26715 18025 7	1	16.70	—	—	1.75	0.88	1.17	1.80
103023	0 26715 02335 6	1	31.60	—	—	2.46	1.03	1.35	3.43
103123	0 26715 02336 3	1	2.00	—	—	1.87	0.54	0.24	0.24
110RDF	0 26715 14611 6	—	—	4	17.50	1.83	0.98	1.06	1.91
112	0 26715 00405 8	1	12.80	—	—	1.70	0.38	1.11	0.72
114	0 26715 02254 0	1	12.70	—	—	1.68	0.38	1.11	0.72
120	0 26715 00440 9	1	7.30	—	—	1.23	0.93	0.51	0.58
124	0 26715 00441 6	1	7.40	—	—	1.25	0.92	0.50	0.57
128	0 26715 00442 3	1	7.60	—	—	1.25	0.92	0.50	0.57
12C	0 26715 02108 6	1	15.70	—	—	1.25	0.87	1.28	1.38
153001	0 26715 02346 2	1	39.10	—	—	2.88	1.28	1.23	4.49
153004	0 26715 16338 0	1	38.60	—	—	2.88	1.27	1.22	4.44
153023	0 26715 02347 9	1	38.90	—	—	2.89	1.27	1.23	4.52
153601	0 26715 02348 6	1	41.40	—	—	3.38	1.27	1.23	5.24
153604	0 26715 16339 7	1	41.20	—	—	3.38	1.27	1.22	5.21
153623	0 26715 02349 3	1	41.10	—	—	3.36	1.28	1.22	5.24
157	0 26715 08073 1	1	3.00	—	—	1.04	1.06	0.33	0.37
157CBB	0 26715 18259 6	1	7.10	—	—	1.98	1.05	0.13	0.28
157CBL	0 26715 18256 5	1	1.95	16	31.20	0.75	0.94	0.10	0.07
157COD	0 26715 18257 2	1	0.60	10	6.00	0.56	0.54	0.13	0.04
157CTK	0 26715 18258 9	1	2.40	—	—	1.33	0.34	0.33	0.15
161	0 26715 00263 4	1	5.30	—	—	1.15	0.91	0.62	0.64
162	0 26715 00262 7	1	7.40	—	—	1.04	0.90	0.62	0.58
162F	0 26715 02258 8	—	—	4	2.50	0.89	0.88	0.33	0.26
162H	0 26715 02259 5	—	—	4	26.00	1.53	1.05	1.08	1.72
163	0 26715 00261 0	1	7.20	—	—	1.40	0.93	0.58	0.76
164	0 26715 00262 3	1	9.10	—	—	1.38	1.03	0.60	0.85
165F	0 26715 00454 6	1	5.10	—	—	1.24	0.93	0.52	0.59
165FT	0 26715 03035 4	1	6.00	—	—	1.25	0.93	0.50	0.58
1667H	0 26715 02326 4	—	—	6	7.88	1.57	0.68	0.99	1.06
1667HMTL	0 26715 14457 0	—	—	6	8.25	1.56	0.67	0.99	1.03
1670F	0 26715 02327 1	—	—	6	14.63	1.33	1.13	0.92	1.38
1671F	0 26715 02328 8	—	—	6	15.38	1.33	1.14	0.92	1.39
167F	0 26715 00455 3	1	5.20	—	—	1.24	0.93	0.52	0.59
167FT	0 26715 03036 1	1	6.00	—	—	1.25	0.93	0.50	0.58
1688F	0 26715 02329 5	—	—	6	12.75	1.95	0.78	0.83	1.27
1689F	0 26715 02330 1	—	—	6	13.88	1.33	1.14	0.92	1.39
170	0 26715 00443 0	1	7.20	—	—	1.25	0.93	0.51	0.59
171H	0 26715 02262 5	—	—	4	11.00	1.43	1.04	0.84	1.25
174	0 26715 00257 3	1	7.20	—	—	1.24	0.93	0.51	0.58
174F	0 26715 00457 7	1	5.00	—	—	1.25	0.93	0.52	0.60
174FT	0 26715 03038 5	1	5.10	—	—	1.24	0.93	0.52	0.60
178	0 26715 00448 5	1	7.40	—	—	1.25	0.93	0.51	0.59
192	0 26715 10003 3	1	22.00	—	—	1.86	1.53	0.58	1.63
194	0 26715 02265 6	1	21.80	—	—	1.86	1.52	0.58	1.62
198	0 26715 02267 0	1	21.70	—	—	1.85	1.53	0.58	1.65
2677H	0 26715 13914 9	—	—	4	9.75	1.69	0.78	1.07	1.40
2678F	0 26715 13915 6	—	—	4	12.75	1.81	0.99	1.06	1.90
269VL	0 26715 08269 8	1	0.40	—	—	0.41	0.41	0.29	0.05
269WL	0 26715 08268 1	1	0.55	—	—	0.41	0.40	0.33	0.05
273001C	0 26715 05494 7	1	1.40	—	—	3.11	0.23	0.14	0.10
273002C	0 26715 14276 7	1	1.40	—	—	3.07	0.23	0.14	0.10
273003	0 26715 05297 4	1	66.20	—	—	2.83	2.90	0.90	7.39
273023C	0 26715 05497 8	1	1.30	—	—	3.11	0.23	0.14	0.10
273601C	0 26715 05495 4	1	1.50	—	—	3.09	0.23	0.14	0.10
273602C	0 26715 14277 4	1	2.30	—	—	3.11	0.22	0.13	0.09
273603	0 26715 05298 1	1	72.70	—	—	3.33	2.89	0.90	8.67
273623C	0 26715 05496 1	1	1.50	—	—	3.10	0.23	0.14	0.10
277V	0 26715 13191 4	1	0.55	—	—	0.42	0.25	0.31	0.03
283003	0 26715 05408 4	1	37.90	—	—	2.95	2.83	0.91	7.57
283603	0 26715 05409 1	1	43.20	—	—	3.33	2.89	0.92	8.81
326N	7 84891 77015 9	1	1.10	—	—	0.77	0.51	0.25	0.10
330ALM	0 26715 25008 0	1	0.45	20	9.00	0.99	0.53	0.77	0.41
330W	7 84891 99508 8	1	0.23	20	4.60	0.44	0.29	0.15	0.02
331H	0 26715 07181 4	1	30.00	—	—	2.61	0.82	2.33	4.95
332H	0 26715 07182 1	1	32.00	—	—	2.63	0.84	2.33	5.14
332KR	0 26715 12215 8	1	3.30	—	—	2.03	0.93	0.23	0.44
335	0 26715 10996 8	1	38.20	—	—	3.01	1.24	2.19	8.17
336	0 26715 10997 5	1	43.60	—	—	3.00	1.21	2.19	7.93

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
345CSOBK	0 26715 20467 0	1	20.00	—	—	2.29	0.95	2.61	5.68
345CSOWW	0 26715 20468 7	1	19.60	—	—	2.26	0.96	2.57	5.55
345GOBK	0 26715 20465 6	1	20.90	—	—	2.33	1.05	2.58	6.33
345GOWW	0 26715 20466 3	1	21.90	—	—	2.32	1.08	2.62	6.52
345RSOBK	0 26715 20469 4	1	26.80	—	—	2.02	0.93	2.63	4.94
345RSOWW	0 26715 20470 0	1	26.80	—	—	2.02	0.93	2.63	4.94
345SOBK	0 26715 20471 7	1	21.00	—	—	2.59	0.83	2.25	4.86
345SOWW	0 26715 20472 4	1	20.75	—	—	2.60	0.80	2.27	4.72
349BR	0 26715 18983 0	1	18.20	—	—	2.17	0.75	2.16	3.51
35	0 26715 02169 7	1	1.70	—	—	1.02	0.49	0.13	0.06
350BK	0 26715 18270 1	1	16.60	—	—	1.93	0.72	1.91	2.63
350BR	0 26715 18260 2	1	16.40	—	—	1.92	0.70	1.90	2.55
353	0 26715 00153 8	1	11.10	—	—	1.32	0.73	1.38	1.32
35316	0 26715 13697 1	1	13.10	—	—	1.32	0.72	1.38	1.31
355BK	0 26715 18269 5	1	17.80	—	—	1.93	0.73	1.90	2.65
355BR	0 26715 18268 8	1	17.10	—	—	1.94	0.71	1.88	2.58
356BK	0 26715 18267 1	1	20.40	—	—	1.93	0.78	1.92	2.89
356BR	0 26715 18271 8	1	21.00	—	—	1.94	0.77	1.88	2.80
356NDK	0 26715 17423 2	1	5.10	—	—	2.15	0.89	0.93	1.79
357NDK	0 26715 17424 9	1	5.30	—	—	1.68	1.19	1.05	2.11
358	0 26715 00156 9	1	17.80	—	—	1.99	0.72	1.97	2.81
359NDK	0 26715 23795 1	1	5.10	—	—	1.69	1.19	1.06	2.13
360ALM	0 26715 25007 3	1	9.90	20	198.00	1.08	1.05	0.82	0.93
360IV	7 84891 77161 3	1	0.27	20	5.40	0.35	0.31	0.22	0.02
360W	7 84891 99336 7	1	0.27	20	5.40	0.35	0.31	0.22	0.02
3677H	0 26715 14133 3	—	—	4	13.25	1.70	0.76	1.07	1.38
372	7 84891 77220 7	1	7.00	—	—	0.82	1.47	1.43	1.72
372401	0 26715 03224 2	1	6.80	—	—	2.25	0.64	1.63	2.35
372408	0 26715 03225 9	1	7.00	—	—	2.25	0.63	1.63	2.30
373001	0 26715 03227 3	1	8.30	—	—	2.75	0.64	1.63	2.87
373002	0 26715 14257 6	1	8.40	—	—	2.75	0.63	1.62	2.82
373004	0 26715 04454 2	1	8.80	—	—	2.75	0.63	1.63	2.83
373008	0 26715 03228 0	1	8.40	—	—	2.76	0.63	1.63	2.84
373601	0 26715 03232 7	1	9.70	—	—	3.25	0.65	1.63	3.43
373604	0 26715 04455 9	1	9.90	—	—	3.25	0.63	1.63	3.34
376JL	7 84891 99227 8	1	1.74	6	10.44	0.55	0.55	0.28	0.08
378	7 84891 99229 2	1	0.10	20	2.00	0.29	0.13	0.01	0.00
3808	7 84891 99231 5	—	—	8	13.70	8.00	0.67	0.33	1.78
3808B	7 84891 77261 0	—	—	440	742.50	0.67	8.00	0.33	1.78
3810	0 26715 23544 5	—	—	10	22.00	10.00	0.71	0.46	3.25
391	7 84891 99240 7	1	0.50	6	3.00	0.73	0.67	0.15	0.07
392	7 84891 77320 4	1	0.97	—	—	0.93	0.33	0.33	0.10
393	7 84891 99242 1	1	0.90	6	5.40	0.55	0.54	0.27	0.08
394	7 84891 99339 8	1	0.10	10	1.00	0.03	0.25	0.32	0.00
395	7 84891 99243 8	1	1.90	6	11.40	2.32	0.33	0.50	0.39
3964	0 26715 23843 9	1	5.20	—	—	0.94	0.69	0.81	0.53
402101	0 26715 03090 3	1	10.10	—	—	2.00	0.63	1.65	2.09
402102	0 26715 14273 6	1	9.30	—	—	2.00	0.63	1.63	2.06
402108	0 26715 03091 0	1	9.30	—	—	2.00	0.63	1.63	2.06
402401	0 26715 02358 5	1	10.90	—	—	2.24	0.63	1.63	2.28
402402</									

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
412101	0 26715 03100 9	1	9.30	—	—	2.00	0.63	1.63	2.06
412102	0 26715 14272 9	1	9.30	—	—	2.00	0.63	1.63	2.06
412108	0 26715 03101 6	1	9.30	—	—	2.00	0.63	1.63	2.06
412123	0 26715 18790 4	1	9.30	—	—	2.00	0.63	1.63	2.06
412401	0 26715 00842 1	1	10.10	—	—	2.24	0.63	1.62	2.27
412402	0 26715 14248 4	1	10.10	—	—	2.24	0.63	1.62	2.27
412404	0 26715 00843 8	1	10.40	—	—	2.23	0.63	1.63	2.30
412408	0 26715 00844 5	1	10.10	—	—	2.24	0.63	1.62	2.27
412H	0 26715 00268 9	1	1.45	—	—	0.88	0.87	0.65	0.50
413	0 26715 01599 3	1	1.90	—	—	1.03	1.03	0.87	0.91
413001	0 26715 00230 6	1	11.40	—	—	2.75	0.63	1.63	2.79
413002	0 26715 14249 1	1	11.40	—	—	2.75	0.63	1.63	2.79
413004	0 26715 00406 5	1	11.70	—	—	2.75	0.64	1.63	2.87
413008	0 26715 00231 3	1	11.40	—	—	2.75	0.63	1.63	2.79
413023	0 26715 03106 1	1	11.40	—	—	2.75	0.63	1.63	2.79
413601	0 26715 00232 0	1	12.60	—	—	3.24	0.63	1.63	3.34
413602	0 26715 14250 7	1	12.60	—	—	3.24	0.63	1.63	3.34
413604	0 26715 02364 6	1	13.20	—	—	3.24	0.63	1.63	3.34
413608	0 26715 00233 7	1	12.60	—	—	3.24	0.63	1.63	3.34
413623	0 26715 03107 8	1	12.60	—	—	3.24	0.63	1.63	3.34
414	0 26715 07547 8	1	1.90	—	—	1.02	1.01	0.88	0.90
414201	0 26715 00411 9	1	13.80	—	—	3.75	0.63	1.62	3.84
414202	0 26715 14251 4	1	13.80	—	—	3.75	0.63	1.62	3.84
414204	0 26715 03583 0	1	14.50	—	—	3.75	0.63	1.62	3.79
414208	0 26715 00412 6	1	13.80	—	—	3.75	0.63	1.62	3.84
415	0 26715 00796 7	—	—	4	6.50	1.69	1.68	0.68	1.92
418	0 26715 05945 4	1	3.40	—	—	1.13	1.12	0.90	1.14
419	0 26715 01600 6	1	1.10	—	—	0.98	0.77	0.77	0.58
41F	0 26715 00091 3	—	—	6	1.50	0.94	0.41	0.85	0.33
421	0 26715 03900 5	1	0.75	—	—	0.96	0.84	0.13	0.10
422401	0 26715 03110 8	1	10.40	—	—	2.23	0.65	1.62	2.35
422401D	0 26715 17252 8	1	10.40	—	—	2.23	0.65	1.62	2.35
422402	0 26715 14245 3	1	10.40	—	—	2.23	0.65	1.62	2.35
422404	0 26715 03111 5	1	10.70	—	—	2.23	0.63	1.63	2.30
422408	0 26715 03112 2	1	10.40	—	—	2.23	0.65	1.62	2.35
423	0 26715 03902 9	1	3.60	—	—	1.60	0.95	0.95	1.44
423001	0 26715 00226 9	1	11.60	—	—	2.75	0.63	1.63	2.79
423001D	0 26715 17257 3	1	11.60	—	—	2.75	0.63	1.63	2.79
423002	0 26715 14246 0	1	11.60	—	—	2.75	0.63	1.63	2.79
423004	0 26715 00414 0	1	12.10	—	—	2.73	0.63	1.63	2.81
423008	0 26715 00227 6	1	11.60	—	—	2.75	0.63	1.63	2.79
423008D	0 26715 17253 5	1	11.60	—	—	2.75	0.63	1.63	2.79
423023	0 26715 03116 0	1	11.60	—	—	2.75	0.63	1.63	2.79
423601	0 26715 00228 3	1	12.90	—	—	3.24	0.65	1.63	3.42
423601D	0 26715 17255 9	1	12.90	—	—	3.24	0.65	1.63	3.42
423602	0 26715 14247 7	1	12.90	—	—	3.24	0.65	1.63	3.42
423604	0 26715 00417 1	1	13.50	—	—	3.25	0.64	1.63	3.39
423608	0 26715 00229 0	1	12.90	—	—	3.24	0.65	1.63	3.42
423608D	0 26715 17254 2	1	12.90	—	—	3.24	0.65	1.63	3.42
423623	0 26715 03117 7	1	12.90	—	—	3.24	0.65	1.63	3.42
424	0 26715 03903 6	1	4.10	—	—	1.61	0.96	0.94	1.45
424201	0 26715 00420 1	1	14.10	—	—	3.75	0.63	1.63	3.88
424201D	0 26715 17256 6	1	12.90	—	—	3.24	0.65	1.63	3.42
424202	0 26715 14292 7	1	14.10	—	—	3.75	0.65	1.63	3.96
424204	0 26715 03584 7	1	14.90	—	—	3.75	0.63	1.63	3.88
424208	0 26715 00421 8	1	14.10	—	—	3.75	0.65	1.63	3.96
427	0 26715 12607 1	1	2.50	—	—	1.65	0.94	0.60	0.93
428	0 26715 01114 8	1	1.30	—	—	1.03	0.49	0.72	0.36
429	0 26715 01115 5	1	2.20	—	—	1.00	1.03	0.88	0.90
430	0 26715 01601 3	1	2.80	—	—	0.98	0.90	0.53	0.47
431	0 26715 01602 0	1	3.60	—	—	1.02	0.88	0.79	0.71
432	0 26715 22966 6	1	1.95	—	—	1.02	1.00	0.85	0.87
433	0 26715 00051 7	1	3.25	—	—	1.74	1.63	0.24	0.69
433004	0 26715 10058 3	1	14.20	—	—	2.78	0.62	1.61	2.75
433011	0 26715 10056 9	1	13.80	—	—	2.75	0.67	1.63	2.98
433018	0 26715 10057 6	1	14.90	—	—	2.75	0.65	1.64	2.93
433022	0 26715 14234 7	1	14.40	—	—	2.76	0.64	1.63	2.89
433023	0 26715 14519 5	1	13.80	—	—	2.77	0.64	1.63	2.88
433604	0 26715 10061 3	1	15.80	—	—	3.26	0.64	1.65	3.44
433611	0 26715 10059 0	1	15.80	—	—	3.28	0.65	1.65	3.50
433618	0 26715 10060 6	1	15.60	—	—	3.26	0.63	1.64	3.39

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
433622	0 26715 14235 4	1	16.20	—	—	3.27	0.63	1.64	3.40
433623	0 26715 14520 1	1	15.20	—	—	3.26	0.65	1.64	3.48
437	0 26715 03907 4	1	12.00	—	—	2.34	0.83	1.58	3.07
438	0 26715 07549 2	1	1.60	—	—	0.69	0.69	0.69	0.33
441	0 26715 03908 1	1	3.80	—	—	1.13	1.17	0.32	0.42
453	0 26715 04491 7	1	5.20	—	—	2.08	1.00	1.00	2.08
454	0 26715 04492 4	1	5.10	—	—	2.11	1.08	1.06	2.41
459	0 26715 15379 4	1	1.90	—	—	1.28	0.67	0.77	0.65
462401	0 26715 14502 7	1	12.20	—	—	2.23	0.66	1.63	2.39
462404	0 26715 14503 4	1	12.60	—	—	2.23	0.66	1.63	2.39
462423	0 26715 14505 8	1	12.20	—	—	2.23	0.66	1.63	2.39
463001	0 26715 01062 2	1	13.40	—	—	2.75	0.67	1.62	2.96
463002	0 26715 14242 2	1	13.40	—	—	2.75	0.67	1.62	2.96
463004	0 26715 00237 5	1	13.90	—	—	2.74	0.65	1.63	2.91
463008	0 26715 00234 4	1	13.40	—	—	2.75	0.67	1.62	2.96
463011	0 26715 10395 9	1	13.40	—	—	2.75	0.67	1.62	2.96
463023	0 26715 03120 7	1	13.40	—	—	2.75	0.67	1.62	2.96
463601	0 26715 01061 5	1	14.90	—	—	3.25	0.66	1.63	3.48
463602	0 26715 14243 9	1	14.90	—	—	3.25	0.66	1.63	3.48
463604	0 26715 00241 2	1	15.40	—	—	3.23	0.64	1.62	3.35
463608	0 26715 00238 2	1	14.90	—	—	3.25	0.66	1.63	3.48
463623	0 26715 03122 1	1	14.90	—	—	3.25	0.66	1.63	3.48
464201	0 26715 00242 9	1	16.00	—	—	3.75	0.63	1.63	3.88
464202	0 26715 14244 6	1	16.00	—	—	3.75	0.63	1.63	3.88
464204	0 26715 00244 3	1	16.50	—	—	3.75	0.63	1.63	3.88
464208	0 26715 00243 6	1	16.00	—	—	3.75	0.63	1.63	3.88
472	0 26715 02281 6	1	2.60	—	—	0.87	0.87	0.68	0.51
475	0 26715 16541 4	1	0.30	—	—	0.57	0.57	0.38	0.12
475B	0 26715 16540 7	—	—	6	1.13	0.97	0.54	0.56	0.29
502	0 26715 02282 3	1	10.80	—	—	1.46	0.63	1.20	1.11
503	0 26715 02283 0	1	7.90	—	—	1.28	0.58	1.05	0.77
504	0 26715 02284 7	1	8.60	—	—	1.17	0.80	1.18	1.10
505	0 26715 02285 4	1	7.00	—	—	1.15	0.74	1.16	0.99
506	0 26715 02286 1	1	12.60	—	—	1.24	0.78	1.26	1.22
507	0 26715 02287 8	1	11.10	—	—	1.25	0.79	1.26	1.25
508	0 26715 02288 5	1	13.30	—	—	1.64	0.89	1.25	1.83
509	0 26715 02289 2	1	12.70	—	—	1.64	0.92	1.23	1.86
509S	0 26715 02290 8	1	13.00	—	—	1.60	0.90	1.19	1.71
510	0 26715 02291 5	1	10.20	—	—	1.14	0.78	1.18	1.04
511	0 26715 02292 2	1	8.30	—	—	1.15	0.78	1.18	1.05
512	0 26715 02293 9	1	3.20	—	—	0.73	0.72	0.59	0.31
512M	0 26715 06713 8	1	3.40	—	—	0.71	0.71	0.82	0.41
517	0 26715 03815 2	1	0.30	—	—	0.43	0.25	0.30	0.03
517W	0 26715 03859 6	1	0.30	—	—	0.43	0.25	0.30	0.03
519	0 26715 03820 6	1	0.40	—	—	0.43	0.25	0.30	0.03
519W	0 26715 03864 0	1	0.40	—	—	0.43	0.25	0.30	0.03
519	0 26715 03820 6	1	0.40	—	—	0.43	0.25	0.30	0.03
519W	0 26715 03864 0	1	0.40	—	—	0.43	0.25	0.30	0.03
605RP	7 84891 34408 4	1	12.70	—	—	1.59	0.99	0.78	1.24
610FA	0 26715 21105 0	1	2.50	—	—	1.13	1.13	0.90	1.13
611	0 26715 06692 6	1	3.40	—					

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
637004EX	0 26715 15233 9	1	82.00	—	—	3.58	2.63	2.13	19.99
639	0 26715 00264 1	1	2.50	—	—	1.12	0.82	0.54	0.49
63V	0 26715 03829 9	1	0.70	—	—	0.41	0.41	0.31	0.05
63W	0 26715 03873 2	1	0.80	—	—	0.41	0.41	0.29	0.05
641	0 26715 01137 7	1	1.30	—	—	0.79	0.79	0.67	0.42
641FA	0 26715 19206 9	1	1.20	—	—	0.78	0.78	0.66	0.40
642	0 26715 01138 4	—	—	4	3.50	1.13	1.13	0.83	1.06
643	0 26715 02294 6	1	2.40	—	—	1.13	1.13	0.88	1.13
643FA	0 26715 19207 6	1	2.40	—	—	1.13	1.13	0.89	1.14
644	0 26715 00393 8	1	3.20	—	—	1.60	1.21	0.61	1.18
646	0 26715 01605 1	1	0.90	—	—	0.69	0.71	0.70	0.34
647	0 26715 05212 7	1	1.40	—	—	0.78	0.79	0.68	0.42
649	0 26715 00394 5	1	1.40	—	—	1.10	0.82	0.55	0.49
64V	0 26715 04986 8	1	0.50	—	—	0.43	0.24	0.30	0.03
64W	0 26715 15854 6	1	0.50	—	—	0.43	0.24	0.30	0.03
654H	0 26715 02295 3	—	—	4	20.25	1.49	1.09	1.28	2.09
655	0 26715 00254 2	1	13.10	—	—	1.53	1.00	0.78	1.20
655F	0 26715 02296 0	1	8.60	—	—	1.43	0.96	0.74	1.02
656	0 26715 02297 7	1	11.30	—	—	1.53	1.01	0.81	1.25
656F	0 26715 02298 4	1	6.98	—	—	1.45	0.97	0.76	1.07
657	0 26715 02299 1	1	9.70	—	—	1.54	1.01	0.80	1.24
657F	0 26715 02300 4	1	5.20	—	—	1.45	0.95	0.73	1.00
658	0 26715 02301 1	1	12.40	—	—	1.53	1.01	0.81	1.25
658F	0 26715 02302 8	1	8.10	—	—	1.44	0.95	0.73	0.99
659	0 26715 02303 5	1	12.50	—	—	1.53	1.01	0.82	1.26
659F	0 26715 02304 2	1	8.40	—	—	1.43	0.96	0.74	1.01
665RP	7 84891 34447 3	1	12.80	—	—	1.58	1.00	0.79	1.25
668RP	7 84891 34451 0	1	9.10	—	—	1.58	0.99	0.79	1.24
66V	0 26715 03836 7	1	0.35	—	—	0.43	0.26	0.31	0.04
66W	0 26715 03877 0	1	0.35	—	—	0.43	0.26	0.31	0.04
670	0 26715 02305 9	1	3.80	—	—	0.84	0.36	0.78	0.24
671	0 26715 00252 8	1	3.70	—	—	0.85	0.37	0.78	0.24
673	0 26715 00253 5	1	3.20	—	—	0.72	0.32	0.59	0.30
678	0 26715 00259 7	1	5.90	—	—	0.79	0.98	1.08	0.84
67W	0 26715 03882 4	1	0.30	—	—	0.43	0.27	0.33	0.04
682	0 26715 00719 6	1	3.50	—	—	0.78	0.43	0.73	0.25
682NT	7 84891 30168 1	1	3.50	—	—	0.80	0.44	0.73	0.26
685WL	0 26715 08272 8	1	0.60	—	—	0.41	0.42	0.32	0.05
688	0 26715 00251 1	1	3.50	—	—	0.85	0.37	0.78	0.24
689	0 26715 00289 4	1	3.50	—	—	0.85	0.37	0.74	0.23
68V	0 26715 03844 2	1	0.90	—	—	0.43	0.27	0.33	0.04
68W	0 26715 03885 5	1	0.35	—	—	0.43	0.26	0.31	0.04
690	0 26715 16807 1	1	4.80	—	—	0.95	0.43	0.81	0.33
690NT	7 84891 25870 1	1	4.70	—	—	0.94	0.44	0.82	0.34
690RA	7 84891 25450 5	—	—	6	7.88	1.58	0.68	0.99	1.07
690RMTLA	7 84891 25451 2	—	—	6	8.25	1.56	0.67	0.98	1.02
695	7 84891 25836 7	1	3.80	—	—	0.85	0.38	0.79	0.25
695RB	7 84891 25453 6	—	—	6	15.75	1.32	1.14	1.00	1.50
696	0 26715 02315 8	1	10.30	—	—	1.54	1.01	0.80	1.24
696N	7 84891 25841 1	1	3.40	—	—	0.86	0.38	0.80	0.26
696RNB	7 84891 25455 0	—	—	6	12.48	1.95	0.79	0.88	1.35
69W	0 26715 08225 4	1	0.30	—	—	0.43	0.27	0.33	0.04
70TW	0 26715 18793 5	1	0.70	—	—	0.47	0.30	0.42	0.06
71V	0 26715 03852 7	1	1.00	—	—	0.43	0.25	0.30	0.03
72V	0 26715 03855 8	1	0.50	—	—	0.43	0.25	0.30	0.03
72W	0 26715 05375 9	1	0.50	—	—	0.43	0.25	0.30	0.03
72V	0 26715 03855 8	1	0.50	—	—	0.43	0.25	0.30	0.03
72W	0 26715 05375 9	1	0.50	—	—	0.43	0.25	0.30	0.03
73	0 26715 01606 8	1	0.70	—	—	0.73	0.28	0.28	0.06
741SN	0 26715 14509 6	1	10.90	—	—	1.18	1.18	1.14	1.58
744	0 26715 16301 4	1	9.40	—	—	1.20	0.79	0.88	0.83
744FL	0 26715 17091 3	1	10.20	—	—	1.21	0.79	0.90	0.86
744FLNT	7 84891 95128 2	1	9.80	—	—	1.22	0.83	0.89	0.89
744LED	0 26715 20915 6	1	10.30	—	—	1.23	0.79	0.92	0.89
744LEDNT	0 26715 20916 3	1	10.30	—	—	1.23	0.81	0.91	0.90
744NT	7 84891 95124 4	1	9.60	—	—	1.23	0.81	0.91	0.90
744SFL	0 26715 19208 3	1	10.30	—	—	1.23	0.90	0.81	0.89
744SFLNT	0 26715 19209 0	1	10.30	—	—	1.23	0.81	0.91	0.90
750	0 26715 14867 7	1	11.80	—	—	1.39	0.83	1.38	1.60
751	0 26715 14868 4	1	12.00	—	—	1.40	0.82	1.38	1.58
754RB	0 26715 16735 7	1	11.80	—	—	1.18	1.16	1.27	1.72

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
75V	0 26715 03832 9	1	0.50	—	—	0.43	0.26	0.30	0.03
761BN	0 26715 19152 9	1	11.60	—	—	1.23	1.23	1.20	1.80
761RB	0 26715 19153 6	1	11.80	—	—	1.23	1.22	1.20	1.80
761WHA	0 26715 20106 8	1	12.20	—	—	1.23	1.22	1.21	1.80
763	0 26715 23517 9	1	5.90	—	—	0.79	0.98	1.08	0.84
763F	0 26715 23686 2	—	—	4	13.45	1.81	0.99	1.06	1.90
763H	0 26715 23685 5	—	—	4	9.80	1.69	0.75	1.08	1.36
765HFL	0 26715 18028 8	1	17.30	—	—	1.76	0.88	1.18	1.82
765HL	0 26715 18027 1	1	16.80	—	—	1.75	0.87	1.17	1.77
77DV	0 26715 10631 8	1	0.90	—	—	0.43	0.26	0.33	0.04
77DW	0 26715 10630 1	1	0.90	—	—	0.43	0.26	0.33	0.04
77DW	0 26715 10630 1	1	0.90	—	—	0.43	0.26	0.33	0.04
77DW	0 26715 10630 1	1	0.90	—	—	0.43	0.26	0.33	0.04
77DV	0 26715 10631 8	1	0.90	—	—	0.43	0.26	0.33	0.04
78V	0 26715 07888 2	1	0.90	—	—	0.43	0.26	0.33	0.04
78W	0 26715 07889 9	1	0.90	—	—	0.43	0.26	0.33	0.04
791LEDM	0 26715 23955 9	1	9.90	—	—	1.24	0.90	1.25	1.40
79V	0 26715 07890 5	1	0.30	—	—	0.43	0.26	0.33	0.04
79W	0 26715 07891 2	1	0.40	—	—	0.43	0.24	0.33	0.03
804DD	7 84891 27013 0	1	0.20	24	4.80	0.33	0.33	0.13	0.01
804DU	7 84891 27039 0	1	6.20	—	—	0.69	0.68	2.58	1.21
804QDD	0 26715 23484 4	1	0.40	—	—	0.42	0.42	0.23	0.04
80L	0 26715 17226 9	1	0.40	—	—	0.27	0.22	0.50	0.03
80RDF	0 26715 14612 3	—	—	4	17.50	1.83	0.99	1.03	1.87
8210	7 84891 21210 9	1	6.30	—	—	0.94	0.73	0.95	0.66
82W	0 26715 23034 1	1	0.32	—	—	0.37	0.18	0.19	0.01
83	0 26715 02241 0	1	0.30	—	—	0.43	0.25	0.31	0.03
8310	7 84891 21310 6	1	7.70	—	—	1.26	0.63	1.03	0.82
834	7 84891 99161 5	1	0.20	6	1.20	0.88	0.88	0.06	0.04
84	0 26715 02243 4	1	2.80	—	—	1.13	0.89	0.40	0.40
843BL	0 26715 16460 8	1	2.90	—	—	0.79	0.78	0.66	0.41
85	0 26715 02244 1	1	5.40	—	—	1.90	1.56	0.39	1.16
854	7 84891 99282 7	—	—	6	2.63	1.11	1.08	0.31	0.37
8663RP	7 84891 21615 2	1	11.70	—	—	1.40	0.83	1.40	1.62
8664RP	7 84891 21625 1	1	11.70	—	—	1.38	0.81	1.38	1.54
877	7 84891 27570 8	1	1.30	—	—	0.90	0.67	0.73	0.44
87W	0 26715 25037 0	1	18.00	50	900.00	1.50	1.25	0.79	1.48
883001	0 26715 01093 6	1	31.00	—	—	2.67	1.00	1.83	4.89
883002	0 26715 14236 1	1	31.30	—	—	2.67	1.83	1.00	4.89
883004	0 26715 01094 3	1	30.20	—	—	2.75	1.04	1.88	5.37
883008	0 26715 01095 0	1	32.10	—	—	2.67	1.83	1.00	4.89
883011	0 26715 02382 0	1	31.70	—	—	2.75	1.00	1.83	5.04
883023	0 26715 01106 3	1	31.60	—	—	2.67	1.83	1.00	4.89
883601	0 26715 01099 8	1	34.60	—	—	3.17	1.83	1.00	5.81
883604	0 26715 01100 1	1	33.30	—	—	3.17	1.83	1.00	5.81
883608	0 26715 01101 8	1	34.30	—	—	3.17	1.83	1.00	5.81
883623	0 26715 02384 4	1	33.40	—	—	3.25	1.83	1.00	5.96
883901	0 26715 10692 9	1	34.90	—	—	3.48	1.03	1.84	6.56
883904	0 26715 10693 6	1	32.50	—	—	3.48	1.03	1.84	6.56
884201	0 26715 02385 1	1	36.10	—	—	3.72	1.09	1.86	7.54
884204	0 26715 02386 8	1	35.80	—	—	3.77	1.03	1.86	7.23
884223	0 26715 02392 9	1	34.50	—	—	3.71	1.04	1.83	7.08
884801									

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
894223	0 26715 08251 3	1	35.50	—	—	3.72	1.05	1.86	7.25
894801	0 26715 08248 3	1	38.50	—	—	4.23	1.03	1.88	8.12
894804	0 26715 02396 7	1	37.80	—	—	4.21	1.03	1.88	8.09
90	0 26715 02249 6	1	0.35	—	—	0.40	0.40	0.29	0.05
9093WH	7 84891 32194 8	1	20.30	—	—	1.51	0.98	1.48	2.20
9412D	7 84891 32600 4	1	5.30	—	—	1.14	0.90	0.61	0.63
9417DN	7 84891 32594 6	1	7.40	—	—	1.05	0.90	0.63	0.59
9422P	7 84891 32648 6	1	7.50	—	—	1.37	0.92	0.59	0.74
9427P	7 84891 32649 3	1	9.00	—	—	1.38	1.04	0.62	0.88
961L	0 26715 13188 4	1	2.10	—	—	1.06	1.05	0.18	0.20
97	0 26715 03890 9	1	1.60	—	—	0.68	0.68	0.71	0.33
9810WH	7 84891 32811 4	1	9.80	—	—	1.13	0.48	1.43	0.77
9815WH	7 84891 32816 9	1	9.80	—	—	1.44	0.46	1.12	0.74
981L	0 26715 12471 8	1	1.60	—	—	1.06	1.05	0.18	0.19
982L	0 26715 12472 5	1	2.90	—	—	1.84	1.04	0.19	0.37
983L	0 26715 12473 2	1	3.60	—	—	1.86	1.53	0.18	0.50
9905	7 84891 32830 5	1	12.50	—	—	1.58	1.16	0.99	1.82
9960	7 84891 32840 4	1	12.90	—	—	1.58	1.17	1.02	1.87
9965	7 84891 32850 3	1	14.80	—	—	1.58	1.16	1.01	1.85
A000HF	0 26715 23611 4	—	—	4	11.30	1.95	0.97	1.07	2.01
A000HFS	0 26715 24930 5	—	—	4	13.00	1.93	0.97	1.08	2.00
A000HL	0 26715 23662 6	—	—	4	11.55	1.94	0.96	1.08	2.00
A110	0 26715 23653 4	1	8.90	—	—	1.11	1.11	0.92	1.13
A110F	0 26715 23660 2	—	—	4	23.15	2.22	1.04	1.25	2.89
A110L	0 26715 23533 9	1	9.61	—	—	1.10	1.10	1.04	1.27
A50L	0 26715 23648 0	1	9.36	—	—	1.10	1.10	1.04	1.27
A70L	0 26715 23649 7	1	9.56	—	—	1.10	1.10	1.04	1.27
A70LF	0 26715 23656 5	—	—	4	26.50	2.21	1.04	1.75	4.03
A80	0 26715 23651 0	1	8.75	—	—	1.11	1.11	0.92	1.13
A80F	0 26715 23657 2	—	—	4	22.40	2.21	1.04	1.25	2.88
A80HD	0 26715 23652 7	1	9.45	—	—	1.11	1.11	0.92	1.13
A80HDF	0 26715 23658 9	—	—	4	25.30	2.22	1.04	1.25	2.89
A80L	0 26715 23531 5	1	9.61	—	—	1.10	1.10	1.04	1.27
ACCGSEF2	0 26715 15658 0	1	0.20	—	—	0.70	0.39	0.15	0.04
ACCGSFF2	0 26715 15255 1	1	0.20	—	—	0.77	0.40	0.15	0.05
ACCGSFH	0 26715 15253 7	1	2.90	—	—	1.69	1.62	0.20	0.55
ACCGSFHP10	0 26715 15260 5	1	33.90	—	—	2.21	1.77	1.70	6.63
ACCGSFHP2	0 26715 15254 4	1	3.20	—	—	1.69	1.62	0.21	0.57
ACCGSFP2	0 26715 15252 0	1	0.91	—	—	1.67	1.31	0.06	0.14
ACCGSFP20	0 26715 15259 9	1	10.10	—	—	1.75	1.38	0.62	1.48
ACCGSUHD	0 26715 15257 5	1	2.00	—	—	0.96	0.81	0.88	0.68
ACCGSUP5	0 26715 15256 8	1	0.50	—	—	0.68	0.53	0.40	0.14
ACCHEPAPFK	0 26715 22860 7	1	0.50	—	—	0.96	0.21	1.08	0.22
ACCHEPARF	0 26715 22859 1	1	1.20	—	—	0.96	0.21	1.08	0.22
ACCWMK	0 26715 22858 4	1	1.55	—	—	2.06	0.21	0.17	0.07
AE110	0 26715 23529 2	1	8.80	—	—	1.11	1.11	0.92	1.13
AE110F	0 26715 23607 7	—	—	4	22.80	2.23	1.04	1.25	2.90
AE110L	0 26715 23666 4	1	9.07	—	—	1.13	1.10	0.92	1.13
AE110LF	0 26715 24188 0	—	—	4	24.00	2.21	1.03	1.26	2.87
AE110S	0 26715 24928 2	1	9.50	—	—	1.13	1.11	0.92	1.15
AE110SL	0 26715 24929 9	1	9.80	—	—	1.13	1.11	0.92	1.15
AE50	0 26715 23646 6	1	8.60	—	—	1.11	1.11	0.92	1.13
AE50F	0 26715 23655 8	—	—	4	22.10	2.23	1.04	1.26	2.92
AE60	0 26715 10573 1	1	31.60	—	—	2.19	1.10	1.39	3.36
AE80	0 26715 23527 8	1	8.75	—	—	1.11	1.11	0.92	1.13
AE80B	0 26715 23600 8	1	8.75	—	—	1.11	1.11	0.92	1.13
AE80BF	0 26715 23609 1	—	—	4	22.50	2.23	1.04	1.25	2.90
AE80BL	0 26715 23957 3	1	9.16	—	—	1.10	1.10	0.88	1.08
AE80BLF	0 26715 23958 0	—	—	4	24.03	2.21	1.04	1.23	2.83
AE80F	0 26715 23605 3	—	—	4	22.40	2.21	1.04	1.25	2.88
AE80L	0 26715 23664 0	1	9.00	—	—	1.13	1.10	0.92	1.13
AE80LF	0 26715 23668 8	—	—	4	24.05	2.20	1.03	1.26	2.86
AE80S	0 26715 24926 8	1	9.40	—	—	1.13	1.11	0.92	1.15
AE80SL	0 26715 24927 5	1	9.70	—	—	1.11	1.11	0.92	1.13
AEE60302SS	0 26715 18645 7	1	12.30	—	—	3.72	2.26	0.42	3.50
AEE60362SS	0 26715 18646 4	1	11.90	—	—	3.70	2.26	0.42	3.48
AEE60422SS	0 26715 18647 1	1	13.90	—	—	4.67	2.25	0.42	4.37
AEE60482SS	0 26715 18648 8	1	14.00	—	—	4.67	2.25	0.42	4.37
AEPD18SS	0 26715 20409 0	1	16.45	—	—	2.38	1.38	1.90	6.24
AEPD18SSE	0 26715 20412 0	1	14.60	—	—	2.17	1.33	1.50	4.33
AEEP2445SS	0 26715 22743 3	1	35.80	—	—	2.42	1.38	2.38	7.94

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
AEEP2445SSE	0 26715 22744 0	1	33.00	—	—	2.04	1.40	2.17	6.17
AEEP30SS	0 26715 20410 6	1	24.10	—	—	2.90	1.38	2.38	9.53
AEEP30SSE	0 26715 20413 7	1	22.30	—	—	2.53	1.37	2.21	7.65
AEEP6SS	0 26715 20408 3	1	5.60	—	—	2.19	0.55	1.11	1.34
AEEP6SSE	0 26715 20411 3	1	6.00	—	—	2.21	0.54	1.38	1.64
AEN110	0 26715 23530 8	1	8.80	—	—	1.11	1.11	0.92	1.13
AEN110F	0 26715 23608 4	—	—	4	22.90	2.22	1.04	1.25	2.89
AEN110L	0 26715 23667 1	1	9.35	—	—	1.13	1.10	0.92	1.13
AEN50	0 26715 23647 3	1	8.60	—	—	1.11	1.11	0.92	1.13
AEN50F	0 26715 23683 1	—	—	4	21.75	2.22	1.04	1.25	2.89
AEN80	0 26715 23528 5	1	8.75	—	—	1.11	1.11	0.92	1.13
AEN80B	0 26715 23601 5	1	8.75	—	—	1.11	1.11	0.92	1.13
AEN80BF	0 26715 23610 7	—	—	4	22.40	2.21	1.04	1.25	2.88
AEN80BL	0 26715 23959 7	1	9.26	—	—	1.10	1.10	0.90	1.09
AEN80BLF	0 26715 23960 3	—	—	4	24.03	2.21	1.04	1.23	2.83
AEN80F	0 26715 23606 0	—	—	4	22.40	2.21	1.04	1.25	2.88
AEN80L	0 26715 23665 7	1	9.10	—	—	1.13	1.10	0.92	1.13
AEN80LF	0 26715 23669 5	—	—	4	24.20	2.21	1.04	1.23	2.83
AN000HF	0 26715 23612 1	—	—	4	11.30	1.95	0.97	1.07	2.01
AN000HL	0 26715 23663 3	—	—	4	11.55	1.95	0.97	1.08	2.03
AN110	0 26715 23654 1	1	8.90	—	—	1.11	1.11	0.92	1.13
AN110F	0 26715 23661 9	—	—	4	22.90	2.22	1.04	1.25	2.89
AN110L	0 26715 23534 6	1	9.61	—	—	1.10	1.10	1.04	1.27
AN70L	0 26715 23650 3	1	9.61	—	—	1.10	1.10	1.04	1.27
AN70LF	0 26715 23684 8	—	—	4	26.50	2.21	1.04	1.75	4.03
AN80HDF	0 26715 23659 6	—	—	4	25.30	2.22	1.04	1.25	2.89
AN80L	0 26715 23532 2	1	9.61	—	—	1.10	1.10	1.04	1.27
ANKE60302SS	0 26715 18641 9	1	12.00	—	—	3.68	2.27	0.42	3.48
ANKE60362SS	0 26715 18642 6	1	12.50	—	—	3.68	2.27	0.43	3.55
ANKE60422SS	0 26715 18643 3	1	16.50	—	—	4.67	2.25	0.42	4.37
ANKE60482SS	0 26715 18644 0	1	16.80	—	—	4.67	2.25	0.42	4.37
AP130BL	0 26715 17586 4	1	31.10	—	—	2.71	1.04	2.06	5.81
AP130SS	0 26715 17584 0	1	32.00	—	—	2.70	1.03	2.04	5.65
AP130WW	0 26715 17585 7	1	34.00	—	—	2.68	1.03	2.04	5.66
AP136BL	0 26715 17589 5	1	35.30	—	—	3.19	1.03	2.06	6.73
AP136SS	0 26715 17587 1	1	34.10	—	—	3.21	1.03	2.04	6.77
AP136WW	0 26715 17588 8	1	34.50	—	—	3.18	1.03	2.07	6.74
APE130SS	0 26715 19721 7	1	33.40	—	—	2.70	1.03	2.05	5.72
ARP310	0 26715 18222 0	—	—	5	1.25	0.68	0.52	0.40	0.14
ARP314	0 26715 18223 7	—	—	5	1.56	0.68	0.53	0.38	0.13
ARP6	0 26715 18224 4	—	—	5	1.88	0.68	0.51	0.39	0.13
AVDOFNP	7 84891 71271 5	1	16.10	—	—	1.85	4.73	0.25	2.19
AVDORPN	7 84891 71273 9	1	23.00	—	—	1.96	5.25	0.23	2.36
AVDSMN	7 84891 71304 0	1	7.20	—	—	4.33	0.42	0.17	0.30
AVDWRPN	7 84891 71274 6	1	15.80	—	—	1.85	4.75	0.25	2.20
AWEPD36SS	0 26715 20414 4	1	16.00	—	—	3.29	1.77	0.42	2.43
AWEPD48SS	0 26715 20415 1	1	19.00	—	—	4.31	1.77	0.40	3.02
AWEPD60SS	0 26715 24006 7	1	22.60	—	—	1.78	5.36	0.38	3.57
B12LCDARNW	0 26715 24298 6	1	269.00	—	—	3.15	3.67	2.50	28.84
B12LCDASNW	0 26715 24296 2	1	279.00	—	—	3.54	4.38	2.31	35.83
B12LCDPRNC	0 26715 24308 2	1	268.00	—	—	3.53	4.38	2.29	35.34
B12LCDPRNW	0								

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
BD6	0 26715 05776 4	1	3.20	—	—	1.52	0.77	0.79	0.92
BK105	7 84891 03001 7	—	—	24	27.00	1.77	1.13	0.84	1.67
BK110NBWH	7 84891 03003 1	—	—	24	48.00	1.08	1.07	1.79	2.07
BK115LWH	7 84891 03005 5	—	—	24	48.00	1.12	1.06	1.76	2.08
BK120NBWH	7 84891 03004 8	—	—	24	48.00	1.08	1.07	1.79	2.07
BK125LWH	7 84891 03006 2	—	—	24	48.00	1.07	1.07	1.75	1.99
BK131LPB	7 84891 03009 3	—	—	24	48.00	1.77	1.08	1.12	2.12
BK131LRBZ	7 84891 03012 3	—	—	6	12.37	1.04	0.61	0.89	0.57
BK131LSN	7 84891 03011 6	—	—	6	12.37	1.05	0.63	0.92	0.60
BK131LWH	7 84891 03010 9	—	—	6	12.75	1.04	0.61	0.91	0.58
BK140LWH	7 84891 03013 0	—	—	24	45.00	1.56	0.88	1.33	1.82
BK140SLPB	7 84891 03015 4	—	—	24	45.60	1.56	0.88	1.32	1.80
BK142LWH	7 84891 03014 7	—	—	24	46.10	1.57	0.88	1.33	1.83
BK144LCL	7 84891 03002 4	—	—	24	48.00	1.09	1.07	1.83	2.13
BK147LWH	7 84891 03016 1	—	—	24	64.70	1.93	1.21	1.19	2.78
BP1	0 26715 02401 8	—	—	15	4.69	1.24	0.53	1.03	0.68
BP10	0 26715 03253 2	—	—	8	1.50	0.94	0.41	0.85	0.33
BP11	0 26715 03254 9	—	—	8	1.50	1.07	0.40	0.83	0.35
BP17	0 26715 04013 1	—	—	4	8.25	1.14	0.76	1.09	0.95
BP18	0 26715 04014 8	—	—	4	9.00	1.13	0.77	1.09	0.95
BP19	0 26715 04059 9	—	—	4	7.50	1.13	0.78	1.08	0.95
BP2	0 26715 02402 5	—	—	12	4.50	1.51	0.56	1.02	0.86
BP20	0 26715 04060 5	—	—	6	2.63	0.95	0.56	0.93	0.49
BP24	0 26715 04485 6	—	—	15	6.56	0.96	0.56	0.93	0.49
BP25	0 26715 04486 3	—	—	6	2.25	0.81	0.73	0.54	0.32
BP27	0 26715 04488 7	—	—	6	8.25	1.10	0.58	1.01	0.65
BP28	0 26715 04489 4	—	—	6	11.63	1.09	0.59	1.01	0.65
BP29	0 26715 04988 2	—	—	6	1.13	1.03	0.82	0.22	0.18
BP33	0 26715 05436 7	—	—	6	2.63	0.94	0.56	0.93	0.49
BP34	0 26715 05438 1	—	—	6	2.63	0.94	0.56	0.93	0.49
BP35	0 26715 05440 4	—	—	12	7.50	1.03	0.84	1.02	0.88
BP36	0 26715 05442 8	—	—	5	1.88	0.82	0.73	0.55	0.33
BP38	0 26715 05446 6	—	—	10	5.00	0.94	0.55	0.92	0.47
BP4	0 26715 03135 1	—	—	12	2.25	0.94	0.93	0.71	0.62
BP43	0 26715 04990 5	—	—	12	2.25	1.13	0.76	1.08	0.92
BP436	0 26715 23500 1	—	—	6	1.30	1.23	0.92	0.50	0.57
BP46	0 26715 07167 8	—	—	12	3.75	0.94	0.55	0.93	0.48
BP5	0 26715 03136 8	—	—	4	1.00	1.03	0.23	0.81	0.19
BP50	0 26715 07997 1	—	—	6	9.00	1.08	0.58	1.02	0.64
BP51	0 26715 07998 8	—	—	6	11.63	1.08	0.60	1.03	0.67
BP52	0 26715 07999 5	—	—	4	8.50	1.13	0.76	1.10	0.95
BP55	0 26715 08259 9	—	—	8	1.50	1.06	0.39	0.82	0.34
BP56	0 26715 08260 5	—	—	8	1.50	0.94	0.39	0.85	0.31
BP57	0 26715 10749 0	—	—	8	3.00	1.24	0.55	1.05	0.72
BP58	0 26715 10750 6	—	—	8	1.50	0.96	0.56	0.92	0.49
BP7	0 26715 03138 2	—	—	8	2.00	1.10	0.41	0.98	0.44
BP87	0 26715 04989 9	—	—	3	1.31	0.82	0.73	0.32	0.19
BP87Q	0 26715 20177 8	—	—	3	0.94	0.81	0.73	0.33	0.20
BP90	0 26715 16744 9	—	—	4	1.50	0.85	0.84	0.20	0.14
BP91	0 26715 19975 4	—	—	4	3.25	1.08	0.58	1.01	0.64
BPAPFA	0 26715 17857 5	—	—	3	1.88	1.04	1.04	0.23	0.25
BPP2FA30	0 26715 17728 8	1	1.50	—	—	1.46	1.19	0.10	0.18
BPP2FA36	0 26715 17730 1	1	1.80	—	—	1.44	1.24	0.10	0.18
BPP2FA42	0 26715 19280 9	1	1.90	—	—	1.25	1.46	0.15	0.27
BPP3FA30	0 26715 19281 6	1	1.65	—	—	1.44	1.21	0.10	0.18
BPP3FA36	0 26715 19282 3	1	1.90	—	—	1.43	1.27	0.11	0.20
BPP3FA42	0 26715 19283 0	1	2.10	—	—	1.46	1.22	0.13	0.24
BPPF30	0 26715 17725 7	—	—	6	3.00	1.40	1.04	0.43	0.62
BPPF36	0 26715 17726 4	—	—	3	2.04	1.42	1.30	0.23	0.43
BPPF42	0 26715 19420 9	1	1.00	—	—	1.46	1.20	0.11	0.19
BPPFA30	0 26715 17727 1	—	—	3	3.38	1.44	0.26	1.08	0.40
BPPFA36	0 26715 17729 5	—	—	3	3.94	1.44	0.26	1.28	0.48
BPPFA42	0 26715 19421 6	1	1.80	—	—	1.47	1.20	0.14	0.25
BPQDE30	0 26715 18227 5	—	—	3	3.75	1.26	1.25	0.34	0.54
BPQTAF	0 26715 13384 0	—	—	4	1.25	1.11	1.00	0.22	0.24
BPQTAF	0 26715 13383 3	—	—	4	1.50	1.12	1.00	0.22	0.24
BPRPFA	0 26715 17733 2	—	—	3	1.69	1.06	1.04	0.23	0.26
BPS1FA30	0 26715 13816 6	—	—	3	2.06	1.27	1.06	0.28	0.37
BPS1FA36	0 26715 13817 3	—	—	3	2.25	1.53	0.29	1.06	0.47
BPS2FA30	0 26715 13818 0	—	—	6	4.13	1.28	0.45	1.08	0.62
BPS2FA36	0 26715 13865 4	—	—	6	4.40	1.53	0.44	1.08	0.73

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
BPS3FA30	0 26715 13867 8	—	—	6	6.38	1.28	0.45	1.08	0.62
BPS3FA36	0 26715 13868 5	—	—	6	7.88	1.53	0.45	1.07	0.73
BPSF30	0 26715 13813 5	—	—	4	2.00	1.28	1.05	0.28	0.37
BPSF36	0 26715 13814 2	—	—	4	2.25	1.53	1.05	0.28	0.44
BPSF42	0 26715 13815 9	—	—	8	4.50	1.81	0.54	1.07	1.04
C350BN	0 26715 17883 4	1	1.85	—	—	0.77	0.29	0.63	0.14
C350GN	0 26715 17885 8	—	—	4	1.75	0.83	0.82	0.25	0.17
C370BN	0 26715 17884 1	1	2.35	—	—	0.77	0.29	0.63	0.14
C905	0 26715 02482 7	—	—	6	5.63	0.77	0.28	0.42	0.09
C907	0 26715 07128 9	—	—	6	12.00	0.77	0.34	0.46	0.12
C909	0 26715 07129 6	—	—	6	7.20	0.76	0.29	0.42	0.09
C915	7 84891 07130 0	—	—	6	6.00	0.72	0.38	0.50	0.13
CA130	7 84891 98190 6	1	1.20	12	14.40	1.98	0.27	0.27	0.14
CF328	7 84891 77410 2	1	0.10	20	2.00	0.08	0.19	0.36	0.01
CF329	7 84891 77411 9	1	0.20	20	4.00	0.39	0.34	0.10	0.01
CF361	7 84891 77412 6	1	0.20	20	4.00	0.46	0.23	0.15	0.02
CF361F	7 84891 77426 3	1	0.30	20	6.00	0.44	0.21	0.12	0.01
CF362	7 84891 77413 3	1	0.10	20	2.00	0.25	0.19	0.25	0.01
CF363	7 84891 77414 0	1	0.16	10	1.60	0.31	0.19	0.21	0.01
CF364	7 84891 77415 7	1	0.16	—	—	0.28	0.19	0.24	0.01
CF365	7 84891 77416 4	1	0.20	10	2.00	0.28	0.19	0.25	0.01
CF366	7 84891 77417 1	1	0.10	10	1.00	0.20	0.20	0.08	0.00
CF367	7 84891 77418 8	—	—	6	6.90	3.07	0.45	0.68	0.94
CF368	7 84891 77419 5	1	0.10	20	2.00	0.39	0.25	0.20	0.02
CF369	7 84891 77429 4	1	0.10	20	2.00	0.18	0.21	0.27	0.01
CF372	0 26715 23014 3	1	0.15	25	3.75	0.21	0.25	0.17	0.01
CF377	7 84891 77431 7	1	0.22	20	4.40	0.36	0.36	0.19	0.02
CF380	7 84891 77258 0	1	0.03	20	0.60	0.30	0.19	0.06	0.00
CF382	7 84891 77433 1	1	0.15	20	3.00	0.29	0.29	0.19	0.02
CF382S	7 84891 77434 8	1	0.11	10	1.10	0.24	0.24	0.19	0.01
CF382XS	7 84891 77436 2	1	0.10	10	1.00	0.23	0.20	0.19	0.01
CF383	7 84891 77422 5	1	0.22	20	4.40	0.39	0.37	0.19	0.03
CF384	7 84891 77438 6	1	0.23	10	2.30	0.46	0.32	0.19	0.03
CF385	7 84891 77440 9	1	0.09	20	1.80	0.24	0.19	0.23	0.01
CF386	7 84891 77442 3	1	0.08	10	0.80	0.22	0.19	0.21	0.01
CF387	7 84891 77444 7	1	0.19	10	1.90	0.38	0.35	0.19	0.02
CF388	7 84891 77446 1	1	0.05	—	—	0.18	0.18	0.13	0.00
CF389	7 84891 77448 5	1	0.01	10	0.10	0.18	0.18	0.08	0.00
CF3918	7 84891 77449 2	1	0.55	6	3.30	0.85	0.67	0.10	0.06
CFCS6BR	0 26715 19726 2	1	18.50	—	—	2.29	0.75	0.89	1.53
CFCS6WH	0 26715 19725 5	1	18.40	—	—	2.29	0.74	0.90	1.53
CFH52BS	0 26715 19622 7	1	14.80	—	—	1.63	1.00	0.62	1.01
CFH52RB	0 26715 19623 4	1	15.50	—	—	1.65	1.00	0.63	1.03
CFH52WH	0 26715 19620 3	1	15.20	—	—	1.64	0.61	1.00	1.00
CFOS2BO	0 26715 19625 8	1	17.50	—	—	1.73	0.93	0.97	1.54
CFOS2WB	0 26715 19626 5	1	17.40	—	—	1.73	0.93	0.98	1.57
CFOS2WH	0 26715 19624 1	1	17.70	—	—	1.72	0.93	0.97	1.53
CFSS2BS	0 26715 19618 0	1	17.50	—	—	1.76	0.83	0.89	1.29
CFSS2RB	0 26715 19619 7	1	17.50	—	—	1.76	0.82	0.86	1.23
CFSS2WH	0 26715 19616 6	1	17.70	—	—	1.77	0.82	0.87	1.25
CFSABR	0 26715 19942 6	1	2.00	20	40.00	0.49	0.52	0.33	0.08
CFSABS									

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
CI399ALM	0 26715 25123 0	1	0.25	32	8.00	0.44	0.30	0.16	0.02
CI399EB	0 26715 25122 3	1	0.05	200	10.00	0.18	0.10	0.07	0.00
CI399RK	0 26715 25121 6	1	0.25	25	6.25	0.57	0.40	0.13	0.03
CI399W	0 26715 25120 9	1	0.25	32	8.00	0.44	0.30	0.16	0.02
CK110	7 84891 98324 5	1	2.20	6	13.20	1.66	0.73	0.18	0.21
CK135	7 84891 98352 8	1	1.13	25	28.25	2.13	0.38	0.13	0.10
CS100	0 26715 23613 8	1	8.45	—	—	2.00	1.32	0.83	2.17
CS200	0 26715 23614 5	1	3.95	—	—	2.20	0.86	0.32	0.61
CS300	0 26715 23615 2	1	17.00	—	—	1.54	1.21	2.67	4.97
CS400	0 26715 23616 9	1	19.10	—	—	1.54	1.21	2.67	4.97
CS500	0 26715 23617 6	1	25.65	—	—	1.54	1.21	2.67	4.97
CS600	0 26715 23618 3	1	25.20	—	—	1.54	1.21	2.67	4.97
CT105	0 26715 23634 3	1	0.12	50	6.00	0.47	0.25	0.21	0.02
CT106G	7 84891 77031 9	1	0.19	50	9.50	0.69	0.38	0.18	0.05
CT109	0 26715 23632 9	1	0.15	50	7.50	0.47	0.25	0.19	0.02
CT110	0 26715 23633 6	1	0.17	50	8.50	1.14	0.47	0.13	0.07
CT132	7 84891 77033 3	1	0.95	25	23.75	1.52	0.50	0.11	0.08
CT140G	7 84891 98353 5	1	1.45	12	17.40	0.94	0.79	0.26	0.19
CT143B	7 84891 77034 0	1	0.40	30	12.00	0.83	0.22	0.17	0.03
CT150B	7 84891 98354 2	1	0.94	12	11.28	1.08	0.77	0.25	0.21
CT156B	7 84891 77971 8	1	1.10	12	13.20	1.22	0.30	0.54	0.20
CT157B	7 84891 77972 5	1	0.90	12	10.80	1.22	0.30	0.58	0.21
CT158	0 26715 23635 0	1	0.64	21	13.44	1.07	0.46	0.29	0.14
CT170	0 26715 19316 5	1	2.10	20	42.00	2.33	0.21	0.33	0.16
CT175	0 26715 19317 2	1	1.80	20	36.00	2.33	0.21	0.33	0.16
CT350B	7 84891 77976 3	1	2.00	12	24.00	1.04	0.33	0.92	0.32
CT700	0 26715 19315 8	1	7.00	6	42.00	0.35	1.17	1.42	0.58
CVG4	7 84891 99490 6	1	0.29	6	1.74	0.52	0.52	0.23	0.06
CVG6	7 84891 27070 3	1	0.50	6	3.00	0.63	0.63	0.25	0.10
CVL4	7 84891 99491 3	1	0.60	6	3.60	0.83	0.42	0.33	0.12
CVL5	7 84891 99493 7	1	0.80	6	4.80	0.83	0.42	0.42	0.14
CVL6	7 84891 99495 1	1	0.80	6	4.80	0.83	0.50	0.50	0.21
CVLD4	7 84891 27095 6	1	0.60	6	3.60	0.33	0.33	0.34	0.04
CVLD6	7 84891 27101 4	1	0.80	6	4.80	0.45	0.52	0.24	0.06
CWT45	0 26715 21036 7	1	0.10	—	—	0.42	0.31	0.21	0.03
D100	0 26715 02550 3	1	0.80	—	—	1.11	0.78	0.07	0.06
D101	0 26715 02424 7	1	0.90	—	—	1.17	0.81	0.06	0.06
DC4	0 26715 13506 6	—	—	6	1.65	0.95	0.45	0.81	0.35
DH100W	0 55321 80021 1	1	0.60	—	—	0.45	0.26	0.33	0.04
DR12OBQ	0 26715 19667 8	1	0.50	—	—	1.00	0.08	0.07	0.00
DR12OWB	0 26715 19671 5	1	0.60	—	—	1.00	0.08	0.07	0.01
DR12OWH	0 26715 19663 0	1	0.50	—	—	1.00	0.07	0.07	0.00
DR12RB	0 26715 19655 5	1	0.50	—	—	1.00	0.08	0.08	0.01
DR12WH	0 26715 19645 6	1	0.50	—	—	1.00	0.08	0.08	0.01
DR18OBQ	0 26715 19668 5	1	1.00	—	—	1.50	0.08	0.07	0.01
DR18OWB	0 26715 19672 2	1	0.90	—	—	1.50	0.08	0.07	0.01
DR18RB	0 26715 19656 2	1	0.90	—	—	1.50	0.08	0.08	0.01
DR18WH	0 26715 19646 3	1	1.00	—	—	1.50	0.08	0.08	0.01
DR1BA	7 84891 99384 8	1	0.80	6	4.80	0.52	0.15	0.15	0.01
DR1SA	7 84891 99385 5	1	0.80	6	4.80	0.52	0.15	0.15	0.01
DR24BR	0 26715 19660 9	1	1.40	—	—	2.00	0.08	0.08	0.01
DR24OBQ	0 26715 19669 2	1	1.00	—	—	2.02	0.08	0.08	0.01
DR24OWB	0 26715 19673 9	1	1.20	—	—	2.00	0.08	0.07	0.01
DR24RB	0 26715 19657 9	1	1.30	—	—	2.00	0.08	0.08	0.01
DR24WH	0 26715 19647 0	1	1.20	—	—	2.00	0.08	0.08	0.01
DR2SA	7 84891 12234 7	1	1.10	—	—	0.51	0.18	0.42	0.04
DR36BR	0 26715 19661 6	1	1.90	—	—	3.00	0.08	0.08	0.02
DR36BS	0 26715 19653 1	1	2.00	—	—	3.00	0.08	0.08	0.02
DR36OBQ	0 26715 19670 8	1	2.00	—	—	3.00	0.08	0.07	0.01
DR36OWB	0 26715 19674 6	1	1.90	—	—	3.00	0.08	0.08	0.02
DR36RB	0 26715 19658 6	1	1.90	—	—	3.00	0.08	0.08	0.02
DR36WH	0 26715 19648 7	1	2.00	—	—	3.03	0.08	0.08	0.02
DR48BR	0 26715 19662 3	1	2.70	—	—	4.02	0.08	0.08	0.03
DR48BS	0 26715 19654 8	1	2.60	—	—	4.00	0.08	0.08	0.02
DR48RB	0 26715 19659 3	1	2.60	—	—	4.00	0.08	0.08	0.02
DR48WH	0 26715 19649 4	1	2.70	—	—	4.02	0.08	0.08	0.03
DT4C	0 55321 16070 4	—	—	4	8.00	0.90	0.86	0.88	0.68
DT4W	0 55321 16067 4	1	6.15	—	—	2.25	0.71	0.71	1.13
DT6C	0 55321 16071 1	1	2.40	—	—	0.88	0.65	0.61	0.35
DT6W	0 55321 16068 1	1	8.10	—	—	2.46	0.84	0.81	1.67
E5490SS	0 26715 17438 6	1	87.00	—	—	3.38	2.75	1.88	17.40

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
E6030SS	0 26715 18624 2	1	70.00	—	—	3.51	2.00	2.79	19.59
E6036SS	0 26715 18625 9	1	74.00	—	—	3.51	2.00	2.79	19.59
E6042TSS	0 26715 18626 6	1	94.00	—	—	4.51	2.00	2.79	25.17
E6048TSS	0 26715 18627 3	1	96.00	—	—	4.53	2.00	2.79	25.26
E60E30SS	0 26715 18628 0	1	96.00	—	—	2.00	3.52	2.79	19.66
E60E36SS	0 26715 18629 7	1	67.00	—	—	3.51	2.00	2.79	19.59
E60E42SS	0 26715 18630 3	1	77.50	—	—	4.53	2.00	2.79	25.26
E60E48SS	0 26715 18631 0	1	82.00	—	—	4.53	2.00	2.79	25.26
E6430SS	0 26715 18632 7	1	43.60	—	—	3.32	1.13	2.23	8.33
E6436SS	0 26715 18633 4	1	46.90	—	—	3.30	1.13	2.18	8.17
E6442SS	0 26715 18634 1	1	53.40	—	—	4.32	1.15	2.25	11.17
E6448SS	0 26715 18635 8	1	55.50	—	—	4.33	1.15	2.23	11.13
E6448TSS	0 26715 18636 5	1	65.40	—	—	4.29	1.14	2.25	11.02
E64E30SS	0 26715 18637 2	1	35.60	—	—	3.31	1.13	2.25	8.37
E64E36SS	0 26715 18638 9	1	38.80	—	—	3.31	1.15	2.25	8.56
E64E42SS	0 26715 18639 6	1	44.90	—	—	4.29	1.15	2.25	11.10
E64E48SS	0 26715 18640 2	1	48.30	—	—	1.15	4.32	2.25	11.17
E66130BL	0 26715 16759 3	1	34.30	—	—	3.03	0.67	2.07	4.17
E66130SS	0 26715 16754 8	1	32.10	—	—	3.02	0.67	2.07	4.16
E66130WH	0 26715 16757 9	1	34.00	—	—	3.03	0.65	2.06	4.05
E66136BL	0 26715 16760 9	1	37.90	—	—	3.51	0.65	2.06	4.69
E66136SS	0 26715 16755 5	1	36.60	—	—	3.52	0.68	2.07	4.97
E66136WH	0 26715 16758 6	1	37.40	—	—	3.53	0.65	2.05	4.70
E66142SS	0 26715 16756 2	1	39.00	—	—	4.02	0.64	2.06	5.30
EH6	0 26715 05779 5	1	2.50	—	—	1.58	0.81	0.80	1.02
EI5936SS	0 26715 19491 9	1	88.00	—	—	3.27	2.44	1.80	14.36
EP300108	0 26715 06289 8	—	—	4	6.50	2.75	2.28	0.07	0.42
EP300223	0 26715 14094 7	—	—	4	6.00	2.75	2.29	0.07	0.42
EPD6136SS	0 26715 20406 9	1	91.00	—	—	3.50	2.00	2.79	19.54
EPD6148SS	0 26715 20407 6	1	110.00	—	—	4.52	2.00	2.79	25.24
EPD6160SS	0 26715 24005 0	1	145.00	—	—	2.00	6.50	2.83	36.83
ERV100S	0 26715 24255 9	1	41.00	—	—	2.36	1.04	2.08	5.12
ERV100SP	0 26715 24256 6	1	42.50	—	—	2.36	1.04	2.08	5.12
ERV110S	0 26715 24253 5	1	48.00	—	—	2.46	1.25	1.93	5.92
ERV110T	0 26715 24254 2	1	49.00	—	—	2.15	1.46	1.92	6.00
ERV120S	0 26715 24261 0	1	49.00	—	—	2.46	1.25	1.93	5.92
ERV120T	0 26715 24260 3	1	49.00	—	—	2.15	1.46	1.92	6.00
ERV140TE	0 26715 22803 4	1	57.00	—	—	2.23	1.48	2.27	7.49
ERV180S	0 26715 24265 8	1	67.00	—	—	3.38	1.74	1.67	9.80
ERV200TE	0 26715 24267 2	1	111.00	—	—	2.92	1.96	2.96	16.90
ERV250TE	0 26715 24269 6	1	97.00	—	—	2.90	1.93	3.03	16.86
ERV70S	0 26715 22801 0	1	37.00	—	—	1.94	1.52	1.60	4.73
ERV70T	0 26715 22800 3	1	36.00	—	—	1.79	1.52	1.54	4.20
ERVH100S	0 26715 24251 1	1	51.00	—	—	3.50	1.26	1.75	7.72
ERVS100S	0 26715 24257 3	1	40.85	—	—	2.34	1.03	2.10	5.05
EW5630SS	0 26715 19493 3	1	57.30	—	—	3.20	1.76	2.05	11.53
EW5636SS	0 26715 19492 6	1	60.00	—	—	3.19	1.76	2.07	11.60
EW5830SS	0 26715 19495 7	1	36.60	—	—	2.92	1.35	2.07	8.14
EW5836SS	0 26715 19494 0	1	40.00	—	—	3.40	1.37	2.10	9.76
EZ80N	0 26715 23143 0	1	9.60	—	—				

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
F404201	0 26715 14307 8	1	15.30	—	—	3.75	0.63	1.63	3.88
F404202	0 26715 14308 5	1	15.40	—	—	3.74	0.65	1.63	3.95
F404204	0 26715 14309 2	1	16.00	—	—	3.75	0.63	1.63	3.88
F404208	0 26715 14310 8	1	15.40	—	—	3.73	0.67	1.63	4.04
F404211	0 26715 14466 2	1	15.30	—	—	3.75	0.63	1.63	3.88
F404222	0 26715 14467 9	1	15.30	—	—	3.73	0.66	1.62	3.96
F404223	0 26715 17320 4	1	15.40	—	—	3.75	0.63	1.63	3.88
FILTERE56	0 26715 19513 8	1	0.90	—	—	0.59	0.16	0.78	0.07
FILTERE56FL	0 26715 22857 7	1	0.95	—	—	1.88	0.83	0.10	0.16
FILTEREB40	0 26715 15235 3	1	1.75	5	8.75	0.77	0.30	0.73	0.17
FILTERESQUARE	0 26715 15236 0	1	1.60	—	—	0.82	0.17	0.82	0.11
FX54SS	0 26715 17443 0	1	29.90	—	—	3.58	1.44	1.38	7.10
FXN54SS	0 26715 17442 3	1	32.15	—	—	3.58	1.44	1.42	7.30
FXNE56SS	0 26715 19515 2	1	18.60	—	—	3.89	1.09	1.08	4.60
FXNE58SS	0 26715 19516 9	1	12.90	—	—	3.00	0.85	1.01	2.57
FXNE59SS	0 26715 19514 5	1	38.10	—	—	3.09	1.09	1.08	3.66
FY6	7 84891 20698 6	1	1.90	—	—	1.16	0.56	1.11	0.72
FY86	7 84891 20697 9	1	2.70	—	—	1.08	1.03	1.23	1.35
G102	0 26715 02425 4	1	5.60	—	—	3.59	1.36	0.08	0.41
G103	0 26715 02426 1	1	8.00	—	—	4.29	1.54	0.08	0.55
G686N	0 26715 17886 5	—	—	4	2.00	0.84	0.82	0.28	0.19
GU10	0 26715 16883 5	—	—	10	1.25	0.68	0.62	0.20	0.08
GU1035	0 26715 19749 1	—	—	10	1.25	0.88	0.37	0.26	0.08
HCK44	0 26715 14603 1	—	—	10	5.00	1.98	0.65	0.83	1.07
HCK44D	0 26715 15148 6	—	—	50	17.50	1.24	0.78	0.81	0.79
HD50RDF	0 26715 14609 3	—	—	4	16.75	1.83	0.99	1.06	1.92
HD80L	0 26715 05285 1	1	6.70	—	—	0.78	0.98	1.06	0.80
HLB11	0 26715 16924 5	1	68.00	—	—	2.18	1.86	2.65	10.71
HLB3	0 26715 16921 4	1	24.90	—	—	1.34	1.33	2.08	3.73
HLB6	0 26715 16922 1	1	44.80	—	—	2.11	1.38	2.43	7.03
HLB9	0 26715 16923 8	1	67.10	—	—	2.17	1.86	2.64	10.64
HRV120S	0 26715 24259 7	1	43.00	—	—	2.46	1.25	1.93	5.92
HRV120T	0 26715 24258 0	1	43.00	—	—	2.15	1.46	1.92	6.00
HRV150S	0 26715 24262 7	1	63.00	—	—	3.04	1.73	1.70	8.94
HRV150TE	0 26715 22802 7	1	56.00	—	—	2.21	1.48	2.27	7.42
HRV160T	0 26715 24263 4	1	53.30	—	—	2.27	1.48	2.29	7.71
HRV160TE	0 26715 24264 1	1	54.40	—	—	2.27	1.48	2.29	7.71
HRV190S	0 26715 24266 5	1	64.00	—	—	3.08	1.75	1.67	8.99
HRV200TE	0 26715 24268 9	1	130.00	—	—	2.92	1.96	2.96	16.90
HRV250TE	0 26715 24270 2	1	95.00	—	—	2.88	1.94	3.01	16.76
HRV80S	0 26715 24248 1	1	36.20	—	—	1.94	1.53	1.63	4.80
HRV80T	0 26715 24247 4	1	36.30	—	—	1.82	1.52	1.58	4.37
HRV90S	0 26715 24250 4	1	36.20	—	—	1.94	1.53	1.63	4.80
HRV90T	0 26715 24249 8	1	36.30	—	—	1.82	1.52	1.58	4.37
HRVH100S	0 26715 24252 8	1	50.85	—	—	3.48	1.27	1.75	7.72
HRVH100SE	0 26715 22804 1	1	52.00	—	—	3.50	1.27	1.69	7.51
HVDCT	0 26715 23597 1	1	0.85	—	—	0.79	0.49	0.21	0.08
HVLFABL	0 26715 23591 9	1	5.85	—	—	2.04	0.65	1.20	1.58
HVLFABR	0 26715 23592 6	1	5.85	—	—	2.04	0.65	1.22	1.61
HVPFBL	0 26715 23598 8	1	0.15	—	—	0.23	0.23	0.21	0.01
HVPFBR	0 26715 23599 5	1	0.15	—	—	0.23	0.23	0.21	0.01
HVRC1	0 26715 23595 7	1	0.35	—	—	0.40	0.36	0.37	0.05
HVRC4	0 26715 23596 4	1	0.60	—	—	0.40	0.36	0.37	0.05
HVRFABL	0 26715 23593 3	1	2.55	—	—	1.25	0.37	0.92	0.42
HVRFABR	0 26715 23594 0	1	2.55	—	—	1.25	0.37	0.92	0.42
ICAB	0 26715 23862 0	1	0.73	12	8.76	1.23	0.86	0.12	0.12
ICAK	0 26715 23861 3	1	0.00	6	0.00	0.00	0.00	0.00	0.00
ICDFUW	0 26715 23859 0	1	15.10	—	—	1.20	3.88	0.08	0.39
ICDM	0 26715 23858 3	1	16.10	—	—	1.20	3.88	0.08	0.39
ICDRUW	0 26715 23860 6	1	10.95	—	—	1.20	3.88	0.08	0.39
ICUDWHX	0 26715 23863 7	1	60.00	—	—	1.57	4.63	0.88	6.37
ICUNUWX	0 26715 23864 4	1	46.00	—	—	1.57	4.61	0.80	5.78
ILF120	7 84891 20600 9	1	5.00	—	—	0.88	0.86	0.89	0.68
ILF130	7 84891 20610 8	1	4.80	—	—	0.88	0.86	0.88	0.66
ILF250	7 84891 20615 3	1	7.50	—	—	1.03	1.01	0.88	0.90
ILF360	7 84891 20625 2	1	9.00	—	—	1.15	1.14	1.23	1.61
ILF530	7 84891 20640 5	1	11.90	—	—	1.16	1.14	1.20	1.59
ILFK120	7 84891 20650 4	1	6.10	—	—	0.86	0.84	1.05	0.76
ILFK130	7 84891 20655 9	1	6.70	—	—	1.16	1.15	1.22	1.62
ILFK250	7 84891 20660 3	1	9.30	—	—	1.13	1.15	1.23	1.60
ILFK2502	7 84891 20665 8	1	12.10	—	—	1.67	1.16	1.17	2.25

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
ILRF	7 84891 20690 0	1	6.40	—	—	0.88	0.86	1.03	0.78
L100	0 26715 12449 7	1	18.90	—	—	1.36	1.25	1.33	2.26
L100L	0 26715 12459 6	1	19.10	—	—	1.36	1.24	1.33	2.23
L100MG	0 26715 12514 2	1	19.30	—	—	1.35	1.23	1.33	2.21
L150	0 26715 12450 3	1	19.30	—	—	1.37	1.23	1.33	2.23
L1500	0 26715 12458 9	1	59.60	—	—	2.16	1.84	1.90	7.55
L1500L	0 26715 12468 8	1	58.80	—	—	2.16	1.83	1.90	7.52
L150L	0 26715 12460 2	1	19.70	—	—	1.36	1.24	1.33	2.25
L150MG	0 26715 12515 9	1	19.70	—	—	1.35	1.24	1.33	2.23
L200	0 26715 12451 0	1	19.10	—	—	1.36	1.24	1.33	2.25
L2000L	0 26715 12469 5	1	87.50	—	—	3.25	1.42	1.54	7.10
L200L	0 26715 12461 9	1	19.50	—	—	1.36	1.25	1.32	2.24
L200MG	0 26715 12516 6	1	19.50	—	—	1.35	1.23	1.33	2.22
L250	0 26715 12452 7	1	21.00	—	—	1.38	1.23	1.33	2.26
L250L	0 26715 12462 6	1	21.40	—	—	1.34	1.24	1.33	2.22
L250MG	0 26715 12517 3	1	21.50	—	—	1.34	1.24	1.33	2.22
L300	0 26715 12453 4	1	21.00	—	—	1.38	1.23	1.33	2.25
L300KMG	0 26715 12519 7	1	22.40	—	—	1.34	1.23	1.34	2.22
L300L	0 26715 12463 3	1	21.40	—	—	1.35	1.24	1.33	2.23
L300MG	0 26715 12518 0	1	20.80	—	—	1.35	1.23	1.33	2.21
L3500EXL	0 26715 12470 1	1	142.00	—	—	3.92	1.60	1.73	10.86
L400	0 26715 12454 1	1	32.50	—	—	2.13	1.38	1.28	3.75
L400K	0 26715 12520 3	1	34.70	—	—	2.14	1.38	1.28	3.78
L400KL	0 26715 12512 8	1	34.80	—	—	2.12	1.38	1.28	3.71
L400L	0 26715 12464 0	1	32.10	—	—	2.13	1.38	1.28	3.73
L500	0 26715 12455 8	1	32.90	—	—	2.12	1.38	1.27	3.71
L500K	0 26715 12521 0	1	35.40	—	—	2.11	1.39	1.28	3.74
L500KL	0 26715 12513 5	1	36.00	—	—	2.12	1.37	1.27	3.66
L500L	0 26715 12465 7	1	33.10	—	—	2.12	1.38	1.25	3.64
L700	0 26715 12456 5	1	32.90	—	—	2.12	1.38	1.27	3.69
L700L	0 26715 12466 4	1	32.90	—	—	2.13	1.39	1.26	3.74
L900	0 26715 12457 2	1	58.70	—	—	2.16	1.83	1.89	7.49
L900L	0 26715 12467 1	1	57.50	—	—	2.16	1.84	1.89	7.52
LA100WH	7 84891 95195 4	—	—	3	4.13	0.64	0.55	0.71	0.25
LA107WH	7 84891 99129 5	1	1.90	3	5.70	0.24	0.63	0.79	0.12
LA11BG	7 84891 95188 6	—	—	6	7.88	1.25	0.76	0.53	0.50
LA11WH	7 84891 95187 9	—	—	6	7.88	1.25	0.73	0.53	0.49
LA126WH	7 84891 98008 4	1	1.40	6	8.40	0.68	0.21	0.53	0.07
LA130WH	7 84891 99134 9	1	1.60	6	9.60	0.21	0.65	0.49	0.07
LA139WH	7 84891 99983 3	1	1.40	6	8.40	0.87	0.33	0.58	0.16
LA140WH	7 84891 99984 0	1	1.40	6	8.40	0.82	0.27	0.60	0.13
LA14WH	7 84891 95189 3	—	—	6	10.50	1.20	0.53	0.71	0.45
LA164WH	7 84891 02648 5	1	3.20	—	—	0.69	0.69	0.17	0.08
LA165SA	7 84891 02649 2	1	3.30	—	—	0.70	0.68	0.35	0.17
LA174WH	7 84891 02650 8	1	3.80	—	—	0.71	0.36	1.08	0.27
LA18WH	7 84891 95190 9	—	—	6	10.50	1.34	0.71	0.73	0.70
LA202WH	7 84891 95196 1	—	—	3	4.69	0.78	0.65	0.82	0.41
LA223WH	0 26715 23566 7	1	0.45	3	1.35	0.35	0.19	0.39	0.03
LA224RWH	0 26715 23570 4	1	0.45	3	1.35	0.28	0.22	0.40	0.02
LA224WH	0 26715 23568 1	1	0.55	3	1.65	0.33	0.22	0.40	0.03
LA225WH	0 26715 23564 3	1	0.35	3	1.05	0.35	0.11		

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
LK30AWH	0 26715 19631 9	1	6.50	—	—	1.03	1.01	0.92	0.95
LK50DBQ	0 26715 19644 9	1	4.00	—	—	1.02	1.01	0.75	0.77
LK50DWB	0 26715 19643 2	1	3.70	—	—	1.02	1.02	0.75	0.78
LK50DWH	0 26715 19642 5	1	3.90	—	—	1.01	1.02	0.75	0.77
LP80	0 26715 20347 5	1	9.20	—	—	1.39	1.15	0.50	0.80
LP80F	0 26715 23408 0	—	—	4	24.35	2.29	1.27	1.10	3.21
LP80H	0 26715 23410 3	—	—	4	16.60	1.19	1.19	1.53	2.16
LPN80	0 26715 20348 2	1	9.10	—	—	1.39	1.15	0.50	0.80
LPN80F	0 26715 23409 7	—	—	4	24.35	2.29	1.27	1.10	3.21
LT30	0 26715 17297 9	1	6.70	—	—	2.63	0.43	1.46	1.66
LT36	0 26715 17296 6	1	8.20	—	—	3.13	0.43	1.46	1.97
MCB2	0 26715 13906 4	1	1.10	—	—	1.28	0.21	0.15	0.04
MVC309NWHGL	7 84891 99194 3	—	—	6	5.63	0.88	0.63	0.76	0.42
MD10S	0 26715 21104 3	1	5.30	—	—	0.92	0.90	1.29	1.06
MD10T	0 26715 21103 6	1	6.65	—	—	0.92	0.90	1.31	1.08
MD10TU	0 26715 21102 9	1	6.95	—	—	0.92	0.90	1.29	1.06
MD6S	0 26715 20418 2	1	3.20	—	—	0.87	0.57	0.81	0.40
MD6T	0 26715 19203 8	1	4.30	—	—	0.86	0.55	0.81	0.38
MD6TU	0 26715 20378 9	1	4.70	—	—	0.87	0.54	0.81	0.38
MD8S	0 26715 20419 9	1	4.10	—	—	0.85	0.73	0.96	0.60
MD8T	0 26715 19204 5	1	5.30	—	—	0.86	0.73	0.97	0.60
MD8TU	0 26715 20379 6	1	5.60	—	—	0.86	0.73	0.98	0.61
MG1	0 26715 13196 9	1	2.30	—	—	1.19	1.18	0.08	0.12
MHB4	0 26715 23540 7	1	0.80	—	—	1.18	0.24	0.10	0.03
MMDC4	0 26715 23538 4	1	0.75	—	—	0.44	0.43	0.53	0.10
MMG	0 26715 23542 1	1	1.40	—	—	1.10	0.18	1.20	0.23
MP100	0 26715 05724 5	1	15.20	—	—	1.20	1.18	1.06	1.49
MP140	0 26715 05725 2	1	15.60	—	—	1.21	1.20	1.08	1.56
MP200	0 26715 05723 8	1	15.70	—	—	1.20	1.17	1.06	1.48
MP280	0 26715 05726 9	1	31.70	—	—	1.58	1.53	1.40	3.38
MOF4	0 26715 23539 1	1	0.70	—	—	0.78	0.53	0.54	0.22
NA200TA	0 26715 18479 8	1	3.70	6	22.20	0.43	0.59	0.33	0.09
NA3003C	0 26715 18457 6	1	0.20	—	—	0.40	0.34	0.10	0.01
NA3008C	0 26715 18458 3	1	0.20	—	—	0.40	0.33	0.10	0.01
NA300MCWH	0 26715 18484 2	1	0.20	30	6.00	0.17	0.41	0.50	0.03
NA300TA	0 26715 18480 4	1	4.80	6	28.80	0.36	0.65	0.33	0.08
NDB300AB	0 26715 18455 2	1	0.90	30	27.00	0.40	0.23	0.67	0.06
NDB300BB	0 26715 18454 5	1	1.00	30	30.00	0.22	0.40	0.58	0.05
NDB300N	0 26715 18456 9	1	0.90	—	—	0.40	0.22	0.67	0.06
NDB300WH	0 26715 18453 8	1	0.60	30	18.00	0.58	0.23	0.42	0.05
NDK35830SL	0 26715 17592 5	1	7.30	—	—	2.83	0.40	1.20	1.36
NDK35830SS	0 26715 17590 1	1	6.80	—	—	2.83	0.39	1.20	1.33
NDK35830WWW	0 26715 17591 8	1	7.30	—	—	2.83	0.40	1.20	1.36
NDK35836BL	0 26715 17595 6	1	8.30	—	—	3.33	1.21	0.39	1.58
NDK35836SS	0 26715 17593 2	1	8.00	—	—	3.35	0.41	1.21	1.65
NDK35836WWW	0 26715 17594 9	1	9.10	—	—	3.33	1.21	0.40	1.61
NES300DBL	0 26715 18467 5	1	0.30	70	21.00	0.35	0.17	0.58	0.03
NES300DWH	0 26715 18466 8	1	0.30	70	21.00	0.56	0.35	0.16	0.03
NF100CWH	0 26715 18471 2	1	2.10	8	16.80	0.18	1.53	1.33	0.37
NF100MWH	0 26715 18481 1	1	1.10	12	13.20	1.48	0.13	1.00	0.18
NF200MWH	0 26715 18468 2	1	0.08	25	2.00	1.36	0.52	0.01	0.00
NF300DWH	0 26715 18478 1	1	0.30	24	7.20	0.64	0.12	0.46	0.03
NF300PWH	0 26715 18477 4	1	0.90	24	21.60	0.70	0.13	0.94	0.08
NF300RWH	0 26715 18476 7	1	0.90	24	21.60	0.70	0.13	0.94	0.08
NM100WH	0 26715 18472 9	1	4.70	4	18.80	0.87	1.61	0.75	1.05
NM200AL	0 26715 18448 4	1	4.70	4	18.80	0.88	1.62	0.75	1.06
NM200K	0 26715 18444 6	1	12.10	—	—	1.73	0.91	1.55	2.44
NM200WH	0 26715 18446 0	1	4.70	4	18.80	0.87	1.62	0.75	1.05
NPS103WH	0 26715 18474 3	1	1.00	18	18.00	0.51	0.28	0.58	0.08
NPS104WH	0 26715 18501 6	1	1.00	18	18.00	0.52	0.28	0.50	0.07
NPS200WH	0 26715 18451 4	1	1.00	18	18.00	0.51	0.28	0.50	0.07
NR380WH	0 26715 18462 8	1	2.40	5	12.00	0.32	1.00	1.00	0.32
NRKF200P	0 26715 18464 4	1	0.90	24	21.60	0.43	0.27	0.50	0.06
NRKR200R	0 26715 18463 7	1	0.90	15	13.50	0.56	0.53	0.25	0.07
NRKR300D	0 26715 18502 3	1	0.70	5	3.50	0.24	0.35	0.58	0.05
NRKRWH300	0 26715 18460 6	1	14.30	2	28.60	1.48	1.23	0.50	0.91
NRKS200PWH	0 26715 18465 1	1	1.00	6	6.00	0.57	0.74	0.42	0.18
NRKS300R	0 26715 18821 5	1	1.60	5	8.00	0.32	0.99	1.00	0.31
NRS103WH	0 26715 18473 6	1	0.90	18	16.20	0.51	0.26	0.58	0.08
NRS104WH	0 26715 18475 0	1	0.90	18	16.20	0.51	0.28	0.50	0.07
NRS200AL	0 26715 18452 1	1	0.90	18	16.20	0.26	0.51	0.50	0.07

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
NRS200WH	0 26715 18450 7	1	0.90	18	16.20	0.26	0.51	0.58	0.08
NW4S	0 26715 18694 5	1	2.23	10	22.30	0.63	0.63	0.18	0.07
NWH300	0 26715 18459 0	1	12.25	2	24.50	1.48	1.22	0.43	0.77
P5	0 26715 12434 3	1	17.60	—	—	2.33	1.33	0.50	1.56
P57W	0 26715 03860 2	—	—	4	1.25	0.67	0.50	0.35	0.12
P59V	0 26715 03821 3	—	—	4	2.50	1.09	0.38	0.69	0.28
P59W	0 26715 03865 7	—	—	4	2.50	1.09	0.38	0.69	0.29
P66V	0 26715 03837 4	—	—	4	1.50	0.67	0.35	0.63	0.15
P66W	0 26715 03878 7	—	—	4	1.50	0.67	0.35	0.63	0.15
P685WL	0 26715 08274 2	—	—	4	2.25	0.86	0.51	0.68	0.30
P68W	0 26715 03886 2	—	—	4	1.50	0.67	0.35	0.63	0.15
P8	0 26715 12435 0	1	25.90	—	—	2.33	1.33	0.42	1.30
PAR20	0 26715 13225 6	—	—	6	1.86	0.77	0.64	0.51	0.25
PB10LGL	7 84891 99052 6	—	—	12	0.75	0.34	0.34	0.43	0.05
PB15LBR	0 26715 17990 9	—	—	3	0.38	0.34	0.33	0.41	0.05
PB15LPB	0 26715 17980 0	—	—	3	0.38	0.33	0.36	0.39	0.05
PB15LSN	0 26715 17976 3	—	—	3	0.38	0.33	0.33	0.43	0.05
PB18LWHCL	7 84891 99362 6	—	—	12	0.30	0.34	0.34	0.44	0.05
PB18WHCL	7 84891 05177 7	—	—	12	0.30	0.36	0.33	0.42	0.05
PB19LGL	7 84891 99280 3	—	—	12	1.50	0.35	0.33	0.42	0.05
PB27LBR	0 26715 17991 6	—	—	3	0.56	0.34	0.34	0.42	0.05
PB27LSN	7 84891 05244 6	—	—	6	0.75	0.33	0.35	0.43	0.05
PB29LR	7 84891 05252 1	—	—	6	0.38	0.33	0.34	0.42	0.05
PB29LSN	7 84891 05254 5	—	—	6	0.38	0.43	0.31	0.59	0.08
PB41APB41LA	7 84891 99435 7	—	—	24	1.08	0.73	0.73	0.54	0.29
PB41BGL	7 84891 99434 0	—	—	24	2.06	0.95	0.70	0.82	0.54
PB41LBGL	7 84891 99897 3	—	—	24	2.06	0.94	0.71	0.78	0.52
PB41LBR	7 84891 05350 4	—	—	24	1.50	0.93	0.71	0.78	0.51
PB41LSN	7 84891 05351 1	—	—	24	1.50	0.97	0.77	0.78	0.58
PB4LBL	0 26715 17997 8	—	—	3	0.56	0.33	0.33	0.43	0.05
PB4LBR	0 26715 17989 3	—	—	3	0.56	0.35	0.34	0.43	0.05
PB4LSN	0 26715 17975 6	—	—	3	0.56	0.33	0.37	0.43	0.05
PB53LWH	0 26715 17995 4	—	—	3	0.75	0.34	0.34	0.43	0.05
PB59LPB	0 26715 17986 2	—	—	3	0.38	0.34	0.34	0.43	0.05
PB61LPB	0 26715 17985 5	—	—	3	0.75	0.34	0.34	0.42	0.05
PB64LAB	0 26715 17992 3	—	—	3	0.56	0.34	0.34	0.40	0.05
PB67AB	0 26715 17993 0	—	—	3	0.19	0.34	0.33	0.43	0.05
PB69LBL	0 26715 17998 5	—	—	6	0.38	0.33	0.35	0.43	0.05
PB69LPB	0 26715 17978 7	—	—	6	0.38	0.33	0.36	0.43	0.05
PB69LPC	0 26715 18000 4	—	—	6	0.38	0.34	0.33	0.43	0.05
PB69LSN	0 26715 17977 0	—	—	6	0.38	0.35	0.33	0.43	0.05
PB69LWH	0 26715 17994 7	—	—	6	0.38	0.31	0.34	0.42	0.04
PB78LWHCL	0 26715 21135 7	1	0.06	6	0.38	0.23	0.04	0.36	0.00
PB7LBL	7 84891 06001 4	—	—	12	0.60	0.34	0.34	0.44	0.05
PB7LPB	7 84891 06002 1	—	—	12	0.60	0.34	0.34	0.44	0.05
PB7LSN	7 84891 06003 8	—	—	12	0.60	0.34	0.34	0.44	0.05
PB7LWH	7 84891 06004 5	—	—	12	0.60	0.34	0.34	0.44	0.05
PB7WH	7 84891 06005 2	—	—	12	0.60	0.34	0.34	0.44	0.05
PB82WH	0 26715 23569 8	—	—	6	0.45	0.34	0.34	0.43	0.05
PB85BR	0 26715 23573 5	—	—	6	1.20	0.34	0.34	0.43	0.

QP142SS – RFX6504

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
QP142SS	0 26715 17696 0	1	33.80	—	—	3.90	0.85	2.02	6.72
QP142WW	0 26715 17697 7	1	35.30	—	—	3.88	0.87	1.98	6.67
QP230BC	0 26715 19277 9	1	30.30	—	—	2.91	0.88	1.98	5.10
QP230BL	0 26715 17698 4	1	30.70	—	—	2.91	0.88	1.97	5.05
QP230SS	0 26715 17699 1	1	29.40	—	—	2.90	0.88	1.97	4.99
QP230WW	0 26715 17700 4	1	30.40	—	—	2.92	0.88	1.98	5.09
QP236BC	0 26715 19278 6	1	32.50	—	—	3.29	0.87	1.98	5.63
QP236BL	0 26715 17704 2	1	33.70	—	—	3.41	0.88	1.98	5.91
QP236SS	0 26715 17705 9	1	32.30	—	—	3.39	0.88	1.97	5.84
QP236WW	0 26715 17706 6	1	33.70	—	—	3.40	0.88	1.98	5.96
QP242BC	0 26715 19279 3	1	37.00	—	—	3.79	0.86	1.96	6.37
QP242BL	0 26715 17707 3	1	36.70	—	—	3.88	0.88	1.98	6.71
QP242SS	0 26715 17708 0	1	35.30	—	—	3.88	0.88	1.98	6.70
QP242WW	0 26715 17709 7	1	36.80	—	—	3.87	0.88	1.97	6.65
QP330BL	0 26715 17710 3	1	33.80	—	—	2.92	0.87	1.97	4.97
QP330SS	0 26715 17711 0	1	32.90	—	—	2.90	0.88	1.98	5.01
QP330WW	0 26715 17712 7	1	33.70	—	—	2.89	0.87	1.96	4.91
QP336BL	0 26715 17716 5	1	37.10	—	—	3.41	0.86	1.97	5.75
QP336SS	0 26715 17717 2	1	35.80	—	—	3.40	0.88	1.96	5.88
QP336WW	0 26715 17718 9	1	37.00	—	—	3.41	0.89	1.97	5.98
QP342BL	0 26715 17719 6	1	38.50	—	—	3.79	0.88	1.96	6.50
QP342SS	0 26715 17720 2	1	37.90	—	—	3.88	0.88	1.96	6.65
QP342WW	0 26715 17721 9	1	39.10	—	—	3.78	0.87	1.97	6.45
QP430SS	0 26715 19900 6	1	32.40	—	—	2.89	0.88	1.96	4.95
QP436SS	0 26715 19901 3	1	35.80	—	—	3.38	0.92	1.95	6.05
QP442SS	0 26715 19902 0	1	38.80	—	—	3.90	0.85	2.02	6.72
QS130AA	0 26715 13556 1	1	23.20	—	—	2.79	0.83	1.98	4.59
QS130BC	0 26715 13555 4	1	22.80	—	—	2.80	0.84	1.98	4.67
QS130BL	0 26715 13557 8	1	23.30	—	—	2.79	0.83	1.98	4.57
QS130SS	0 26715 13558 5	1	21.50	—	—	2.79	0.82	1.98	4.50
QS130WW	0 26715 13554 7	1	22.60	—	—	2.79	0.83	1.98	4.55
QS136AA	0 26715 13561 5	1	25.40	—	—	3.28	0.83	1.98	5.43
QS136BC	0 26715 13560 8	1	24.80	—	—	3.29	0.84	1.98	5.49
QS136BL	0 26715 13562 2	1	24.80	—	—	3.30	0.83	1.98	5.43
QS136SS	0 26715 13563 9	1	23.90	—	—	3.31	0.82	1.99	5.38
QS136WW	0 26715 13559 2	1	25.20	—	—	3.29	0.83	1.98	5.36
QS142AA	0 26715 13566 0	1	27.90	—	—	3.80	0.82	1.98	6.13
QS142BC	0 26715 13565 3	1	27.50	—	—	3.80	0.82	1.97	6.10
QS142BL	0 26715 13567 7	1	27.30	—	—	3.77	0.83	1.98	6.23
QS142SS	0 26715 13568 4	1	25.70	—	—	3.79	0.83	1.98	6.20
QS142WW	0 26715 13564 6	1	27.40	—	—	3.79	0.83	1.98	6.24
QS230AA	0 26715 13571 4	1	30.10	—	—	2.83	0.83	1.98	4.64
QS230BC	0 26715 13570 7	1	29.70	—	—	2.79	0.84	1.97	4.62
QS230BL	0 26715 13573 8	1	31.10	—	—	2.80	0.85	1.98	4.72
QS230SS	0 26715 13572 1	1	29.20	—	—	2.80	0.83	1.97	4.54
QS230WW	0 26715 13569 1	1	29.90	—	—	2.79	0.81	1.97	4.44
QS236AA	0 26715 13576 9	1	33.00	—	—	3.30	0.83	1.98	5.45
QS236BC	0 26715 13575 2	1	32.90	—	—	3.29	0.83	1.98	5.36
QS236BL	0 26715 13577 6	1	32.90	—	—	3.28	0.83	1.98	5.43
QS236SS	0 26715 13578 3	1	31.70	—	—	3.29	0.82	1.98	5.31
QS236WW	0 26715 13574 5	1	32.70	—	—	3.29	0.83	1.98	5.44
QS242AA	0 26715 13581 3	1	36.20	—	—	3.79	0.82	1.97	6.09
QS242BC	0 26715 13580 6	1	36.10	—	—	3.78	0.83	1.98	6.25
QS242BL	0 26715 13582 0	1	36.20	—	—	3.80	0.83	1.97	6.17
QS242SS	0 26715 13583 7	1	34.30	—	—	3.79	0.83	1.98	6.24
QS242WW	0 26715 13579 0	1	36.40	—	—	3.78	0.82	1.98	6.11
QS330AA	0 26715 13586 8	1	31.80	—	—	2.79	0.81	1.96	4.42
QS330BC	0 26715 13585 1	1	30.40	—	—	2.79	0.83	1.98	4.55
QS330BL	0 26715 13587 5	1	30.40	—	—	2.78	0.83	1.97	4.52
QS330SS	0 26715 13588 2	1	29.90	—	—	2.79	0.83	1.98	4.61
QS330WW	0 26715 13584 4	1	31.00	—	—	2.78	0.83	1.97	4.52
QS336AA	0 26715 13591 2	1	34.30	—	—	3.28	0.82	1.98	5.30
QS336BC	0 26715 13590 5	1	34.60	—	—	3.29	0.83	1.97	5.34
QS336BL	0 26715 13592 9	1	34.00	—	—	3.29	0.83	1.98	5.39
QS336SS	0 26715 13593 6	1	32.70	—	—	3.29	0.83	1.98	5.39
QS336WW	0 26715 13589 9	1	33.50	—	—	3.30	0.82	1.97	5.30
QS342AA	0 26715 13596 7	1	37.20	—	—	3.79	0.83	1.98	6.24
QS342BC	0 26715 13595 0	1	37.50	—	—	3.80	0.83	1.98	6.25
QS342BL	0 26715 13597 4	1	37.40	—	—	3.78	0.83	1.98	6.23
QS342SS	0 26715 13598 1	1	35.50	—	—	3.80	0.82	1.96	6.08
QS342WW	0 26715 13594 3	1	37.70	—	—	3.79	0.83	1.98	6.18

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
OSE130BL	0 26715 19723 1	1	24.10	—	—	2.80	0.83	1.98	4.56
OSE130SS	0 26715 19722 4	1	22.30	—	—	2.82	0.83	1.98	4.59
OSE130WW	0 26715 19724 8	1	24.00	—	—	2.80	0.82	1.96	4.48
QT230AA	0 26715 13372 7	1	17.60	—	—	2.75	0.66	1.63	2.96
QT230BC	0 26715 14218 7	1	17.50	—	—	2.76	0.66	1.63	2.95
QT230BL	0 26715 13373 4	1	17.40	—	—	2.76	0.65	1.62	2.90
QT230SS	0 26715 13374 1	1	17.50	—	—	2.75	0.67	1.63	2.98
QT230WW	0 26715 13371 0	1	17.50	—	—	2.75	0.66	1.63	2.94
QT236AA	0 26715 13376 5	1	18.40	—	—	3.24	0.67	1.63	3.53
QT236BC	0 26715 14232 3	1	18.70	—	—	3.25	0.66	1.63	3.48
QT236BL	0 26715 13377 2	1	17.80	—	—	3.25	0.67	1.63	3.52
QT236SS	0 26715 13378 9	1	18.20	—	—	3.25	0.66	1.63	3.48
QT236WW	0 26715 13375 8	1	18.10	—	—	3.26	0.65	1.59	3.37
QT242AA	0 26715 13380 2	1	20.30	—	—	3.75	0.66	1.63	4.03
QT242BC	0 26715 14233 0	1	20.20	—	—	3.75	0.67	1.63	4.06
QT242BL	0 26715 13381 9	1	20.30	—	—	3.75	0.66	1.63	4.01
QT242SS	0 26715 13382 6	1	21.20	—	—	3.76	0.64	1.63	3.94
QT242WW	0 26715 13379 6	1	20.50	—	—	3.73	0.66	1.63	4.01
QT9093WH	7 84891 32212 9	1	23.50	—	—	1.96	1.61	1.00	3.15
QTHB1	0 26715 17278 8	1	1.50	—	—	1.38	3.88	0.29	0.15
QTNLEDA	0 26715 19949 5	1	13.60	—	—	1.30	1.23	1.31	2.08
QTNLEDB	0 26715 19950 1	1	13.80	—	—	1.32	1.23	1.29	2.08
QTX110HFLT	0 26715 18797 3	1	22.80	—	—	1.76	1.37	1.32	3.16
QTX110HL	0 26715 16389 2	1	22.60	—	—	1.76	1.36	1.33	3.18
QTXE080	0 26715 16375 5	1	11.60	—	—	1.33	0.95	1.29	1.63
QTXE080FLT	0 26715 17177 4	1	13.05	—	—	1.34	1.23	1.29	2.12
QTXE110	0 26715 16377 9	1	10.70	—	—	1.33	0.96	1.28	1.64
QTXE110FLT	0 26715 17178 1	1	12.00	—	—	1.34	1.21	1.28	2.08
QTXE110S	0 26715 16415 8	1	12.15	—	—	1.32	1.00	1.28	1.69
QTXE150	0 26715 16379 3	1	11.70	—	—	1.33	0.96	1.29	1.65
QTXE150FLT	0 26715 17179 8	1	13.10	—	—	1.33	1.22	1.30	2.10
QTXEN080	7 84891 21825 5	1	11.60	—	—	1.31	0.96	1.30	1.63
QTXEN080FLT	7 84891 21530 8	1	12.90	—	—	1.31	1.23	1.29	2.07
QTXEN110	7 84891 21827 9	1	10.70	—	—	1.32	0.96	1.29	1.63
QTXEN110FLT	7 84891 21531 5	1	12.00	—	—	1.31	1.23	1.29	2.08
QTXEN150	7 84891 21829 3	1	11.60	—	—	1.32	0.96	1.29	1.63
QTXEN150FLT	7 84891 21532 2	1	13.00	—	—	1.32	1.23	1.28	2.08
QTXN110HFLT	0 26715 18798 0	1	22.70	—	—	1.75	1.36	1.33	3.15
QTXN110HL	7 84891 21848 4	1	22.60	—	—	1.75	1.37	1.34	3.21
RB110	0 26715 23005 1	1	13.50	—	—	1.17	1.25	0.96	1.40
RB110L	0 26715 23007 5	1	14.60	—	—	1.24	1.15	1.21	1.73
RB80	0 26715 23004 4	1	14.50	—	—	1.17	1.25	0.96	1.40
RB80L	0 26715 23006 8	1	14.60	—	—	1.24	1.15	1.21	1.73
RBFP33	0 26715 15797 6	1	6.90	—	—	1.29	0.70	1.15	1.04
RBFP45	0 26715 15798 3	1	9.60	—	—	1.28	0.71	1.15	1.05
RCK01	0 26715 19675 3	1	0.60	—	—	0.48	0.27	0.27	0.03
RD1	0 26715 12474 9	1	4.10	—	—	1.09	0.37	1.08	0.43
RD2	0 26715 12475 6	1	4.80	—	—	1.87	0.37	1.10	0.75
RD3	0 26715 12476 3	1	6.40	—	—	1.90	1.58	0.37	1.10
RDF1	0 26715 20166 2	1	4.90	—	—	1.12	1.03	0.42	0.48

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
RFXN5004	0 26715 17205 4	1	7.30	—	—	3.26	0.86	0.80	2.24
RFXN5204	0 26715 17206 1	1	10.20	—	—	3.29	1.12	1.18	4.32
RFXN5304	0 26715 16523 0	1	15.10	—	—	3.56	1.47	1.38	7.18
RG4	7 84891 00517 6	1	0.30	12	3.60	0.88	0.73	0.05	0.03
RK54	0 26715 17440 9	1	4.50	—	—	1.46	0.90	0.89	1.17
RKE56	0 26715 19518 3	1	7.10	—	—	2.12	0.57	1.42	1.70
RKE58	0 26715 19519 0	1	7.00	—	—	2.12	0.60	1.14	1.45
RKE59	0 26715 19517 6	1	6.60	—	—	2.12	0.63	1.34	1.77
RM503001	0 26715 15813 3	1	36.70	—	—	2.82	1.51	2.03	8.64
RM503004	0 26715 14948 3	1	35.70	—	—	2.79	1.54	2.03	8.72
RM503023	0 26715 15814 0	1	36.70	—	—	2.82	1.51	2.03	8.64
RM503601	0 26715 15815 7	1	40.80	—	—	3.17	1.50	2.04	9.70
RM503604	0 26715 14949 0	1	38.10	—	—	3.18	1.50	2.01	9.56
RM503623	0 26715 15816 4	1	38.20	—	—	3.17	1.51	2.04	9.75
RM519004	0 26715 15089 2	1	37.45	—	—	3.18	1.58	2.03	10.15
RM523004	0 26715 15092 2	1	41.50	—	—	2.82	1.58	2.03	8.98
RM523604	0 26715 15093 9	1	42.80	—	—	3.17	1.53	2.04	9.86
RM524204	0 26715 15094 6	1	45.60	—	—	3.73	1.56	2.03	11.80
RM533004	0 26715 16519 3	1	46.10	—	—	2.81	1.54	2.03	8.80
RM533604	0 26715 16520 9	1	48.00	—	—	3.19	1.56	2.05	10.20
RM534204	0 26715 16521 6	1	52.00	—	—	3.75	1.54	2.04	11.80
RM659004	0 26715 15087 8	1	56.80	—	—	3.39	1.72	2.27	13.20
RMDD3004	0 26715 15175 2	1	66.20	—	—	2.83	2.90	0.90	7.39
RMDD3004EX	0 26715 15178 3	1	53.60	—	—	2.83	2.91	0.90	7.42
RMDD3604	0 26715 15176 9	1	72.70	—	—	3.33	2.89	0.90	8.67
RMDD3604EX	0 26715 15179 0	1	61.80	—	—	3.33	2.91	0.89	8.64
RMDD4804	0 26715 15177 6	1	96.00	—	—	4.33	2.90	0.92	11.50
RMDD4804EX	0 26715 15180 6	1	77.00	—	—	2.92	4.33	0.92	11.59
RMDDRBK	0 26715 15181 3	1	0.30	—	—	0.40	0.35	0.35	0.05
RME5030SS	0 26715 19889 4	1	36.10	—	—	2.80	1.53	2.03	8.68
RMP33	0 26715 15784 6	1	32.50	—	—	3.31	1.16	2.20	8.43
RMP45	0 26715 15785 3	1	41.80	—	—	4.29	1.14	2.21	10.82
RMPWC	0 26715 15796 9	1	1.60	—	—	0.68	0.53	0.41	0.15
RML3336S	0 26715 16367 0	1	10.70	—	—	3.67	2.25	0.42	3.44
RML3342S	0 26715 16368 7	1	14.10	—	—	4.67	2.25	0.42	4.37
RML4548S	0 26715 16369 4	1	13.30	—	—	4.67	2.25	0.42	4.37
RML4554S	0 26715 17282 5	1	18.20	—	—	6.70	2.28	0.42	6.35
RML4560S	0 26715 16370 0	1	19.10	—	—	6.67	2.25	0.42	6.25
RML5230S	0 26715 24015 9	1	11.35	—	—	3.68	2.27	0.43	3.62
RML7030L	0 26715 15793 8	1	11.40	—	—	3.69	2.27	0.42	3.49
RML7030S	0 26715 15790 7	1	10.70	—	—	3.68	2.27	0.43	3.59
RML7036L	0 26715 15794 5	1	11.90	—	—	3.67	2.25	0.42	3.44
RML7036S	0 26715 15791 4	1	11.00	—	—	3.69	2.26	0.43	3.58
RML7048L	0 26715 15795 2	1	16.20	—	—	4.69	2.26	0.42	4.41
RML7048S	0 26715 15792 1	1	14.70	—	—	4.67	2.25	0.42	4.37
RMP17004	0 26715 15228 5	1	35.60	—	—	3.11	1.53	1.21	5.76
RMP3004	0 26715 15324 4	1	19.40	—	—	3.67	2.25	0.42	3.44
RMP3604	0 26715 15325 1	1	19.60	—	—	3.69	2.26	0.42	3.47
RMP4204	0 26715 15326 8	1	23.00	—	—	4.67	2.25	0.42	4.37
RMP4804	0 26715 15327 5	1	24.20	—	—	4.67	2.25	0.42	4.37
RMP5404	0 26715 15328 2	1	30.00	—	—	6.67	2.27	0.42	6.31
RMP6004	0 26715 15329 9	1	34.80	—	—	6.71	2.26	0.44	6.63
RMPE7004	0 26715 15229 2	1	12.30	—	—	2.46	0.77	1.17	2.20
RN110	0 26715 23009 9	1	13.50	—	—	1.17	1.25	0.96	1.40
RN110L	0 26715 23011 2	1	14.60	—	—	1.24	1.15	1.21	1.73
RN80	0 26715 23008 2	1	14.50	—	—	1.17	1.25	0.96	1.40
RN80L	0 26715 23010 5	1	14.60	—	—	1.24	1.15	1.21	1.73
ROUNDFILTER	0 26715 08370 1	1	1.66	—	—	0.75	0.73	0.30	0.16
RP130BL	0 26715 17580 2	1	33.00	—	—	2.71	1.02	2.04	5.62
RP130SS	0 26715 17578 9	1	31.50	—	—	2.69	1.03	2.03	5.59
RP130WWW	0 26715 17579 6	1	33.20	—	—	2.69	1.03	2.04	5.63
RP136BL	0 26715 17583 3	1	35.10	—	—	3.20	1.03	2.04	6.75
RP136SS	0 26715 17581 9	1	34.30	—	—	3.20	1.04	2.05	6.83
RP136WWW	0 26715 17582 6	1	33.80	—	—	3.18	1.03	2.03	6.61
RRK51	0 26715 15090 8	1	3.70	—	—	1.47	0.89	0.90	1.18
RVK1A	0 26715 15782 2	1	2.90	—	—	1.00	0.46	0.94	0.43
S97011308	0 26715 05311 7	1	1.00	—	—	1.03	0.88	0.06	0.05
S97013825	0 26715 10088 0	1	3.55	—	—	1.27	1.23	0.23	0.36
S97013826	0 26715 10089 7	1	2.35	—	—	1.07	1.02	0.16	0.17
S97013827	0 26715 10090 3	1	3.45	—	—	1.26	1.24	0.23	0.35
S99010042	0 26715 03239 6	1	0.10	—	—	0.79	0.79	0.01	0.01

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
S99010271	0 26715 07821 9	1	0.10	—	—	0.87	0.87	0.01	0.01
S990712044	0 26715 13553 0	1	0.10	—	—	0.35	0.29	0.00	0.00
SMD6	0 26715 19201 4	1	4.80	—	—	0.87	0.56	0.81	0.39
SMD8	0 26715 19202 1	1	5.50	—	—	0.86	0.72	0.96	0.59
SMSCPLR	0 26715 18621 1	1	0.40	—	—	0.43	0.24	0.30	0.03
SP100	0 26715 05720 7	1	15.00	—	—	1.20	1.19	1.08	1.55
SP140	0 26715 05721 4	1	15.40	—	—	1.20	1.18	1.06	1.49
SP200	0 26715 05722 1	1	15.50	—	—	1.21	1.18	1.08	1.54
SP240108	0 26715 06279 9	1	3.10	—	—	2.75	2.28	0.07	0.42
SP240223	0 26715 14089 3	1	3.10	—	—	2.75	2.29	0.07	0.42
SP2404	0 26715 02218 2	1	4.60	—	—	2.75	2.29	0.07	0.42
SP300108	0 26715 06281 2	1	2.60	—	—	2.75	2.29	0.07	0.42
SP300223	0 26715 14090 9	1	2.70	—	—	2.75	2.28	0.07	0.42
SP3004	0 26715 00076 0	1	6.00	—	—	2.75	2.29	0.07	0.42
SP360108	0 26715 06283 6	1	3.70	—	—	3.75	2.29	0.07	0.57
SP360223	0 26715 14091 6	1	3.40	—	—	3.75	2.29	0.07	0.57
SP3604	0 26715 00077 7	1	7.60	—	—	3.75	2.29	0.07	0.57
SP420108	0 26715 06285 0	1	3.90	—	—	3.92	2.29	0.07	0.60
SP420223	0 26715 14092 3	1	3.70	—	—	3.75	2.29	0.07	0.57
SP4204	0 26715 02228 1	1	7.30	—	—	3.75	2.29	0.07	0.57
SPB18LWHCL	0 26715 23790 6	1	0.10	—	—	0.25	0.08	0.08	0.00
SPK110	0 26715 23412 7	1	12.05	—	—	1.29	0.94	1.31	1.59
SPKACC	0 26715 23414 1	1	2.10	—	—	1.06	0.53	0.53	0.30
SSQTXE080	0 26715 18620 4	1	12.00	—	—	0.96	1.29	1.33	1.65
SSQTXE110	0 26715 18619 8	1	12.15	—	—	0.97	1.29	1.33	1.66
T457	0 26715 25209 1	1	1.40	—	—	0.67	0.58	0.17	0.06
T460	0 26715 16881 1	1	2.00	—	—	1.30	0.77	0.67	0.66
T461	0 26715 16882 8	1	0.80	8	6.40	1.27	0.44	0.50	0.28
T486	0 26715 22964 2	1	1.50	—	—	0.79	0.79	0.67	0.42
T487	0 26715 20786 2	1	1.40	—	—	0.75	0.77	0.71	0.41
T81212	0 26715 13195 2	1	4.00	—	—	1.09	1.09	0.99	1.18
TF40BS	0 26715 19637 1	1	3.00	—	—	0.78	0.82	0.75	0.47
TF40GAP	0 26715 19639 5	1	4.60	—	—	1.14	1.13	0.58	0.75
TF40GCL	0 26715 19641 8	1	4.80	—	—	1.11	1.13	0.58	0.73
TF40GFW	0 26715 19640 1	1	4.80	—	—	0.94	0.93	0.58	0.51
TF40RB	0 26715 19638 8	1	3.10	—	—	0.78	0.81	0.75	0.47
TF40WH	0 26715 19635 7	1	3.05	—	—	0.83	0.79	0.77	0.51
TYIK1	0 26715 17042 5	1	4.55	—	—	2.08	1.58	0.71	2.34
V104	0 26715 02700 2	—	—	4	2.25	0.40	0.39	0.31	0.05
VB20W	0 26715 10282 2	1	0.25	—	—	0.65	0.53	0.19	0.06
VB60W	0 26715 24317 4	1	0.20	—	—	0.42	0.27	0.08	0.01
VS63WH	7 84891 27434 3	1	0.40	6	2.40	0.40	0.24	0.18	0.02
VS66WH	7 84891 27465 7	1	0.60	6	3.60	0.26	0.40	0.44	0.05
VS67WH	7 84891 27475 6	1	0.60	6	3.60	0.43	0.42	0.25	0.04
VS68WH	7 84891 27485 5	1	0.70	6	4.20	0.43	0.25	0.42	0.04
VS69WH	7 84891 27495 4	1	0.70	2	1.40	0.23	0.44	0.46	0.05
VT10W	0 26715 24316 7	1	0.55	—	—	0.44	0.44	0.17	0.03
VT11W	0 26715 10283 9	1	0.70	—	—	0.20	0.53	0.67	0.07
VT4W	0 26715 17041 8	1	0.30	—	—	0.52	0.20	0.67	0.07
VT5W	0 26715 18336 4	1	0.30	—	—	0.73	0.53	0.14	0.05

XN110H – ZN80ML

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
XN110H	0 26715 20291 1	1	12.30	—	—	1.23	1.15	0.96	1.35
XN110HL	0 26715 20299 7	1	13.70	—	—	1.23	1.14	1.21	1.70
XN110L	0 26715 20122 8	1	13.40	—	—	1.24	1.15	1.21	1.73
XN50	0 26715 20120 4	1	12.10	—	—	1.24	1.16	0.94	1.35
XN50L	0 26715 20126 6	1	13.70	—	—	1.25	1.16	1.18	1.71
XN80	0 26715 20118 1	1	12.20	—	—	1.24	1.16	0.93	1.34
XN80L	0 26715 20124 2	1	13.50	—	—	1.24	1.15	1.21	1.73
ZB110	0 26715 20107 5	1	11.90	—	—	1.25	1.17	0.95	1.39
ZB110H	0 26715 20286 7	1	12.40	—	—	1.23	1.15	0.94	1.34
ZB110HL	0 26715 20294 2	1	13.80	—	—	1.23	1.15	1.21	1.71
ZB110L	0 26715 20111 2	1	13.60	—	—	1.23	1.15	1.21	1.71
ZB110M	0 26715 20288 1	1	12.30	—	—	1.23	1.14	0.95	1.33
ZB110ML	0 26715 20296 6	1	13.70	—	—	1.24	1.15	1.21	1.73
ZB80	0 26715 20109 9	1	12.00	—	—	1.23	1.15	0.95	1.35

Model	UPC Code	Std. Carton		Master Carton		Length	Width	Height	Cube
		Pk.	Wt.	Pk.	Wt.				
ZB80L	0 26715 20113 6	1	13.60	—	—	1.24	1.17	1.22	1.76
ZB80M	0 26715 20289 8	1	12.60	—	—	1.23	1.16	0.96	1.37
ZB80ML	0 26715 20297 3	1	13.90	—	—	1.24	1.15	1.21	1.73
ZN110	0 26715 20108 2	1	11.80	—	—	1.24	1.16	0.95	1.37
ZN110H	0 26715 20290 4	1	12.40	—	—	1.24	1.16	0.95	1.37
ZN110HL	0 26715 20298 0	1	13.70	—	—	1.24	1.15	1.21	1.73
ZN110L	0 26715 20112 9	1	13.20	—	—	1.24	1.16	1.21	1.74
ZN110M	0 26715 20292 8	1	12.30	—	—	1.23	1.14	0.95	1.33
ZN110ML	0 26715 20300 0	1	13.20	—	—	1.23	1.16	1.19	1.70
ZN80	0 26715 20110 5	1	12.10	—	—	1.25	1.15	0.93	1.34
ZN80L	0 26715 20114 3	1	13.80	—	—	1.24	1.16	1.19	1.71
ZN80M	0 26715 20293 5	1	12.60	—	—	1.24	1.16	0.96	1.38
ZN80ML	0 26715 20301 7	1	13.80	—	—	1.23	1.15	1.20	1.70

BROAN[®]

2017 SERVICE PARTS

NuTone[®]

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
00108000		11102000	Repl by S26757SER	18347000	Repl by 34788000
0017B000	Repl by S0017B000	11105000	Repl by S26757SER	1853A000	Repl by S1853A000
0133B000	Repl by S0133B000	11119000		18692000	Repl by S26721SER
0239B000	Repl by S0239B000	11120000	Repl by 11119000	18696000	Repl by 18760000
0253B000	Repl by S0253B000	11156000	Repl by 19359000	18697000	Repl by S18697000
0326B000		11207000		18709000	Repl by S18697000
0328B000		11245001	Repl by S11245001	18713000	Repl by S19879000
0407A000	Repl by S89615000	11245023	Repl by S11245001	18722000	Repl by S18722000
0419B000	Repl by S0419B000	11246000	Repl by S12220001	18760000	
0430A000		11246023	Repl by S12220001	19352000	Repl by 26739SER
0434A000	Repl by S89615000	11248000	Repl by S11245001	19353000	Repl by 26739SER
0442A000		11394000		19354000	Repl by 26739SER
0443A000		11415000		19355000	Repl by 26739SER
0444A000	Repl by SNT0444A000	11418000	Repl by S11418000	19359000	
0445A000	Repl by 0442A000	11423000	Repl by S13178018	19360000	Repl by S19360000
0447A000		1176A000		19431000	
0448A000		1179A000	Repl by S1179A000	19444000	Repl by 19446SER
0461B000	Repl by S97017702	11809000	Repl by 10164000	19445000	Repl by 19446SER
0462B000		11823000	Repl by S11245001	19446000	Repl by 19446SER
0463A000	Repl by S99260567	11855000	Repl by S99111332	19446SER	
0518B000	Repl by S0518B000	11855014	Repl by S99111332	19555000	
0521B000	Repl by S0521B000	11855018	Repl by S99111332	19749000	Repl by S10940050
0571A000	Repl by S0571A000	11855023	Repl by S99111332	19871000	
0624B000	Repl by S0624B000	11915000	Repl by 18760000	19879000	Repl by S19879000
0626B000	Repl by S0626B000	1195A000		20310000	Repl by S20310000
0636B000	Repl by S0636B000	1200A000	Repl by S1200A000	20311000	Repl by S20311000
0637B000	Repl by S0637B000	12061207		20370000	Repl by S23405SER
0643B000	Repl by S0643B000	12069000		20693000	Repl by S20693000
0646B000	Repl by S0646B000	12069005	Repl by 12069000	20724000	
0648B000		12220000	Repl by S12220001	20726000	Repl by 23120000
0650B000	Repl by S0650B000	12220001	Repl by S12220001	20727000	
0651B000	Repl by S0651B000	12645000	Repl by S99111332	21184000	Repl by S26721SER
0652B000	Repl by S0652B000	12647000	Repl by S99111332	21185000	Repl by S26721SER
0653B000	Repl by S0653B000	13066000	Repl by S99111332	21231000	
0654B000	Repl by S0654B000	13066014	Repl by S99111332	21741000	Repl by S21883000
0655B000	Repl by S0655B000	1307A000	Repl by S1307A000	21880000	
0656B000	Repl by S0656B000	1315A000	Repl by S1315A000	21883000	Repl by S21883000
0676B000	Repl by S0676B000	13178018	Repl by S13178018	21884000	Repl by S21884000
0679B000		13178019	Repl by S13178018	22399000	
0695B000	Repl by S0695B000	1340A000		22430000	Repl by SNT10034000
0696B000	Repl by S0696B000	14292000	Repl by S16631000	22646000	Repl by S1315A000
0701B000	Repl by 101147000	14378	Repl by SV14378	22647000	Repl by S1315A000
0702B000	Repl by S0702B000	14786	Repl by SV14786	22695000	Repl by S22795000
0706B000	Repl by S0706B000	15342000	Repl by S15342000	22696000	Repl by S22696000
0711B000		15346000	Repl by S15346000	22795000	Repl by S22795000
0715B000	Repl by S0715B000	15379000	Repl by 69350000	22809000	Repl by S23405SER
0716B000	Repl by S0716B000	15588000	Repl by S1315A000	22811005	Repl by 1176A000
0726B000	Repl by S0726B000	15591000	Repl by S1200A000	22886000	Repl by S82229000
0729B000	Repl by S0729B000	16156000	Repl by 23299000	22887000	Repl by S82229000
0736B000	Repl by S0736B000	1618A000	Repl by S1618A000	22889000	Repl by S84622000
0774B000		16246000	Repl by S13178018	23100000	Repl by S26721SER
0838B000	Repl by S0838B000	16294000	Repl by S16296000	23120000	
0892B000	Repl by S0892B000	16296000	Repl by S16296000	23203000	
0901B000	Repl by S0901B000	16298000	Repl by S26761SER	23273000	
0902B000	Repl by S0902B000	16480000	Repl by 19871000	23274000	Repl by S23274000
0904B000	Repl by S0904B000	16631000	Repl by S16631000	23296000	Repl by 53429000
0909B000	Repl by S0909B000	16634000	Repl by S99111332	23299000	
0910B000	Repl by S0910B000	16641000	Repl by S16631000	23322000	Repl by S82229000
0911B000	Repl by S0911B000	16665000	Repl by S16665000	23323000	Repl by S82229000
0912B000	Repl by S0912B000	16814000	Repl by S16296000	23363000	Repl by S82229000
0918B000	Repl by S0918B000	16824000	Repl by S13178018	23387000	
09233	Repl by S09233	17220000	Repl by S12220001	23387005	Repl by 23387000
09234	Repl by S09234	17484000		23388000	Repl by S23405SER
09235	Repl by S09235	17518042	Repl by S99111332	23388SER	Repl by S23405SER
09236	Repl by S09236	17519000	Repl by S99111332	23391018	Repl by S13178018
0936B000	Repl by S99271433	17519006	Repl by S99111332	23393000	Repl by 1340A000
0969B000	Repl by S0969B000	17519012	Repl by S99111332	23393014	Repl by 1340A000
0971B000		17519014	Repl by S99111332	23393018	Repl by 1340A000
0973B000		17655000	Repl by S17655000	23405SER	Repl by S23405SER
0986B000		17672000	Repl by S16665000	23997000	Repl by S23997000
0992B000		17674000	Repl by S17674000	26546000	Repl by S26546000
100173000	Repl by S100173000	17701014	Repl by S99111332	26721000	Repl by S26721SER
100272000	Repl by S84756000	17701018	Repl by S99111332	26721SER	Repl by S26721SER
10034000	Repl by SNT10034000	17702206	Repl by S17702206	26722000	Repl by S26721SER
100450000		17718014	Repl by S99111332	26728000	Repl by S1200A000
1010B000	Repl by S1010B000	17718023	Repl by S99111332	26737000	Repl by S26721SER
101147000		17719000	Repl by S99111332	26738000	Repl by S26721SER
101181000	Repl by S101181000	17719014	Repl by S99111332	26739000	Repl by 26739SER
1011B000	Repl by S1011B000	17719018	Repl by S99111332	26739SER	
1012B000	Repl by S1012B000	17719023	Repl by S99111332	26740000	Repl by 26739SER
1015B000		17722000	Repl by S99111332	26756000	Repl by S26757SER
10164000		17722014	Repl by S99111332	26757000	Repl by S26757SER
1016B000		17722018	Repl by S99111332	26757SER	Repl by S26757SER
10877000		17722023	Repl by S99111332	26760000	Repl by S26761SER
10940050	Repl by S10940050	17728000		26761000	Repl by S26761SER
10941147	Repl by S10941147	17757000		26761SER	Repl by S26761SER
10941174	Repl by S10941174	1803A000	Repl by S1803A000	275405SER	Repl by S275405SER
11061000	Repl by 23299000	18105000	Repl by S56721000	27544000	Repl by S27544000
11099000	Repl by S26757SER	18279000	Repl by 19871000	27545000	Repl by S27544000

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
27547000	Repl by S27544000	5550A000	Repl by S5550A000	8291A015	
27861000	Repl by S27861000	56700000	Repl by 0442A000	83071000	
27862000	Repl by S27862000	56721000	Repl by S56721000	8319A000	
27897000		57000000	Repl by SNT0444A000	84128000	Repl by S84128000
2851A000	Repl by S1803A000	57275000	Repl by 33640000	84129000	Repl by S84129000
2852A000	Repl by S1803A000	57276000		84203000	
2869A000	Repl by S1803A000	57277000		8444A000	Repl by S1803A000
2893A000		57288000		84607000	Repl by S84607000
2901A000		57976000		84719000	
29861000	Repl by 0442A000	58596000	Repl by S58596000	84756000	Repl by S84756000
29875000	Repl by 0442A000	58818000	Repl by S58818000	84757000	Repl by S84757000
30111015	Repl by S30111015	58819000	Repl by S58819000	85041000	
30197000	Repl by S30197000	58822000	Repl by S58822000	85044000	
30241000	Repl by 0480A000	58824000	Repl by S58824000	85104000	
30256000	Repl by 0480A000	58825000		8571A000	Repl by S0571A000
30364000	Repl by S30364000	58835000	Repl by S58835000	8572A000	Repl by S0571A000
30430000	Repl by S30430000	5901A000	Repl by SNT5901A000	85920000	
30845000		61105000	Repl by S61105000	85921000	Repl by S85921000
33194000	Repl by S33194000	61311000	Repl by S97008321	85938000	
33536000	Repl by S99030342	61482000	Repl by S97008321	85968000	
33591000		61576000	Repl by S97017646	85974000	Repl by SNT85974000
33629000	Repl by S1853A000	61579000	Repl by S61579000	86265000	Repl by S86265000
33640000		61604000	Repl by S61604000	86323000	Repl by S86323000
33835000	Repl by S1618A000	61715000		86325000	Repl by S86325000
33836000	Repl by S33836000	61738000	Repl by S61738000	86333000	Repl by S87084000
33846000	Repl by S33846000	61908000		86652000	
33882REB		62003000		86677000	Repl by S86677000
33883000	Repl by S33883REB	62942000	Repl by S62942000	86693000	Repl by S97017646
33883REB	Repl by S33883REB	63089000	Repl by S63089000	86907000	
33885REB	Repl by S33883REB	63124000	Repl by S68683000	86928000	
33977000	Repl by 33977015	63160000	Repl by 63238015	87084000	Repl by S87084000
33977015		63202000	Repl by S1618A000	87119000	Repl by S87119000
34705000	Repl by S34705000	63238015		87401000	Repl by S87401000
34737000		63317000	Repl by S63317000	87402000	Repl by S87402000
34788000		63679000	Repl by S27544000	87403000	Repl by S87403000
34839000	Repl by S30364000	64616000	Repl by S82229000	87404000	Repl by S87404000
35108000		64619000	Repl by S82229000	87405000	Repl by S87405000
35729000	Repl by S35729000	64622000	Repl by S64622000	87406000	Repl by S87406000
35740000		65064005	Repl by S1307A000	87439000	
35752000	Repl by S89339000	65067000	Repl by S65071000	87546000	Repl by S87546000
35758000	Repl by S99770112	65071000	Repl by S65071000	87547000	Repl by S87547000
35759000	Repl by S35759000	65253000	Repl by S82229000	87587000	Repl by S97017705
35838000		65468000	Repl by S82229000	87594000	Repl by S87594000
35841000	Repl by S35841000	6558A000	Repl by S6619A000	87618000	Repl by S97017705
36005000	Repl by S36076000	65776000	Repl by S65776000	87738000	Repl by S0521B000
36019000	Repl by S36076000	65878000	Repl by S65878000	88007000	Repl by S88007000
36029000	Repl by 36090000	65912000	Repl by S58835000	88190000	Repl by S101181000
36053000	Repl by S36076000	65930000	Repl by S33836000	88285000	Repl by S88285000
36076000	Repl by S36076000	65959000		88569000	Repl by S88569000
36089000		65960000		88698000	Repl by S88698REB
36090000		66138000		88698REB	Repl by S88698REB
36142000	Repl by 36089000	66142000	Repl by S66142000	88699000	Repl by S88699000
36166000	Repl by S1853A000	6619A000	Repl by S6619A000	89108000	Repl by S89108000
36442000		66204000		89163000	Repl by S89163000
36538000	Repl by S36549000	66716000	Repl by S66716000	89164000	
36548000	Repl by S36076000	67174000		89165000	Repl by S89165000
36549000	Repl by S36549000	67180000		89166000	Repl by S89166000
36554000	Repl by S36549000	67549000	Repl by S67549000	89222000	Repl by S89222000
36555000	Repl by S36549000	68626000	Repl by S82229000	89223000	Repl by S89223000
36564000	Repl by S36549000	68682000	Repl by S68683000	89248000	Repl by S101049000
36596013	Repl by S36549000	68683000	Repl by S68683000	89248206	Repl by S101049000
36649000	Repl by S36549000	69022000	Repl by S16665000	89260000	Repl by S89260000
36723000	Repl by S36549000	69023000	Repl by S16665000	89272000	
36804000	Repl by S36804000	69025000	Repl by S69028000	89306000	Repl by S97017648
39330000	Repl by S39330000	69027000	Repl by S16665000	89312000	Repl by S89312000
39965000		69028000	Repl by S69028000	89313000	Repl by S1179A000
43637000		69029000		89322000	Repl by S89322000
44154000	Repl by S44154000	69033000	Repl by S69028000	89338000	Repl by S89338000
44155000		69094000	Repl by S16665000	89339000	Repl by S89339000
44208000	Repl by S44208000	69097000		89340000	Repl by S10941174
44314000	Repl by S84128000	6915A000	Repl by 17728000	89394000	
44315000	Repl by S84129000	69285000	Repl by S69285000	89423000	Repl by S89423000
44901REB	Repl by S44901REB	69292000		89615000	Repl by S89615000
44902REB	Repl by S44902REB	69334000	Repl by S69355000	89747000	Repl by S89747000
44954000		69335000	Repl by S69357000	89756000	Repl by S89756000
50829000	Repl by S50829000	69350000		89765000	Repl by S89765000
51073000		69352000	Repl by S69355000	8976A000	Repl by S0571A000
51922000	Repl by S82229000	69355000	Repl by S69355000	89883000	Repl by S97017824
52084000		69357000	Repl by S69357000	89896000	
52467000		80214000	Repl by S26721SER	89897000	
53429000		81095000	Repl by S82229000	9123A000	Repl by S9123A000
53430000	Repl by 33591000	81230000	Repl by S13178018	9599A000	
53536000		81905000	Repl by S81905000	9657A000	Repl by S9657A000
53581000	Repl by S89615000	82229000	Repl by S82229000	97016377	
53585000	Repl by S97017702	82304000		99010315	Repl by S99010317
53596000	Repl by S44208000	82406000	Repl by S82406000	99022000	Repl by S30364000
53702000	Repl by S53702000	82429000		99524178A	
53741000		8257A000	Repl by S65776000	K0147000	Repl by 66204000
54714000	Repl by 0447A000	8291A000	Repl by 8291A015	K0148000	Repl by 82304000

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
K0783000	Repl by SK0783000	S02111-03	0 26715 18918 2	S03200725	0 26715 09101 0
K0791000		S02111-04	0 26715 21934 6	S03200755	0 26715 09103 4
K0798000	Repl by SK0798000	S02124-01	Repl by S99270982	S03200793	0 26715 09078 5
K1310000		S02124-03	0 26715 08769 3	S03201016	0 26715 10100 9
K1346000	Repl by S99030347	S02124-04	Repl by S99270982	S03202026	0 26715 09684 8
K1347000	Repl by S99030342	S02124-06	Repl by S99270982	S03202061	0 26715 09934 4
K3458000		S02127-00	Repl by S99030033	S03202154	Repl by SB03292425
K3565000	Repl by SK3565000	S02129-00	0 26715 08771 6	S03202155	Repl by SB03292426
K3595000	Repl by SK3595000	S02149-01	0 26715 08772 3	S03202163	0 26715 09122 5
K3720000	Repl by SK3720000	S02149-02	0 26715 08773 0	S03202164	0 26715 09071 6
K4402000	Repl by SR111658	S02153-02	0 26715 08776 1	S03202192	
K4417000	Repl by SK4417000	S02153-05	0 26715 18138 4	S03202223	0 26715 09801 9
K4420000	Repl by SK4420000	S02153-08	0 26715 09407 3	S03202224	0 26715 10477 2
K4424000	Repl by SK4424000	S02158-05	Repl by S02153-08	S03204100	0 26715 09043 3
K4892000	Repl by SR680508	S02158-06		S03204101	0 26715 10101 6
K5471000	Repl by SK5471000	S02160-00	Repl by S99271493	S032202183	0 26715 09073 0
K5822000	Repl by SK5822000	S02161-00	Repl by S99030027	S03290488	0 26715 09685 5
K6387000	0 26715 19487 2	S02175-01		S03292001	0 26715 09686 2
K6388000	Repl by SK6388000	S02178-00	0 26715 08779 2	S03292002	0 26715 09687 9
K6481000		S02181-00	0 26715 08780 8	S03292159	0 26715 09692 3
K6649000	Repl by SK6649000	S02189-01	0 26715 08782 2	S03292160	0 26715 09693 0
K7189000	Repl by S99091022	S02192-00	0 26715 08783 9	S03292282	0 26715 09123 2
K9009000	Repl by S89423000	S02200-08	0 26715 21937 7	S03292288	0 26715 10403 1
K9010000	Repl by S89339000	S02200-12	0 26715 08785 3	S03292315	0 26715 09990 0
K9013000	Repl by S89322000	S02200-18	0 26715 18529 0	S03292770	0 26715 09696 1
K9014000	Repl by S89339000	S02200-20	Repl by S02200-59	S03292771	0 26715 09697 8
R401583	Repl by S99091022	S02200-23	0 26715 08789 1	S03292833	0 26715 09700 5
R401585	Repl by S99091021	S02200-36	0 26715 08794 5	S03292939	0 26715 09702 9
R401586	Repl by S99091027	S02200-39		S03292977	0 26715 09704 3
R520124	Repl by S99080667	S02200-41	0 26715 08796 9	S03292978	0 26715 09705 0
R566096	Repl by S99271236	S02200-42	0 26715 08797 6	S03294345	0 26715 10649 3
R567078	Repl by SR99030319	S02200-51	0 26715 08802 7	S03295007	0 26715 10685 1
R600339	Repl by SR99360244	S02200-54	0 26715 08804 1	S04116-00	0 26715 18331 9
R600340	Repl by SR99360246	S02200-56	0 26715 08805 8	S0419B000	0 26715 23181 2
R600341	Repl by SR99360245	S02200-57	0 26715 21938 4	S04200-14	Repl by S99260578
R680541	Repl by S98009816	S02200-58	Repl by S02200-54	S0469A000	0 26715 19028 7
S00100018		S02200-59	0 26715 08806 5	S0480A000	0 26715 19030 0
S00100019		S02200-60	0 26715 09630 5	S0480A000	0 26715 19030 0
S0017B000	0 26715 23177 5	S02200-91	0 26715 10585 4	S05000050	0 26715 09112 6
S003150203	0 26715 09989 4	S02207-00		S05000051	0 26715 09113 3
S003150205	0 26715 10063 7	S02300500	0 26715 09045 7	S05000052	0 26715 09114 0
S003150206	0 26715 10064 4	S02300521	0 26715 09951 1	S05000053	0 26715 09115 7
S003180042	0 26715 10670 7	S02300522	0 26715 09952 8	S0503B000	0 26715 18670 9
S003180481	0 26715 10392 8	S02300542	0 26715 10636 3	S0504B000	0 26715 18671 6
S003180482	0 26715 10030 9	S02300581	0 26715 09547 6	S0518B000	0 26715 23182 9
S003180484	0 26715 10004 0	S02300620	Repl by SB02300620	S0518B000	0 26715 23182 9
S003180487	0 26715 10391 1	S02300627	0 26715 09672 5	S0521B000	0 55321 61153 4
S003180488	0 26715 09995 5	S02300631	0 26715 09545 2	S0521B000	0 55321 61153 4
S003180493	0 26715 10390 4	S02300646	0 26715 09072 3	S0571A000	0 26715 23183 6
S003180494	0 26715 10389 8	S02300654	0 26715 09036 5	S06001519	0 26715 09551 3
S003180555	0 26715 09943 6	S02300657	0 26715 09039 6	S06100-00	Repl by S99450101
S003180690	0 26715 09937 5	S02300659	0 26715 09038 9	S06104-00	0 26715 08814 0
S003181767	0 26715 10481 9	S02300667	0 26715 09070 9	S06104064	0 26715 10313 3
S003200212	0 26715 09657 2	S02300671	0 26715 09548 3	S06104129	Repl by SB06105067
S003260267	Repl by SB03200797	S02300672	0 26715 09035 8	S06104161	0 26715 09089 1
S003270107	0 26715 09660 2	S02300673	0 26715 09037 2	S06104162	0 26715 09090 7
S003270109	0 26715 09662 6	S02300674	Repl by SB02300674	S06104185	Repl by SB06105067
S003270110	0 26715 09663 3	S02300676	Repl by SB02300782	S06104190	0 26715 10112 2
S003270111	0 26715 09664 0	S02300700	0 26715 09047 1	S06104244	Repl by SB06105117
S008088866	0 26715 10290 7	S02300701	0 26715 09546 9	S06104264	Repl by SB06105067
S008088964	0 26715 09933 7	S02310010	0 26715 09067 9	S06104353	0 26715 09565 0
S0133B000	0 26715 23178 2	S02320688	0 26715 09800 2	S06104384	Repl by SB06105117
S01X0594	Repl by S99150478	S0239B000	0 26715 23179 9	S06104465	0 26715 09862 0
S01X0595	Repl by S99260419	S0253B000	0 26715 23180 5	S06104498	0 26715 09946 7
S01X0596	Repl by S99260470	S0255B000	0 26715 21939 1	S06104658	0 26715 09083 9
S01X0597	Repl by S99260476	S0256B000	0 26715 21940 7	S06104844	0 26715 09081 5
S01X0598	Repl by S99150471	S02X3437	Repl by S99020142	S06104960	0 26715 10115 3
S02000169	0 26715 10723 0	S02X3438	Repl by S99020143	S06105499	Repl by SB06105067
S02000276	0 26715 09667 1	S02X3439	Repl by S98005212	S06105516	Repl by SB06105515
S02000277	0 26715 09939 9	S02X3440	Repl by S99100411	S06105518	Repl by SB06105509
S02000311	0 26715 09668 8	S02X3441	Repl by S99420464	S06107-00	Repl by S97011918
S020003530	0 26715 10129 0	S02X3442	Repl by S97006078	S06109461	0 26715 09088 4
S02000556	0 26715 09621 3	S02X3443	Repl by S98005221	S06109536	0 26715 09042 6
S02000576	0 26715 09858 3	S02X3444	Repl by S99100379	S06109553	0 26715 09567 4
S02000715	0 26715 10643 1	S02X7048	Repl by S97010902	S06109563	0 26715 10709 4
S02000962	0 26715 09617 6	S02X7215	Repl by S97005811	S06109564	0 26715 09098 3
S02000965	0 26715 09618 3	S03106021	0 26715 10098 9	S06109815	0 26715 09712 8
S02000966	0 26715 09619 0	S03109065	0 26715 09608 4	S06109822	0 26715 09992 4
S02000967	0 26715 09620 6	S03109066	0 26715 09610 7	S06109990	0 26715 09082 2
S02009120	0 26715 09941 2	S03135121	0 26715 09753 1	S06109997	0 26715 09938 2
S02009124	0 26715 09942 9	S03135531	0 26715 09674 9	S06109998	0 26715 10309 6
S02009131	0 26715 10092 7	S03135811	0 26715 09675 6	S06112-00	0 26715 08815 7
S02009133	0 26715 10093 4	S031360112	0 26715 10130 6	S06115-00	Repl by S99020187
S02009134	0 26715 10094 1	S03136082	0 26715 09677 0	S06116-00	0 26715 08816 4
S02104-00	Repl by S97016970	S031361132	0 26715 09983 2	S06118-00	0 26715 08817 1
S02105-00	Repl by S97016970	S03139016	0 26715 09678 7	S06120-00	Repl by S97009762
S02110-01	0 26715 08767 9	S03143105		S06123-00	Repl by S99010033
S02110-02	0 26715 21933 9	S03146512	0 26715 10641 7	S06124-00	Repl by S99010219
S02111-01	Repl by S02111-03	S03146652	0 26715 09682 4	S06124-01	Repl by S97009562

PART NO.	UPC or REPL BY
S06124-02	Repl by S97009562
S06126-00	Repl by S99010202
S06130-01	Repl by S99010217
S06130-02	Repl by S99010215
S06137-01	0 26715 08822 5
S06137-02	
S06137-04	
S06140127	0 26715 10657 8
S06151-00	0 26715 08824 9
S06170-00	0 26715 08825 6
S06173-00	
S06178-00	Repl by S99010212
S06179-00	0 26715 18708 9
S06184-02	0 26715 08828 7
S06184-03	0 26715 08829 4
S06188-00	Repl by S99140187
S06192-00	Repl by S97011851
S06201-00	Repl by S99010211
S06202-00	Repl by S99010211
S06213-00	Repl by S99010221
S06226-00	0 26715 08833 1
S06228-00	0 26715 08834 8
S06233-06	0 26715 08836 2
S06233-07	0 26715 08837 9
S06233-08	0 26715 08838 6
S06233-13	0 26715 08840 9
S06235-00	0 26715 08841 6
S06237-00	Repl by S97009595
S06238-00	Repl by S97009595
S0624B000	0 26715 23184 3
S06255-00	Repl by S99110379
S06259-00	Repl by S99010214
S06259-01	Repl by S99010216
S06262-01	Repl by S99020014
S06262-02	Repl by S99020015
S06264-01	Repl by S97014244
S0626B000	0 26715 23185 0
S0626B000	0 26715 23185 0
S06276-00	0 26715 08844 7
S06298-00	Repl by S76078-00
S06300-00	Repl by S97009561
S06310-00	Repl by S97010908
S06311-00	Repl by S97010909
S06313-00	Repl by S97010908
S06314-00	Repl by S97010944
S06317-00	0 26715 18536 8
S0636B000	0 26715 23186 7
S0637B000	0 26715 23187 4
S0643B000	0 26715 23188 1
S0646B000	0 26715 23189 8
S0650B000	0 26715 23190 4
S0651B000	0 26715 23191 1
S0652B000	0 26715 23192 8
S0653B000	0 26715 23193 5
S0654B000	0 26715 23194 2
S0655B000	0 26715 23195 9
S0656B000	0 26715 23196 6
S0676B000	0 26715 23197 3
S0695B000	0 26715 23379 3
S0696B000	0 26715 19031 7
S0702B000	0 26715 23198 0
S0706B000	0 26715 23199 7
S0711B000	0 26715 23498 1
S0715B000	0 26715 23200 0
S0716B000	0 26715 23201 7
S0726B000	0 26715 23202 4
S0729B000	0 26715 23203 1
S0736B000	0 26715 23205 5
S080810001	0 26715 10438 3
S080810024	0 26715 09955 9
S080810054	0 26715 09573 5
S080810089	0 26715 10635 6
S080810095	0 26715 09574 2
S080810112	0 26715 09956 6
S08081196	Repl by SB080810578
S08086097	0 26715 09062 4
S08086102	0 26715 09059 4
S08087330	0 26715 09076 1
S08087341	0 26715 09826 2
S08087346	Repl by S08087394
S08087356	0 26715 09928 3
S08087357	0 26715 09927 6
S08087366	0 26715 09925 2
S08087368	0 26715 09924 5
S08087370	0 26715 10311 9
S08087371	0 26715 09926 9
S08087376	0 26715 09819 4
S08087377	0 26715 09820 0
S08087390	0 26715 09993 1

PART NO.	UPC or REPL BY
S08087394	0 26715 09822 4
S08087399	0 26715 09818 7
S08087401	0 26715 09829 3
S08087418	0 26715 09638 1
S08087419	0 26715 09639 8
S08087421	0 26715 09921 4
S08087425	0 26715 09917 7
S08087429	0 26715 09922 1
S08087444	0 26715 10439 0
S08087490	0 26715 09828 6
S08087716	0 26715 09923 8
S08087721	0 26715 09929 0
S08087727	0 26715 09863 7
S08087728	0 26715 09929 0
S08087731	0 26715 09719 7
S08088190	0 26715 09116 4
S08088744	0 26715 09557 5
S082513333	0 26715 10124 5
S082515132	0 26715 09810 1
S083110217	0 26715 10401 7
S083110223	0 26715 10726 1
S0838B000	0 26715 21946 9
S08840492	0 26715 10656 1
S08845258	0 26715 10486 4
S08869990	0 26715 09570 4
S0892B000	0 26715 23207 9
S08X0206	Repl by S99270530
S0901B000	0 26715 23208 6
S0902B000	0 26715 23209 3
S0904B000	0 26715 23210 9
S0909B000	0 26715 23211 6
S0922E000	0 26715 23418 9
S09233	0 26715 23216 1
S09234	0 26715 23230 7
S09235	0 26715 23218 5
S09236	0 26715 23219 2
S0969B000	0 55321 61129 9
S0969B000	0 55321 61129 9
S100173000	0 55321 61137 4
S100599000	Repl by S97017709
S100600000	Repl by S97017708
S100603000	0 26715 18515 3
S101049000	0 26715 18518 4
S1010B000	0 26715 23220 8
S1010B000	0 26715 23220 8
S101181000	0 26715 23222 2
S101183000	0 26715 18683 9
S1011B000	0 26715 23221 5
S101255000	0 26715 18688 4
S10126-00	Repl by S99010223
S10128-00	Repl by S99010188
S10128-03	Repl by S99010181
S1012B000	0 26715 23223 9
S10130-00	Repl by S97009563
S10130-01	Repl by S97009564
S1019B000	0 26715 18623 3
S1022B000	0 26715 18673 0
S1023B000	0 26715 18674 7
S103123	0 26715 17550 5
S10940050	0 55321 61175 6
S10941147	0 55321 61155 8
S10941147	0 55321 61155 8
S10941170	
S10941171	
S10941174	0 55321 61154 1
S10941189	0 26715 23514 8
S10941190	7 72371 10163 0
S10941191	0 55321 61097 1
S10941195	0 55321 61181 7
S10941199	0 55321 61182 4
S10941231	0 55321 61178 7
S10941232	0 55321 61174 9
S10941233	0 55321 61172 5
S10941235	0 55321 61170 1
S10941236	0 55321 61163 3
S10941310	0 26715 23419 6
S10941351	0 55321 61002 5
S10941352	0 55321 61003 2
S10941399	0 55321 61215 9
S10941400	0 55321 61216 6
S10941404	0 55321 61220 3
S10941405	0 55321 61221 0
S10941406	0 55321 61222 7
S10941408	0 55321 61224 1
S10941409	0 55321 61206 7
S10941411	0 55321 61210 4
S10941413	0 55321 61213 5
S10941415	0 55321 61218 0
S10941416	0 55321 61225 8

PART NO.	UPC or REPL BY
S10941418	0 55321 61226 5
S10941419	0 55321 61227 2
S10941420	0 55321 61228 9
S10941424	0 55321 61229 6
S10941427	
S11000030	0 26715 21947 6
S11010036	0 26715 21948 3
S11030039	
S11030040	
S11030041	
S11030042	
S11030043	
S11050004	
S11060001	
S11245001	0 26715 23224 6
S11320000	0 26715 18516 0
S11390000	0 26715 19032 4
S11418000	0 26715 23225 3
S11418000	0 26715 23225 3
S1179A000	0 26715 23357 1
S11805000	0 26715 23383 0
S11829000	0 26715 23376 2
S1200A000	0 26715 23358 8
S12120056	
S12130021	
S12130022	
S12220001	0 26715 23226 0
S1307A000	0 26715 23381 6
S1315A000	0 26715 23382 3
S13173000	0 26715 20723 7
S13178018	0 55321 61130 5
S145F	Repl by S97007809
S1501	Repl by S99270553
S15342000	0 26715 23227 7
S15346000	0 26715 23229 1
S15589000	0 26715 23415 8
S15TCBL	0 26715 23353 3
S1618A000	0 55321 61165 7
S16296000	0 26715 23231 4
S16296000	0 26715 23231 4
S16631000	0 26715 23391 5
S16665000	0 26715 23395 3
S17655000	0 26715 23233 8
S17674000	0 26715 23387 8
S17702206	0 26715 23405 9
S17703018	0 26715 23389 2
S1803A000	0 26715 23234 5
S183110230	0 26715 09725 8
S183110231	0 26715 09726 5
S1853A000	0 26715 23235 2
S18697000	0 26715 23236 9
S18722000	0 26715 23237 6
S19360000	0 55321 61132 9
S19879000	0 26715 23239 0
S20023-01	
S20050-02	
S20050-07	
S20055-00	Repl by S20055-02
S20055-02	0 26715 18131 5
S20056-01	Repl by S25333-00
S20056-04	
S20076-01	
S20125-00	Repl by S98010540
S20310000	0 26715 23240 6
S20311000	0 26715 23241 3
S20693000	0 26715 23242 0
S21883000	0 26715 23243 7
S21884000	0 26715 23244 4
S22696000	0 26715 23245 1
S22795000	0 26715 23246 8
S23274000	0 26715 23248 2
S23405SER	0 26715 23249 9
S23997000	0 26715 23251 2
S25042-00	Repl by S98008740
S25045-00	0 26715 08857 7
S25060-00	0 26715 08858 4
S25064-00	0 26715 09408 0
S25075-00	0 26715 08859 1
S25081-00	0 26715 09409 7
S25083-00	
S25083-01	Repl by S98010543
S25107-00	0 26715 08862 1
S25156-02	Repl by S97009649
S25234-00	Repl by S97009648
S25244-00	
S25264-00	Repl by S76079-00
S25269-00	0 26715 08867 6
S25333-00	0 26715 08870 6
S25340-01	0 26715 08871 3

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S25341-00	0 26715 18696 9	S54140058		S75955-00	Repl by S97006057
S26546000	0 26715 23252 9	S54190018		S76011-00	
S26572000	0 26715 23416 5	S54190019		S76012-00	
S26721SER	0 26715 23253 6	S54190020		S76078-00	0 26715 08883 6
S26750SER	0 26715 23258 1	S54230001		S76079-00	0 26715 08884 3
S26757SER	0 26715 23260 4	S54250020		S76112-00	Repl by S98009307P
S26761SER	0 26715 23262 8	S54260002		S76138-01	Repl by S99010211
S26X5067	Repl by S99080172	S5-50229	Repl by S99010136	S77000494	0 26715 18834 5
S27538000	0 26715 19034 8	S5-50230	Repl by S97007808	S77000585	0 26715 18835 2
S27540SER	0 26715 23265 9	S5-50284	Repl by S97007809	S77001043	0 26715 20057 3
S27544000	0 26715 19035 5	S5-50285	Repl by S97007355	S77001044	0 26715 20058 0
S27546000	0 26715 19036 2	S5-50292	Repl by S97007419	S77001277	0 26715 20386 4
S27548000	Repl by S99271494	S5-50293	Repl by S99020167	S77001279	Repl by S97020043
S27561000	0 26715 19038 6	S5550A000	0 26715 23283 3	S77001280	0 26715 20389 5
S27861000	0 26715 23266 6	S5-60543	Repl by S99110571	S77001282	0 26715 20390 1
S27862000	0 26715 23267 3	S5-60551	Repl by S99150503	S77001284	0 26715 21019 0
S29865000	0 26715 23495 0	S5-60552	Repl by S99170245	S77001285	0 26715 21021 3
S2C998	Repl by S99010032	S5-60554	Repl by S99400042	S77001286	0 26715 21022 0
S30010270	7 72371 11167 7	S5-60555	Repl by S99150471	S77001287	0 26715 21020 6
S30010272	7 72371 11168 4	S5-60557	Repl by S98005221	S77001297	0 26715 20382 6
S30100527	0 55321 61150 3	S5-60558	Repl by S99100379	S77001298	0 26715 20383 3
S30100528	7 72371 11210 0	S5-60562	Repl by S99260425	S77001299	0 26715 20384 0
S30111015	0 55321 61135 0	S5-60564	Repl by S99260477	S77001300	0 26715 20385 7
S30111112		S5-60568	Repl by S99270680	S77001311	0 26715 21017 6
S30124000	0 26715 19040 9	S56100018		S77001313	0 26715 21018 3
S30197000	0 26715 23268 0	S56200059		S77001317	0 26715 21023 7
S30241000	0 26715 19042 3	S56200060		S77001318	0 26715 21024 4
S30243000	0 26715 19043 0	S56210030	0 26715 21949 0	S77001320	0 26715 21025 1
S30260000	0 26715 19044 7	S56210031	0 26715 21950 6	S77001321	0 26715 21026 8
S30364000	0 55321 61138 1	S56210032		S77001447	0 26715 20873 9
S30390555	0 55321 61139 8	S56210033		S77DV	
S30430000	0 26715 23269 7	S56210034		S77DW	
S32787000	0 26715 19045 4	S56210035		S780429	Repl by S99010144
S33178000	0 26715 19046 1	S56721000	0 55321 61134 3	S79020041	0 26715 22649 8
S33193000	0 26715 23359 5	S57271000	0 26715 19062 1	S79030018	0 26715 21954 4
S33194000	0 26715 23270 3	S57766000	0 26715 19063 8	S79080082	0 26715 21030 5
S33836000	0 55321 61161 9	S57767000	0 26715 19064 5	S79110035	0 26715 18836 9
S33846000	0 55321 61148 0	S57768000	0 26715 23284 0	S79110044	0 26715 18837 6
S33883REB	0 55321 61176 3	S57769000	0 26715 19065 2	S79110053	0 26715 18838 3
S34417000	0 26715 23271 0	S58120000	0 26715 19067 6	S79110059	0 26715 18839 0
S34705000	0 26715 23272 7	S58596000	0 55321 61147 3	S79110158	0 26715 20391 8
S35623000	0 26715 19048 5	S58818000	0 55321 61167 1	S79140014	0 26715 20387 1
S35729000	0 55321 61149 7	S58819000	0 55321 61166 4	S79270038	0 26715 23993 1
S35759000	0 26715 23274 1	S58822000	Repl by S58840000	S79270237	0 26715 22863 8
S35841000	0 26715 19049 2	S58824000	0 55321 61145 9	S79340001	0 26715 18841 3
S35963000	0 26715 19051 5	S58835000	0 55321 61169 5	S79340002	0 26715 18842 0
S35965000	0 26715 19053 9	S58840000	0 26715 23286 4	S79360001	0 26715 18843 7
S35971000	0 26715 19054 6	S599CS	7 84891 77888 9	S79390133	0 26715 18844 4
S36	Repl by S97008549	S600348	0 26715 17504 8	S8009-510	Repl by S93620008
S36076000	0 26715 23275 8	S600349	0 26715 17505 5	S8009-BW1	
S36271000	0 26715 19060 7	S600350	0 26715 17506 2	S81905000	0 26715 23303 8
S36549000	0 26715 23276 5	S61105000	0 26715 23287 1	S82229000	0 26715 23393 9
S36804000	0 26715 23277 2	S61312000	0 26715 23288 8	S82230000	0 26715 23304 5
S36X0574	Repl by S99050015	S61338000	0 26715 23289 5	S82403000	0 26715 18672 3
S391	0 26715 17535 2	S61579000	0 55321 61133 6	S82406000	0 26715 23305 2
S39330000	0 26715 23278 9	S61604000	0 26715 23384 7	S84128000	0 26715 23306 9
S44154000	0 55321 61171 8	S61753000	0 26715 18414 9	S84129000	0 26715 23307 6
S44208000	0 26715 23279 6	S62942000	0 26715 23291 8	S84607000	0 26715 23308 3
S44345000	0 26715 23280 2	S63089000	0 55321 61143 5	S84756000	0 55321 61156 5
S44388000	0 26715 18523 8	S63317000	0 55321 61142 8	S84757000	0 55321 61152 7
S44901REB	0 55321 61159 6	S64622000	0 26715 23397 7	S85315000	0 26715 21956 8
S44902REB	0 55321 61160 2	S65060000	0 26715 19071 3	S85316000	0 26715 21957 5
S49X0387	Repl by S97007313	S65071000	0 26715 19072 0	S85600000	0 26715 23309 0
S50160008		S65467000	0 26715 23295 6	S85604000	0 26715 19269 4
S50160009		S65776000	0 26715 23296 3	S85668000	
S50200028		S65776000	0 26715 23296 3	S85918000	0 26715 19080 5
S50200029		S65878000	0 26715 23297 0	S85920000	0 26715 19081 2
S50410008		S66142000	0 26715 19073 7	S85921000	0 55321 61151 0
S50500020		S6619A000	0 26715 23298 7	S85943000	0 26715 23310 6
S50500021		S66204000	0 26715 19074 4	S85950000	0 26715 18521 4
S50500022		S66583000	0 26715 19075 1	S85979000	0 26715 18522 1
S50500023		S66716000	0 26715 23300 7	S86000000	0 26715 18520 7
S5-0582	Repl by S93620008	S67549000	0 26715 23301 4	S86081000	0 26715 23400 4
S50829000	0 26715 23281 9	S68293000	0 26715 23302 1	S86265000	0 26715 23311 3
S51113711	Repl by S97007696	S68683000	0 55321 61164 0	S86322000	0 26715 19083 6
S51919000	0 26715 19057 7	S68920000	0 26715 20724 4	S86323000	0 26715 23312 0
S5-3077	Repl by S99010109	S69028000	0 26715 23377 9	S86325000	0 26715 23392 2
S5-3082	Repl by S97007696	S69285000	0 26715 23388 5	S86677000	0 26715 23313 7
S5-3083	Repl by S97007893	S69289000	0 26715 19076 8	S87084000	0 26715 23314 4
S5-3084	Repl by S97008537	S69314000	0 26715 19077 5	S87119000	0 26715 23315 1
S53702000	0 26715 23282 6	S69355000	0 26715 19079 9	S87401000	0 26715 23316 8
S53740000	0 26715 18684 6	S69357000	0 26715 23394 6	S87402000	0 26715 23317 5
S54050064		S7127		S87403000	0 26715 23318 2
S54140052		S75075-00	0 26715 08872 0	S87404000	0 26715 23319 9
S54140053		S75083-00	0 26715 09411 0	S87405000	0 26715 23320 5
S54140054		S7515	Repl by S99010118	S87406000	0 26715 23321 2
S54140055		S75619-02	0 26715 21952 0	S87450010	Repl by S93620008
S54140056		S75619-03	0 26715 21953 7	S87546000	0 26715 23378 6
S54140057		S75882-00	Repl by S97009595	S87547000	0 26715 23322 9

PART NO.	UPC or REPL BY
S87594000	0 26715 23323 6
S88007000	0 26715 23324 3
S88151	Repl by S99010122
S88152	Repl by S97007696
S88153	Repl by S97005544
S88154	Repl by S97010966
S88155	Repl by S97005678
S88156	Repl by S98006765
S88157	Repl by S98005568
S88158	Repl by S98005221
S88160	Repl by S98006621
S88162	Repl by S06118-00
S88163	Repl by S99030134
S88164	Repl by S99030135
S88165	Repl by S99080218
S88167	Repl by S97011222
S88168	Repl by S99100379
S88169	Repl by S99110437
S88170	Repl by S99140135
S88171	Repl by S99150471
S88172	Repl by S99150478
S88176	Repl by S99420040
S88177	Repl by S99420040
S88179	Repl by S99420472
S88285000	0 26715 23325 0
S88569000	0 26715 23341 0
S88698REB	0 55321 61173 2
S88699000	0 55321 61146 6
S89108000	0 26715 21958 2
S89163000	0 26715 23326 7
S89165000	0 26715 23327 4
S89166000	0 26715 23328 1
S89199000	0 26715 21959 9
S89222000	0 26715 21960 5
S89223000	0 26715 23380 9
S89224000	0 26715 21961 2
S89260000	0 26715 23330 4
S89312000	0 26715 23340 3
S89322000	0 26715 23331 1
S89338000	0 55321 61157 2
S89339000	0 55321 61131 2
S89423000	0 26715 23390 8
S89424000	0 26715 21962 9
S89425000	0 26715 21963 6
S89437000	0 26715 21964 3
S89615000	0 26715 23332 8
S89747000	0 26715 23333 5
S89756000	0 26715 23334 2
S89765000	0 26715 23386 1
S89850000	0 26715 23336 6
S89852000	0 26715 18526 9
S89883000	Repl by S97017824
S91005185	Repl by S91009243
S91005189	Repl by S91009324
S91005192	Repl by S91008920
S91005228	Repl by S91005299
S91005234	Repl by S91005299
S91005298	Repl by S91005299
S91005299	0 26715 08890 4
S91005900	Repl by S91009324
S91006230	0 26715 08892 8
S91006356	Repl by S91016541
S91007016	Repl by S91008987
S91007021	Repl by S91008814
S91007353	Repl by S91009324
S91007422	Repl by S91008814
S91007449	Repl by S91009243
S91008814	0 26715 03586 1
S91008920	0 26715 04614 0
S91008987	0 26715 13239 3
S91009243	0 26715 14396 2
S91009323	0 26715 13240 9
S91009324	0 26715 03587 8
S91009459	0 26715 08895 9
S91009945	0 26715 09887 3
S91009957	0 26715 13242 3
S91010439	Repl by S91016541
S91011318	
S91011367	0 26715 05411 4
S91011368	0 26715 05412 1
S91011444	
S91011624	0 26715 13244 7
S91011634	0 26715 10555 7
S91011639	Repl by S91012250
S91011705	Repl by S91009323
S91011707	0 26715 21965 0
S91011726	0 26715 08329 9
S91011800	Repl by S93840003
S91011923	Repl by S91009324

PART NO.	UPC or REPL BY
S91011979	0 26715 21966 7
S91012250	0 26715 10544 1
S91013865	0 26715 10406 2
S91013937	Repl by S91014197
S91014197	0 26715 10737 7
S91016120	0 26715 21969 8
S91016539	0 26715 21970 4
S91016541	0 26715 18059 2
S91017419	0 26715 17620 5
S9123A000	0 26715 23338 0
S92004582	0 26715 13245 4
S92004616	Repl by S93110499
S92005386	Repl by S93380623
S92007052	0 26715 04677 5
S92008438	0 26715 07005 3
S92008714	Repl by S93110514
S92008715	Repl by S93110514
S92009883	
S93000515	Repl by S93110515
S93030117	0 26715 13249 2
S93030118	0 26715 04286 9
S93080121	Repl by S91005299
S93090559	Repl by S93090903
S93090694	Repl by S93090906
S93090727	Repl by S93090906
S93090903	0 26715 06273 7
S93090904	
S93090906	0 26715 06275 1
S93090944	0 26715 08903 1
S93090945	0 26715 08904 8
S93091079	0 26715 15524 8
S93100402	0 26715 14404 4
S93100511	0 26715 07000 8
S93110434	0 26715 03589 2
S93110445	Repl by S93110695
S93110447	0 26715 13253 9
S93110458	0 26715 13254 6
S93110499	0 26715 03592 2
S93110514	0 26715 08905 5
S93110515	0 26715 09415 8
S93110516	0 26715 04605 8
S93110517	Repl by S91006230
S93110572	0 26715 13255 3
S93110573	Repl by S93110927
S93110619	0 26715 13256 0
S93110692	Repl by S93110572
S93110693	Repl by S93110698
S93110694	0 26715 13257 7
S93110695	0 26715 04410 8
S93110698	0 26715 04648 5
S93110854	0 26715 04423 8
S93110927	0 26715 08906 2
S93110933	0 26715 05704 7
S93110934	Repl by S91011368
S93110935	Repl by S93110695
S93110936	Repl by S93110695
S93110939	0 26715 05707 8
S93110972	0 26715 07006 0
S93140142	Repl by S93140143
S93140143	0 26715 04788 8
S93160311	Repl by S93180002
S93180002	0 26715 04378 1
S93230029	Repl by S99230342
S93270461	Repl by S99270461
S93270493	0 26715 21976 6
S93270619	0 26715 09635 0
S93300336	Repl by S93300442
S93300374	Repl by S93300420
S93300419	0 26715 14362 7
S93300420	0 26715 14363 4
S93300424	0 26715 14364 1
S93300442	0 26715 07008 4
S93351220	
S93360100	0 26715 04305 7
S93360141	0 26715 21977 3
S93380623	0 26715 08908 6
S93400038	0 26715 14411 2
S93400062	0 26715 14399 3
S93420441	0 26715 13267 6
S93420449	0 26715 09417 2
S93420558	0 26715 10505 2
S93450006	0 26715 03593 9
S93470006	0 26715 13269 0
S93470012	0 26715 03594 6
S93480003	
S93480009	0 26715 21979 7
S93620005	Repl by S93620008
S93620008	0 26715 03276 1
S93650008	0 26715 13271 3

PART NO.	UPC or REPL BY
S93650011	Repl by S91009957
S93650017	Repl by S91009945
S93650018	0 26715 16920 7
S93650041	0 26715 07001 5
S93710014	0 26715 13898 2
S93710027	0 26715 14414 3
S93840003	0 26715 16915 3
S94006986	
S94007090	
S95000340	0 26715 04299 9
S95000341	0 26715 04499 3
S95000377	Repl by S91011367
S95000386	Repl by S93110572
S95000797	
S95000799	
S95000801	
S95000803	
S95000805	
S95000807	
S95000827	
S95000924	0 26715 11006 3
S95000925	0 26715 11007 0
S95000963	0 26715 14188 3
S95001058	0 26715 14551 5
S9657A000	0 26715 23339 7
S97000015	0 26715 04675 1
S97000018	0 26715 13167 9
S97000068	Repl by S97000917
S97000073	0 26715 03596 0
S97000628	
S97000646	0 26715 04310 1
S97000649	0 26715 04368 2
S97000668	Repl by S97000667
S97000765	
S97000917	0 26715 04503 7
S97000991	Repl by S97008168
S97001878	0 26715 21980 3
S97002064	Repl by S97007968
S97002311	0 26715 09170 6
S97002320	0 26715 21987 2
S97002321	0 26715 18899 4
S97003299	
S97003923	Repl by S97012029
S97003924	Repl by S97012030
S97003925	Repl by S97012029
S97003926	Repl by S97005011
S97003928	Repl by S97013627
S97003932	0 26715 03603 5
S97003934	Repl by S97013880
S97004095	Repl by S97017065
S97004096	0 26715 03604 2
S97005001	Repl by S97007543
S97005005	Repl by S97017063
S97005006	0 26715 21989 6
S97005009	Repl by S97017714
S97005011	0 26715 03608 0
S97005042	Repl by S97006987
S97005043	Repl by S97006989
S97005044	Repl by S97012028
S97005045	0 26715 03610 3
S97005058	0 26715 04253 1
S97005161	Repl by S97012248
S97005162	Repl by S97011220
S97005163	Repl by S97011222
S97005241	0 26715 18134 6
S97005242	0 26715 19270 0
S97005243	
S97005254	
S97005256	Repl by S97010792
S97005282	Repl by S97005283
S97005285	Repl by S66V
S97005316	0 26715 03612 7
S97005317	Repl by S97013628
S97005321	
S97005322	Repl by S97016802
S97005327	0 26715 04584 6
S97005328	0 26715 03613 4
S97005329	0 26715 09174 4
S97005422	0 26715 04279 1
S97005487	
S97005520	Repl by S97014285
S97005532	Repl by S97007313
S97005533	Repl by S97007314
S97005542	Repl by S97009721
S97005543	0 26715 09175 1
S97005544	0 26715 04243 2
S97005556	0 26715 20727 5
S97005581	
S97005594	Repl by S97005544

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S97005675	Repl by S97010966	S97007044	Repl by S97013576	S97007809	0 26715 03634 9
S97005678	0 26715 09176 8	S97007058	Repl by S66V	S97007893	0 26715 03635 6
S97005680	Repl by S97007570	S97007071	Repl by S97013576	S97007894	0 26715 03636 3
S97005681	Repl by S97007893	S97007072	0 26715 03621 9	S97007895	0 26715 04791 8
S97005682	Repl by S97008537	S97007073	0 26715 22001 4	S97007899	0 26715 05933 1
S97005684	0 26715 03614 1	S97007077		S97007901	0 26715 04626 3
S97005687	Repl by S97007696	S97007080		S97007937	0 26715 03637 0
S97005771		S97007085	0 26715 22002 1	S97007953	0 26715 05924 9
S97005811	0 26715 10535 9	S97007086	Repl by S97011240	S97007957	0 26715 05928 7
S97005812	Repl by S97016438	S97007089	Repl by S97011241	S97007965	0 26715 04533 4
S97005880		S97007091	0 26715 18351 7	S97007966	Repl by S97011220
S97005906	0 26715 03282 2	S97007094	Repl by S97013673	S97007968	0 26715 22013 7
S97005907	Repl by S97005908	S97007095		S97007996	Repl by S97007696
S97005908	0 26715 03283 9	S97007100	0 26715 22003 8	S97007997	Repl by S97007664
S97005909	Repl by S97007542	S97007105	Repl by S97008755	S97007998	Repl by S97007662
S97005910	Repl by S97007313	S97007111	Repl by S97013576	S97008043	
S97005913		S97007159	0 26715 03622 6	S97008057	
S97005934	Repl by S97011789	S97007166		S97008058	Repl by S97007657
S97005980	Repl by S97007314	S97007167	Repl by S97007599	S97008064	0 26715 03638 7
S97005981	Repl by S97006078	S97007176	Repl by S97014285	S97008070	0 26715 10593 9
S97005985	Repl by S97010327	S97007313	0 26715 19483 4	S97008094	
S97006014		S97007314	0 26715 09734 0	S97008099	
S97006015		S97007315	0 26715 14365 8	S97008102	Repl by S97012028
S97006022	Repl by S97008580	S97007332		S97008103	Repl by S97012029
S97006023	0 26715 04569 3	S97007333	0 26715 04539 6	S97008107	
S97006024	0 26715 03615 8	S97007334	Repl by S97007809	S97008108	
S97006025	Repl by S97007072	S97007350		S97008117	Repl by S97007664
S97006027	Repl by S97011269	S97007352	0 26715 09189 8	S97008118	Repl by S97007662
S97006028	Repl by S97007315	S97007355	0 26715 03623 3	S97008131	
S97006039	0 26715 21993 3	S97007357	Repl by S97011723	S97008145	Repl by S97009316
S97006057	0 26715 03616 5	S97007358	Repl by S97006651	S97008146	
S97006062		S97007377	Repl by S97013826	S97008152	Repl by S97007657
S97006077	Repl by S97007901	S97007378	Repl by S97013825	S97008153	Repl by S97007658
S97006078	0 26715 13272 0	S97007383	Repl by S97007543	S97008154	Repl by S97013576
S97006081	0 26715 05879 2	S97007384		S97008163	Repl by S99110668
S97006137	0 26715 21994 0	S97007403		S97008165	Repl by S97009892
S97006138		S97007406	0 26715 22004 5	S97008168	
S97006142	0 26715 21995 7	S97007424	0 26715 09190 4	S97008175	Repl by S97007659
S97006152	Repl by S97009721	S97007428	0 26715 22005 2	S97008176	Repl by S97007660
S97006153	Repl by S97009721	S97007446	Repl by S97008107	S97008179	Repl by S97011723
S97006158	Repl by S97011723	S97007447	Repl by S97008108	S97008244	
S97006159	Repl by S97011723	S97007448		S97008245	
S97006160	Repl by S97013576	S97007450		S97008247	
S97006161	Repl by S97013576	S97007451		S97008257	0 26715 22015 1
S97006162		S97007452		S97008319	0 26715 04578 5
S97006163		S97007453		S97008320	0 26715 04580 8
S97006164		S97007454		S97008321	0 26715 04766 6
S97006165	Repl by S97011723	S97007455		S97008322	Repl by S97012026
S97006166	Repl by S97013576	S97007475	0 26715 09191 1	S97008323	Repl by S97012027
S97006184	0 26715 04660 7	S97007485	Repl by S97013583	S97008337	
S97006221		S97007486	0 26715 22006 9	S97008342	0 26715 03639 4
S97006222	0 26715 05898 3	S97007487		S97008374	Repl by S97006971
S97006223	0 26715 04579 2	S97007488	0 26715 22007 6	S97008375	0 26715 10728 5
S97006241		S97007489	0 26715 22008 3	S97008412	Repl by S97011723
S97006251		S97007501	0 26715 22009 0	S97008413	0 26715 03640 0
S97006287	Repl by S97006078	S97007514		S97008431	
S97006318	0 26715 09182 9	S97007514	Repl by S97011801	S97008438	0 26715 22016 8
S97006320	Repl by S97009892	S97007542	0 26715 04780 2	S97008440	0 26715 22017 5
S97006322	0 26715 10594 6	S97007543	0 26715 19738 5	S97008450	Repl by S99080060
S97006324		S97007570	0 26715 22010 6	S97008477	Repl by S97011371
S97006326	Repl by S97009892	S97007576	Repl by S97007696	S97008483	
S97006328	Repl by S99110668	S97007598	0 26715 04667 6	S97008484	Repl by S97011723
S97006540	Repl by S97012051	S97007599	0 26715 04773 4	S97008485	Repl by S97011308
S97006555	Repl by S97010792	S97007606		S97008505	0 26715 04792 5
S97006649	Repl by S97011723	S97007631	0 26715 05937 9	S97008510	Repl by S97013576
S97006650	Repl by S97011723	S97007656	0 26715 10523 6	S97008511	Repl by S97012038
S97006651	0 26715 05941 6	S97007657	0 26715 04790 1	S97008512	Repl by S97012038
S97006721	0 26715 03619 6	S97007658	0 26715 05899 0	S97008513	0 26715 03646 2
S97006733	0 26715 04729 1	S97007659	0 26715 05900 3	S97008519	
S97006736	0 26715 21998 8	S97007660	0 26715 05901 0	S97008537	0 26715 03238 9
S97006737	0 26715 21999 5	S97007662	0 26715 03629 5	S97008546	Repl by S97013576
S97006738	0 26715 22000 7	S97007664	0 26715 03236 5	S97008549	
S97006762	Repl by S97011723	S97007665		S97008575	
S97006766	Repl by S97007807	S97007666	0 26715 18912 0	S97008578	0 26715 04685 0
S97006767	Repl by S98006276	S97007667	Repl by S97018385	S97008579	0 26715 09197 3
S97006871	Repl by S97006737	S97007682	0 26715 10522 9	S97008580	0 26715 09198 0
S97006931	0 26715 03235 8	S97007696	0 26715 03237 2	S97008583	0 26715 03278 5
S97006939	0 26715 04382 8	S97007697	Repl by S97007696	S97008584	0 26715 03279 2
S97006940	0 26715 09733 3	S97007725	0 26715 03631 8	S97008586	0 26715 04994 3
S97006968	Repl by S97006987	S97007726	0 26715 22011 3	S97008593	Repl by S97011388
S97006971	0 26715 03277 8	S97007732	Repl by S97011723	S97008602	0 26715 13210 2
S97006987	0 26715 09184 3	S97007776	0 26715 22012 0	S97008604	0 26715 13211 9
S97006988	Repl by S97013627	S97007778	Repl by S97008537	S97008605	0 26715 13212 6
S97006989	0 26715 04574 7	S97007786	Repl by S97007657	S97008618	0 26715 22018 2
S97007002	0 26715 04371 2	S97007787	Repl by S97007658	S97008628	
S97007003	0 26715 09185 0	S97007788	Repl by S97007659	S97008631	0 26715 22019 9
S97007004	0 26715 14361 0	S97007789	Repl by S97007660	S97008637	Repl by S97008782
S97007008	Repl by S97013576	S97007807	0 26715 03632 5	S97008639	0 26715 04548 8
S97007042	Repl by S97013576	S97007808	0 26715 03633 2	S97008672	0 26715 04705 5

PART NO.	UPC or REPL BY
S97008675	0 26715 18387 6
S97008677	0 26715 20213 3
S97008678	0 26715 18390 6
S97008681	0 26715 22022 9
S97008682	0 26715 22023 6
S97008683	0 26715 22024 3
S97008687	
S97008688	
S97008689	
S97008690	0 26715 18947 2
S97008691	
S97008692	
S97008693	
S97008694	
S97008696	
S97008697	
S97008716	
S97008717	0 26715 13168 6
S97008724	0 26715 10126 9
S97008729	0 26715 03649 3
S97008730	0 26715 03650 9
S97008743	0 26715 22026 7
S97008746	0 26715 04374 3
S97008753	Repl by S97011240
S97008754	Repl by S97011241
S97008755	0 26715 04643 0
S97008756	Repl by S97011240
S97008757	Repl by S97011241
S97008772	
S97008781	0 26715 04406 1
S97008782	0 26715 04553 2
S97008853	
S97008865	
S97008906	0 26715 04336 1
S97008912	0 26715 04544 0
S97008913	0 26715 05210 3
S97008916	0 26715 14420 4
S97008929	0 26715 09890 3
S97008930	0 26715 13199 0
S97008946	Repl by S97012041
S97008947	0 26715 04331 6
S97008948	0 26715 04433 7
S97008949	Repl by S97012042
S97008970	0 26715 22029 8
S97008971	0 26715 14421 1
S97008979	0 26715 13899 9
S97008980	0 26715 18345 6
S97008983	Repl by S97011139
S97008994	
S97008996	Repl by S97014285
S97009054	0 26715 09199 7
S97009055	0 26715 09889 7
S97009057	Repl by S97008929
S97009090	Repl by S97010892
S97009098	Repl by S97014367
S97009099	0 26715 09744 9
S97009107	Repl by S97010327
S97009117	Repl by S97009054
S97009118	Repl by S97008930
S97009119	Repl by S97009055
S97009275	0 26715 15098 4
S97009277	Repl by S97011270
S97009280	Repl by S97009887
S97009281	0 26715 04330 9
S97009287	0 26715 22031 1
S97009315	Repl by S97009316
S97009316	0 26715 03653 0
S97009317	0 26715 03654 7
S97009318	0 26715 03655 4
S97009340	Repl by S97009341
S97009341	0 26715 03656 1
S97009342	Repl by S97009341
S97009343	Repl by S97009341
S97009346	Repl by S97011723
S97009347	Repl by S97013576
S97009353	Repl by SM710185
S97009377	
S97009429	Repl by S97011873
S97009433	0 26715 13276 8
S97009435	0 26715 13278 2
S97009436	0 26715 14424 2
S97009451	0 26715 13203 4
S97009453	0 26715 13205 8
S97009517	0 26715 05934 8
S97009525	
S97009543	
S97009561	0 26715 04262 3
S97009562	0 26715 04313 2
S97009563	0 26715 03580 9

PART NO.	UPC or REPL BY
S97009564	0 26715 03581 6
S97009569	Repl by S97009595
S97009572	Repl by S75619-02
S97009573	Repl by S98009307P
S97009586	
S97009587	
S97009594	
S97009595	0 26715 04995 0
S97009648	0 26715 04241 8
S97009649	0 26715 04383 5
S97009713	0 26715 22032 8
S97009714	0 26715 10587 8
S97009718	
S97009719	0 26715 04757 4
S97009720	0 26715 09215 4
S97009721	0 26715 03256 3
S97009724	0 26715 09216 1
S97009733	0 26715 22033 5
S97009734	0 26715 04563 1
S97009741	Repl by S97013356
S97009742	Repl by S97013357
S97009743	Repl by S97013358
S97009744	Repl by S97017065
S97009745	0 26715 04622 5
S97009746	Repl by S97017714
S97009749	Repl by S97009972
S97009752	Repl by S99080517
S97009754	0 26715 04996 7
S97009755	0 26715 04992 9
S97009758	Repl by S97009796
S97009759	0 26715 04343 9
S97009762	0 26715 05902 7
S97009771	0 26715 05929 4
S97009786	0 26715 03660 8
S97009787	0 26715 03661 5
S97009790	0 26715 09218 5
S97009791	Repl by S97011224
S97009793	0 26715 19983 9
S97009794	Repl by S97009793
S97009796	0 26715 04598 3
S97009797	0 26715 22034 2
S97009798	Repl by S97017066
S97009799	0 26715 09421 9
S97009800	0 26715 09219 2
S97009805	0 26715 19587 9
S97009806	0 26715 19588 6
S97009807	0 26715 09873 6
S97009808	0 26715 16710 4
S97009809	0 26715 19589 3
S97009812	
S97009816	0 26715 22035 9
S97009817	0 26715 05351 3
S97009818	
S97009819	Repl by S97010827
S97009820	Repl by S97010828
S97009822	Repl by S97010892
S97009829	
S97009887	0 26715 09221 5
S97009889	
S97009890	0 26715 22036 6
S97009891	0 26715 18948 9
S97009892	0 26715 04782 6
S97009969	
S97009972	0 26715 13279 9
S97010038	
S97010254	0 26715 04742 0
S97010255	0 26715 04627 0
S97010260	Repl by S97010827
S97010261	Repl by S97010828
S97010263	Repl by S97010830
S97010272	Repl by S97010792
S97010319	0 26715 04413 9
S97010320	0 26715 05904 1
S97010326	Repl by S97010892
S97010327	0 26715 08193 6
S97010378	
S97010379	0 26715 09225 3
S97010380	Repl by S97011913
S97010383	Repl by S97011916
S97010390	Repl by S97011918
S97010392	Repl by S97013673
S97010393	
S97010406	Repl by S97014286
S97010413	
S97010635	Repl by S97018851
S97010636	Repl by S97018834
S97010637	Repl by S97014212
S97010640	0 26715 06649 0
S97010643	

PART NO.	UPC or REPL BY
S97010648	0 26715 05294 3
S97010652	Repl by S97014276
S97010659	0 26715 22040 3
S97010679	0 26715 09229 1
S97010709	0 26715 08189 9
S97010710	Repl by S97014357
S97010714	0 26715 05811 2
S97010723	Repl by S97010732
S97010726	0 26715 18388 3
S97010729	0 26715 03802 2
S97010730	0 26715 05290 5
S97010732	0 26715 05291 2
S97010736	0 26715 04291 3
S97010752	Repl by S97008605
S97010758	Repl by SV03501
S97010759	0 26715 09232 1
S97010783	Repl by S97009892
S97010792	0 26715 08311 4
S97010822	0 26715 09233 8
S97010827	0 26715 05152 6
S97010828	0 26715 05153 3
S97010830	0 26715 05155 7
S97010833	Repl by S97010827
S97010834	Repl by S97010828
S97010892	0 26715 05158 8
S97010893	0 26715 05159 5
S97010902	0 26715 22041 0
S97010906	0 26715 09235 2
S97010920	0 26715 09423 3
S97010942	Repl by S97018390
S97010944	0 26715 05908 9
S97010955	0 26715 09424 0
S97010956	0 26715 09425 7
S97010966	0 26715 04458 0
S97010989	0 26715 09426 4
S97010990	Repl by S99523312
S97010992	0 26715 05830 3
S97010993	0 26715 19205 2
S97010994	0 26715 13280 5
S97010997	0 26715 06610 0
S97010998	
S97010999	
S97011000	
S97011002	Repl by S97011500
S97011012	
S97011013	
S97011015	
S97011021	Repl by S97011918
S97011047	
S97011050	
S97011051	
S97011052	
S97011053	
S97011054	
S97011055	
S97011062	Repl by S97012134
S97011067	0 26715 05211 0
S97011093	Repl by S97016970
S97011114	Repl by S97011129
S97011119	Repl by S97011270
S97011125	Repl by S97011965
S97011127	0 26715 05127 4
S97011128	0 26715 05128 1
S97011130	0 26715 05130 4
S97011131	0 26715 05131 1
S97011132	Repl by S97011836
S97011138	0 26715 09239 0
S97011139	0 26715 13900 2
S97011175	0 26715 05082 6
S97011176	0 26715 05083 3
S97011177	0 26715 05084 0
S97011214	Repl by S97018851
S97011218	Repl by S97012248
S97011220	0 26715 05074 1
S97011221	0 26715 05075 8
S97011222	0 26715 05076 5
S97011224	0 26715 05078 9
S97011238	0 26715 05810 5
S97011240	0 26715 13996 5
S97011241	0 26715 18415 6
S97011244	Repl by S97011909
S97011247	Repl by S97011220
S97011259	0 26715 05823 5
S97011260	0 26715 05824 2
S97011269	0 26715 05462 6
S97011270	0 26715 05461 9
S97011288	Repl by S97009648
S97011290	0 26715 05301 8
S97011291	Repl by S97006023

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S97011293		S97011740	0 26715 09631 2	S97013308	Repl by S97013985
S97011305	0 26715 13281 2	S97011789	0 26715 06816 6	S97013309	Repl by S97013986
S97011308	0 26715 05311 7	S97011790	0 26715 06814 2	S97013310	Repl by S97013986
S97011310	Repl by S97009745	S97011791	0 26715 06815 9	S97013311	Repl by S97013986
S97011311		S97011792	0 26715 22050 2	S97013312	Repl by S97013986
S97011313	Repl by S97009745	S97011795		S97013313	0 26715 08177 6
S97011314	0 26715 05309 4	S97011801	0 26715 06899 9	S97013316	0 26715 08180 6
S97011315	0 26715 05310 0	S97011802	0 26715 06900 2	S97013331	Repl by S97018385
S97011321	Repl by S97018524	S97011803	0 26715 06901 9	S97013336	Repl by S97018390
S97011322	0 26715 05825 9	S97011804	0 26715 06902 6	S97013337	Repl by S97017681
S97011323	0 26715 05826 6	S97011805	Repl by S97014358	S97013339	Repl by S97017683
S97011324	0 26715 05337 7	S97011807	Repl by S97014358	S97013340	Repl by S97014367
S97011325	Repl by S97018523	S97011808	Repl by S97014358	S97013341	Repl by S97014370
S97011326	Repl by S97018524	S97011809	Repl by S97013316	S97013342	Repl by S97014373
S97011332	0 26715 22042 7	S97011810	0 26715 06907 1	S97013343	Repl by S97014368
S97011339	0 26715 18246 6	S97011812	0 26715 06909 5	S97013345	Repl by S97014374
S97011340	0 26715 18247 3	S97011813	0 26715 06910 1	S97013347	Repl by S97014372
S97011346	0 26715 06793 0	S97011831	0 26715 06978 1	S97013349	0 26715 09831 6
S97011361	Repl by S97011700	S97011836	0 26715 07872 1	S97013350	0 26715 08195 0
S97011362	Repl by S97011701	S97011851	0 26715 07194 4	S97013356	0 26715 09245 1
S97011363	Repl by S97011702	S97011852	0 26715 07195 1	S97013357	
S97011369	0 26715 05413 8	S97011873		S97013358	
S97011371	0 26715 10615 8	S97011874		S97013359	
S97011377	0 26715 06147 1	S97011878	0 26715 06951 4	S97013360	0 26715 08221 6
S97011391		S97011881	0 26715 16716 6	S97013401	0 26715 09833 0
S97011393		S97011882		S97013402	0 26715 09834 7
S97011394		S97011883	0 26715 07752 6	S97013412	0 26715 08280 3
S97011395	0 26715 05728 3	S97011884	0 26715 22052 6	S97013416	0 26715 08267 4
S97011396	0 26715 05729 0	S97011886	0 26715 09888 0	S97013466	0 26715 08295 7
S97011400	0 26715 05730 6	S97011912	0 26715 07876 9	S97013518	Repl by S97013985
S97011401	0 26715 05731 3	S97011913	0 26715 07354 2	S97013519	Repl by S97013985
S97011402	0 26715 05732 0	S97011914		S97013520	Repl by S97013985
S97011403	0 26715 05733 7	S97011916		S97013521	Repl by S97013985
S97011404		S97011918	0 26715 07359 7	S97013522	Repl by S97013986
S97011405	0 26715 05735 1	S97011919	0 26715 07079 4	S97013523	Repl by S97013986
S97011406	0 26715 05736 8	S97011927	0 26715 22053 3	S97013524	Repl by S97013986
S97011407	0 26715 05751 1	S97011938		S97013525	Repl by S97013986
S97011408	0 26715 05752 8	S97011949		S97013526	Repl by S97014356
S97011409	0 26715 05753 5	S97011965	0 26715 07877 6	S97013527	Repl by S97014356
S97011410		S97011974	Repl by S97009517	S97013528	Repl by S97014356
S97011411	0 26715 05737 5	S97011984	0 26715 07203 3	S97013529	Repl by S97014356
S97011412		S97011985	0 26715 07204 0	S97013561	0 26715 09450 9
S97011413	0 26715 05754 2	S97012009		S97013562	0 26715 09451 6
S97011414	0 26715 05756 6	S97012018		S97013566	0 26715 09644 2
S97011415	0 26715 05745 0	S97012019	Repl by S99521100	S97013567	0 26715 09453 0
S97011417	0 26715 05757 3	S97012020		S97013569	0 26715 09455 4
S97011419	0 26715 05747 4	S97012025	0 26715 22056 4	S97013570	0 26715 09456 1
S97011423	0 26715 05748 1	S97012026	0 26715 07551 5	S97013574	0 26715 10293 8
S97011439		S97012027	0 26715 07552 2	S97013575	0 26715 10294 5
S97011443	0 26715 05796 2	S97012028	0 26715 07553 9	S97013576	0 26715 10299 0
S97011445	0 26715 05797 9	S97012029	0 26715 07554 6	S97013578	0 26715 09905 4
S97011446	0 26715 05798 6	S97012030	0 26715 07555 3	S97013581	0 26715 09906 1
S97011447	0 26715 05799 3	S97012037	0 26715 07556 0	S97013583	0 26715 08757 0
S97011448	0 26715 05800 6	S97012038	0 26715 07557 7	S97013596	0 26715 22061 8
S97011449	0 26715 05801 3	S97012039	0 26715 07558 4	S97013622	0 26715 09518 6
S97011450	0 26715 05802 0	S97012041	0 26715 07560 7	S97013627	0 26715 09754 8
S97011465		S97012042	0 26715 07561 4	S97013628	0 26715 09755 5
S97011474		S97012043	0 26715 07562 1	S97013649	0 26715 22062 5
S97011475		S97012051	0 26715 07563 8	S97013662	0 26715 09907 8
S97011476		S97012052	Repl by S97012028	S97013672	0 26715 15035 9
S97011477		S97012057		S97013673	0 26715 22063 2
S97011479		S97012112	Repl by S97018834	S97013685	0 26715 22064 9
S97011500	0 26715 06478 6	S97012134		S97013804	0 26715 10031 6
S97011511		S97012135		S97013821	0 26715 10128 3
S97011512	Repl by S97007599	S97012248	0 26715 08072 4	S97013822	0 26715 10069 9
S97011522		S97012373	Repl by S97014285	S97013823	
S97011524		S97012375	Repl by S97014286	S97013825	0 26715 10088 0
S97011530		S97012377	Repl by S97014287	S97013826	0 26715 10089 7
S97011532	Repl by S97013189	S97012919	Repl by S99522257	S97013827	0 26715 10090 3
S97011550	Repl by S97011689	S97012925	0 26715 08069 4	S97013834	Repl by S97013974
S97011552	Repl by S97011691	S97012926	0 26715 08070 0	S97013836	0 26715 10296 9
S97011557		S97013088	0 26715 18697 6	S97013837	0 26715 10297 6
S97011598		S97013092	0 26715 08098 4	S97013839	0 26715 10298 3
S97011607	0 26715 06662 9	S97013159	0 26715 08263 6	S97013858	0 26715 10300 3
S97011666	Repl by S97011723	S97013160	0 26715 08264 3	S97013880	0 26715 10367 6
S97011667	0 26715 22044 1	S97013162	0 26715 08265 0	S97013907	Repl by S99523567
S97011668	0 26715 06775 6	S97013189	0 26715 09874 3	S97013908	Repl by S99523566
S97011689	0 26715 13197 6	S97013207	Repl by SLA100WH	S97013909	Repl by S99523567
S97011691	0 26715 13206 5	S97013230	Repl by SLA522WH	S97013910	Repl by S99523566
S97011700		S97013231	Repl by SLA522WH	S97013915	
S97011701		S97013271	0 26715 22059 5	S97013916	
S97011702		S97013272	0 26715 22060 1	S97013920	
S97011723	0 26715 06767 1	S97013273	0 26715 20475 5	S97013938	
S97011727	0 26715 06925 5	S97013302	0 26715 08166 0	S97013939	
S97011729	0 26715 22045 8	S97013303	0 26715 08167 7	S97013945	0 26715 10437 6
S97011732	0 26715 22046 5	S97013304	0 26715 08168 4	S97013962	Repl by S97014094
S97011733	0 26715 22047 2	S97013305	Repl by S97013985	S97013963	Repl by S97014095
S97011734	0 26715 22048 9	S97013306	Repl by S97013985	S97013966	0 26715 10468 0
S97011735	0 26715 22049 6	S97013307	Repl by S97013985	S97013974	0 26715 10487 1

PART NO.	UPC or REPL BY
S97013977	0 26715 10472 7
S97013985	0 26715 10482 6
S97013986	0 26715 10483 3
S97013987	Repl by S97014356
S97014094	0 26715 10488 8
S97014095	
S97014107	0 26715 10624 0
S97014108	0 26715 10625 7
S97014111	0 26715 10628 8
S97014112	0 26715 10629 5
S97014115	Repl by S97014280
S97014155	0 26715 22065 6
S97014157	0 26715 10950 0
S97014160	0 26715 10953 1
S97014161	0 26715 16566 7
S97014166	0 26715 10765 0
S97014172	0 26715 10827 5
S97014185	0 26715 10808 4
S97014186	0 26715 10708 7
S97014211	0 26715 10809 1
S97014212	0 26715 10810 7
S97014239	0 26715 10949 4
S97014243	0 26715 22067 0
S97014244	0 26715 10811 4
S97014245	0 26715 10812 1
S97014272	0 26715 22070 0
S97014276	0 26715 22071 7
S97014280	0 26715 10825 1
S97014285	0 26715 11010 0
S97014286	0 26715 11011 7
S97014287	0 26715 11012 4
S97014305	Repl by S97018385
S97014310	Repl by S97018390
S97014313	Repl by S97017683
S97014356	0 26715 11026 1
S97014357	0 26715 11027 8
S97014358	0 26715 11028 5
S97014359	Repl by S97014358
S97014368	0 26715 11031 5
S97014372	0 26715 11035 3
S97014374	0 26715 11037 7
S97014397	0 26715 14715 1
S97014432	0 26715 10971 5
S97014437	0 26715 11053 7
S97014438	0 26715 11054 4
S97014478	
S97014487	0 26715 18913 7
S97014513	0 26715 11606 5
S97014515	0 26715 11608 9
S97014597	0 26715 22072 4
S97014630	0 26715 12350 6
S97014664	Repl by S97014729
S97014665	0 26715 12335 3
S97014725	0 26715 13313 0
S97014726	0 26715 13314 7
S97014728	0 26715 13315 4
S97014729	0 26715 12444 2
S97014735	0 26715 13316 1
S97014736	0 26715 13317 8
S97014744	0 26715 13345 1
S97014745	0 26715 13346 8
S97014746	0 26715 13347 5
S97014760	0 26715 13318 5
S97014761	0 26715 13319 2
S97014771	
S97014774	0 26715 13320 8
S97014775	0 26715 13321 5
S97014784	0 26715 13428 1
S97014785	0 26715 13429 8
S97014788	0 26715 13430 4
S97014794	0 26715 13348 2
S97014800	0 26715 13322 2
S97014801	0 26715 13323 9
S97014802	0 26715 13324 6
S97014803	0 26715 13325 3
S97014804	0 26715 13326 0
S97014809	0 26715 13217 1
S97014810	0 26715 22073 1
S97014814	0 26715 13327 7
S97014817	0 26715 13349 9
S97014818	0 26715 13350 5
S97014819	0 26715 13351 2
S97014820	0 26715 13352 9
S97014821	0 26715 13353 6
S97014822	0 26715 13354 3
S97014842	
S97014844	0 26715 13465 6
S97014848	0 26715 13431 1
S97014849	0 26715 13432 8

PART NO.	UPC or REPL BY
S97014853	0 26715 13433 5
S97014922	0 26715 13946 0
S97014926	0 26715 13947 7
S97014951	Repl by S99523554
S97014952	Repl by S99523555
S97014963	0 26715 14842 4
S97015044	
S97015045	0 26715 13875 3
S97015118	
S97015119	
S97015120	
S97015121	0 26715 22074 8
S97015151	0 26715 13948 4
S97015157	0 26715 13949 1
S97015158	0 26715 13950 7
S97015159	0 26715 13951 4
S97015160	0 26715 13952 1
S97015161	0 26715 13953 8
S97015162	0 26715 13954 5
S97015163	0 26715 13955 2
S97015165	0 26715 13957 6
S97015166	0 26715 13958 3
S97015167	0 26715 13959 0
S97015170	0 26715 13961 3
S97015171	0 26715 13962 0
S97015173	0 26715 13964 4
S97015174	0 26715 13965 1
S97015175	0 26715 13966 8
S97015177	0 26715 13968 2
S97015191	0 26715 13970 5
S97015192	0 26715 13971 2
S97015202	0 26715 22075 5
S97015216	0 26715 14843 1
S97015308	0 26715 14144 9
S97015309	0 26715 14145 6
S97015310	0 26715 14146 3
S97015311	0 26715 14147 0
S97015312	0 26715 14156 2
S97015320	0 26715 14184 5
S97015321	0 26715 14185 2
S97015366	Repl by S97014094
S97015415	Repl by S97012248
S97015470	0 26715 14818 9
S97015471	0 26715 14819 6
S97015476	Repl by S97018851
S97015485	Repl by S97015718
S97015486	
S97015490	
S97015491	0 26715 22077 9
S97015492	0 26715 14469 3
S97015493	0 26715 14470 9
S97015498	0 26715 14482 2
S97015502	0 26715 22078 6
S97015503	0 26715 22079 3
S97015504	0 26715 22080 9
S97015505	0 26715 22081 6
S97015506	
S97015507	
S97015508	
S97015509	0 26715 22082 3
S97015511	Repl by S97017017
S97015512	0 26715 22084 7
S97015513	0 26715 22085 4
S97015515	
S97015516	0 26715 22087 8
S97015519	
S97015520	
S97015521	
S97015522	0 26715 22088 5
S97015523	
S97015524	0 26715 22089 2
S97015525	0 26715 22090 8
S97015526	0 26715 22091 5
S97015528	Repl by S97016229
S97015530	
S97015531	0 26715 22092 2
S97015535	0 26715 22093 9
S97015536	0 26715 22094 6
S97015537	0 26715 22095 3
S97015538	0 26715 22096 0
S97015539	0 26715 22097 7
S97015540	
S97015541	0 26715 22098 4
S97015542	
S97015545	0 26715 22099 1
S97015546	
S97015548	
S97015549	Repl by S97017005
S97015550	0 26715 22100 4

PART NO.	UPC or REPL BY
S97015551	
S97015566	Repl by S97007658
S97015567	Repl by S97007659
S97015568	Repl by S97007657
S97015569	Repl by S97007658
S97015574	0 26715 14564 5
S97015575	0 26715 14565 2
S97015584	0 26715 16318 2
S97015587	0 26715 22101 1
S97015589	0 26715 22102 8
S97015590	0 26715 14725 0
S97015591	0 26715 14726 7
S97015592	0 26715 14727 4
S97015612	0 26715 14629 1
S97015616	Repl by S97016970
S97015617	Repl by S97016971
S97015618	Repl by S97016972
S97015619	0 26715 14649 9
S97015620	0 26715 14650 5
S97015652	0 26715 14829 5
S97015668	
S97015669	
S97015670	
S97015671	
S97015673	
S97015674	0 26715 15481 4
S97015676	
S97015677	
S97015682	
S97015683	
S97015686	
S97015687	
S97015688	
S97015690	
S97015691	0 26715 22104 2
S97015692	0 26715 15504 0
S97015693	
S97015694	
S97015695	0 26715 22105 9
S97015696	0 26715 15505 7
S97015698	
S97015699	
S97015700	0 26715 15493 7
S97015703	
S97015706	
S97015707	0 26715 22106 6
S97015710	
S97015713	
S97015718	0 26715 15151 6
S97015719	0 26715 15152 3
S97015720	0 26715 15153 0
S97015721	Repl by S97015718
S97015723	0 26715 14938 4
S97015724	0 26715 14939 1
S97015725	0 26715 14940 7
S97015727	0 26715 14945 2
S97015728	Repl by S97016971
S97015753	0 26715 14966 7
S97015754	0 26715 14967 4
S97015755	0 26715 15506 4
S97015764	0 26715 14944 5
S97015775	0 26715 15029 8
S97015783	
S97015789	0 26715 22109 7
S97015790	0 26715 22110 3
S97015791	0 26715 22111 0
S97015793	0 26715 22112 7
S97015795	0 26715 22113 4
S97015796	0 26715 22114 1
S97015797	
S97015798	0 26715 22115 8
S97015799	Repl by S97017580
S97015807	
S97015808	0 26715 22120 2
S97015809	0 26715 22121 9
S97015810	0 26715 22122 6
S97015811	0 26715 22123 3
S97015812	
S97015813	
S97015821	0 26715 22124 0
S97015839	0 26715 22125 7
S97015841	0 26715 15471 5
S97015842	0 26715 15472 2
S97015843	0 26715 15473 9
S97015844	
S97015866	0 26715 15507 1
S97015867	0 26715 15508 8
S97015868	0 26715 15509 5
S97015874	0 26715 15465 4

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S97015889	0 26715 22128 8	S97016126		S97016543	0 26715 16623 7
S97015890	Repl by S97017586	S97016135	0 26715 15625 2	S97016544	Repl by S97018271
S97015892	0 26715 22129 5	S97016150	0 26715 17050 0	S97016545	Repl by S97018272
S97015893	0 26715 22130 1	S97016178		S97016546	0 26715 16626 8
S97015894	0 26715 22131 8	S97016220	0 26715 22171 4	S97016548	Repl by S97018273
S97015895	0 26715 22132 5	S97016221		S97016555	0 26715 16528 5
S97015896	0 26715 22133 2	S97016222	0 26715 22172 1	S97016556	0 26715 16529 2
S97015898	0 26715 22134 9	S97016223		S97016557	0 26715 16530 8
S97015899	0 26715 22135 6	S97016224	0 26715 22173 8	S97016559	0 26715 16531 5
S97015900		S97016225	0 26715 22174 5	S97016560	0 26715 16532 2
S97015901	0 26715 22136 3	S97016226		S97016563	0 26715 16629 9
S97015907		S97016227		S97016565	0 26715 16631 2
S97015915	0 26715 22137 0	S97016228	0 26715 22175 2	S97016566	0 26715 16632 9
S97015916		S97016229		S97016567	0 26715 16633 6
S97015917	0 26715 22138 7	S97016230		S97016568	Repl by S97016618
S97015918		S97016231		S97016583	Repl by S97018010
S97015919	0 26715 22139 4	S97016232		S97016584	Repl by S97018011
S97015920		S97016233	Repl by S97017161	S97016585	0 26715 16637 4
S97015927	Repl by S97017581	S97016235	0 26715 22176 9	S97016587	Repl by S97017782
S97015928		S97016236	0 26715 22177 6	S97016591	0 26715 16642 8
S97015935		S97016237	0 26715 22178 3	S97016608	Repl by S97017623
S97015939		S97016238	0 26715 18894 9	S97016609	Repl by S97016497
S97015949	0 26715 15520 0	S97016239	0 26715 22179 0	S97016610	Repl by S97017623
S97015950	0 26715 15521 7	S97016240		S97016611	Repl by S97016497
S97015959		S97016241		S97016612	Repl by S97018274
S97015970	0 26715 15462 3	S97016242		S97016613	Repl by S97018274
S97015971	0 26715 15463 0	S97016243	0 26715 22180 6	S97016614	Repl by S97017642
S97015973	0 26715 15466 1	S97016244	0 26715 22181 3	S97016616	0 26715 22207 0
S97015974	0 26715 15474 6	S97016245	0 26715 22182 0	S97016618	0 26715 16651 0
S97015975	0 26715 15475 3	S97016246	0 26715 22183 7	S97016621	0 26715 16652 7
S97015976	0 26715 15476 0	S97016247		S97016630	0 26715 16812 5
S97015977	0 26715 15482 1	S97016248	0 26715 22184 4	S97016631	Repl by S97017069
S97015978	0 26715 15510 1	S97016249		S97016643	0 26715 16711 1
S97015979	0 26715 15511 8	S97016250	0 26715 22185 1	S97016644	0 26715 16712 8
S97015980	0 26715 15512 5	S97016251	0 26715 22186 8	S97016646	0 26715 16713 5
S97015981	0 26715 15513 2	S97016252	0 26715 22187 5	S97016665	0 26715 16715 9
S97015982	0 26715 15514 9	S97016253	0 26715 22188 2	S97016668	Repl by S97018404
S97015983	0 26715 15515 6	S97016254	0 26715 22189 9	S97016671	0 26715 16811 8
S97015986		S97016255	0 26715 22190 5	S97016672	
S97015987	Repl by S97018397	S97016256	0 26715 15753 2	S97016700	0 26715 16887 3
S97015988	Repl by S97018398	S97016263	Repl by S97017162	S97016701	0 26715 16888 0
S97015989	Repl by S97018399	S97016264		S97016702	0 26715 16889 7
S97015990	0 26715 15485 2	S97016265		S97016703	0 26715 16890 3
S97015992	0 26715 15487 6	S97016267		S97016704	0 26715 16891 0
S97015993	0 26715 15488 3	S97016268		S97016705	0 26715 16892 7
S97015994	0 26715 15489 0	S97016269	0 26715 22191 2	S97016706	0 26715 16893 4
S97015995	0 26715 15490 6	S97016270	0 26715 22192 9	S97016708	0 26715 16895 8
S97016017		S97016272	0 26715 22193 6	S97016709	0 26715 16896 5
S97016018	0 26715 22140 0	S97016278		S97016711	0 26715 16898 9
S97016019	0 26715 22141 7	S97016279	0 26715 22194 3	S97016712	0 26715 16899 6
S97016020	0 26715 22142 4	S97016314	0 26715 16317 5	S97016714	0 26715 16901 6
S97016021		S97016319	0 26715 16275 8	S97016715	0 26715 16902 3
S97016022		S97016334	0 26715 16302 1	S97016716	0 26715 16903 0
S97016024	0 26715 22143 1	S97016335	0 26715 16303 8	S97016717	0 26715 16904 7
S97016025		S97016336	0 26715 16304 5	S97016719	0 26715 16906 1
S97016026		S97016377	0 26715 16349 6	S97016722	0 26715 16813 2
S97016027		S97016381	0 26715 16315 1	S97016740	0 26715 16852 1
S97016028	0 26715 22144 8	S97016438	0 26715 16359 5	S97016741	0 26715 16853 8
S97016029	0 26715 22145 5	S97016439	0 26715 17917 6	S97016743	0 26715 16855 2
S97016030		S97016449	0 26715 16611 4	S97016744	0 26715 16856 9
S97016031	0 26715 22146 2	S97016450	0 26715 16612 1	S97016776	0 26715 17239 9
S97016032	0 26715 22147 9	S97016453	0 26715 16401 1	S97016777	0 26715 17240 5
S97016033	0 26715 22148 6	S97016454	0 26715 16402 8	S97016778	0 26715 16938 2
S97016059	0 26715 22149 3	S97016459	Repl by S97017621	S97016779	0 26715 16939 9
S97016060	0 26715 22150 9	S97016466	0 26715 16615 2	S97016780	0 26715 16940 5
S97016061	0 26715 22151 6	S97016467	0 26715 17196 5	S97016782	0 26715 16942 9
S97016063	0 26715 22152 3	S97016468	0 26715 16616 9	S97016791	0 26715 17082 1
S97016064	0 26715 22153 0	S97016470	0 26715 16617 6	S97016792	0 26715 17087 6
S97016065	0 26715 22154 7	S97016473	0 26715 16619 0	S97016793	0 26715 17083 8
S97016066	0 26715 22155 4	S97016474	0 26715 16620 6	S97016794	0 26715 17084 5
S97016067	0 26715 22156 1	S97016475		S97016795	0 26715 17085 2
S97016068	0 26715 22157 8	S97016478	0 26715 22200 1	S97016796	Repl by S97016794
S97016069	0 26715 22158 5	S97016479	0 26715 22201 8	S97016797	Repl by S97016795
S97016070	0 26715 22159 2	S97016480	0 26715 22202 5	S97016798	0 26715 17104 0
S97016072	0 26715 22160 8	S97016481	0 26715 22203 2	S97016801	0 26715 17106 4
S97016073	0 26715 22161 5	S97016482		S97016802	0 26715 17107 1
S97016075	0 26715 22162 2	S97016483	0 26715 22204 9	S97016838	0 26715 17093 7
S97016076	0 26715 22163 9	S97016484		S97016839	0 26715 17094 4
S97016077	0 26715 22164 6	S97016485		S97016846	Repl by S97019016
S97016078	0 26715 22165 3	S97016486		S97016847	Repl by S97019016
S97016079	0 26715 22166 0	S97016487		S97016848	0 26715 17116 3
S97016080	0 26715 22167 7	S97016488		S97016864	0 26715 17197 2
S97016082	0 26715 22168 4	S97016489		S97016866	Repl by S97018271
S97016083		S97016491	0 26715 16418 9	S97016867	Repl by S97018272
S97016084		S97016496	Repl by S97017623	S97016868	Repl by S97018273
S97016118	0 26715 22169 1	S97016497	0 26715 16622 0	S97016869	Repl by S97018274
S97016119	0 26715 22170 7	S97016523	0 26715 22205 6	S97016888	Repl by S99271358
S97016123	Repl by S97018851	S97016525	0 26715 22206 3	S97016889	0 26715 17194 1
S97016124		S97016527		S97016895	0 26715 17203 0

PART NO.	UPC or REPL BY
S97016911	Repl by S97017642
S97016912	0 26715 17215 3
S97016914	Repl by S97018273
S97016916	Repl by S97018274
S97016917	Repl by S97017623
S97016923	Repl by S97018811
S97016924	0 26715 17242 9
S97016926	0 26715 17225 2
S97016932	Repl by S97018010
S97016933	Repl by S97018011
S97016941	Repl by S97018812
S97016962	0 26715 17246 7
S97016963	0 26715 17328 0
S97016964	0 26715 17329 7
S97016965	0 26715 17330 3
S97016966	0 26715 17331 0
S97016967	0 26715 17332 7
S97016968	0 26715 17333 4
S97016970	0 26715 17286 3
S97016971	0 26715 17287 0
S97016972	0 26715 17288 7
S97016973	0 26715 17289 4
S97016974	0 26715 17409 6
S97016985	
S97016988	0 26715 22209 4
S97016991	0 26715 22210 0
S97016993	
S97016994	
S97016998	
S97017005	0 26715 22211 7
S97017014	0 26715 17422 5
S97017015	0 26715 17394 5
S97017016	0 26715 17384 6
S97017017	0 26715 17385 3
S97017018	0 26715 17386 0
S97017019	0 26715 17387 7
S97017020	0 26715 17389 1
S97017021	0 26715 17388 4
S97017022	0 26715 17390 7
S97017024	0 26715 17395 2
S97017025	0 26715 17324 2
S97017032	0 26715 17637 3
S97017035	0 26715 17396 9
S97017036	0 26715 17397 6
S97017037	0 26715 17398 3
S97017038	0 26715 17399 0
S97017039	0 26715 17400 3
S97017040	0 26715 17402 7
S97017041	0 26715 17403 4
S97017042	0 26715 17404 1
S97017043	0 26715 17405 8
S97017044	0 26715 17406 5
S97017045	0 26715 17407 2
S97017046	0 26715 17408 9
S97017047	0 26715 17410 2
S97017048	0 26715 17411 9
S97017049	0 26715 17412 6
S97017050	0 26715 17413 3
S97017051	0 26715 17414 0
S97017052	0 26715 17415 7
S97017055	0 26715 17418 8
S97017059	0 26715 17401 0
S97017062	0 26715 17304 4
S97017063	0 26715 17305 1
S97017064	Repl by S97017714
S97017065	0 26715 17307 5
S97017066	0 26715 17308 2
S97017067	0 26715 17316 7
S97017068	0 26715 20076 4
S97017069	0 26715 17318 1
S97017070	0 26715 18676 1
S97017080	0 26715 18677 8
S97017083	0 26715 17334 1
S97017084	0 26715 17335 8
S97017085	0 26715 17336 5
S97017086	0 26715 17337 2
S97017087	0 26715 17338 9
S97017088	0 26715 17339 6
S97017156	
S97017157	
S97017159	
S97017160	0 26715 17494 2
S97017161	0 26715 22212 4
S97017162	0 26715 22213 1
S97017222	0 26715 17898 8
S97017223	0 26715 17899 5
S97017224	0 26715 17900 8
S97017259	0 26715 17512 3
S97017260	0 26715 17513 0

PART NO.	UPC or REPL BY
S97017264	0 26715 17909 1
S97017300	0 26715 17509 3
S97017301	0 26715 17510 9
S97017303	Repl by S97010736
S97017305	0 26715 22214 8
S97017308	0 26715 22216 2
S97017311	0 26715 17918 3
S97017312	0 26715 17908 4
S97017315	0 26715 17558 1
S97017324	0 26715 17901 5
S97017325	0 26715 17902 2
S97017326	0 26715 17903 9
S97017380	
S97017397	0 26715 17940 4
S97017398	0 26715 17941 1
S97017404	0 26715 17945 9
S97017405	0 26715 17946 6
S97017406	0 26715 17947 3
S97017407	0 26715 17948 0
S97017408	0 26715 17949 7
S97017409	0 26715 17950 3
S97017411	0 26715 17952 7
S97017412	0 26715 17953 4
S97017413	0 26715 17954 1
S97017414	0 26715 17955 8
S97017415	0 26715 17956 5
S97017416	0 26715 17957 2
S97017417	0 26715 17939 8
S97017418	0 26715 17634 2
S97017420	0 26715 17763 9
S97017421	0 26715 17758 5
S97017425	0 26715 17635 9
S97017427	0 26715 17636 6
S97017428	0 26715 17905 3
S97017429	0 26715 17904 6
S97017431	0 26715 17632 8
S97017433	0 26715 22220 9
S97017434	0 26715 17958 9
S97017436	0 26715 17960 2
S97017437	0 26715 17961 9
S97017446	0 26715 17760 8
S97017447	0 26715 22221 6
S97017450	0 26715 17765 3
S97017451	0 26715 18678 5
S97017452	0 26715 17734 9
S97017455	0 26715 17911 4
S97017456	0 26715 17912 1
S97017478	0 26715 17762 2
S97017572	0 26715 18192 6
S97017577	0 26715 22223 0
S97017578	0 26715 22224 7
S97017579	0 26715 22225 4
S97017580	0 26715 22226 1
S97017581	0 26715 22227 8
S97017586	0 26715 22230 8
S97017590	
S97017591	
S97017592	
S97017593	
S97017594	0 26715 22233 9
S97017595	0 26715 22234 6
S97017596	0 26715 22235 3
S97017597	
S97017598	0 26715 22236 0
S97017599	0 26715 22237 7
S97017600	0 26715 22238 4
S97017601	0 26715 22239 1
S97017604	
S97017605	
S97017606	0 26715 18206 0
S97017607	0 26715 18689 1
S97017609	0 26715 18198 8
S97017620	0 26715 17966 4
S97017621	0 26715 18031 8
S97017622	0 26715 18032 5
S97017623	0 26715 18033 2
S97017639	0 26715 18208 4
S97017641	Repl by S97017623
S97017642	0 26715 18035 6
S97017646	0 26715 17880 3
S97017648	0 26715 17881 0
S97017663	0 26715 18207 7
S97017672	0 26715 18212 1
S97017674	0 26715 23807 1
S97017681	0 26715 18012 7
S97017682	0 26715 18013 4
S97017683	0 26715 18014 1
S97017686	0 26715 18210 7
S97017687	0 26715 18211 4

PART NO.	UPC or REPL BY
S97017688	0 26715 18209 1
S97017696	0 26715 18029 5
S97017702	0 26715 18506 1
S97017703	0 26715 18511 5
S97017704	0 26715 18512 2
S97017705	0 26715 18504 7
S97017706	0 26715 18505 4
S97017707	0 26715 18690 7
S97017708	0 26715 18691 4
S97017709	0 26715 18692 1
S97017711	0 26715 18194 0
S97017712	0 26715 18193 3
S97017713	0 26715 18196 4
S97017714	0 26715 18061 5
S97017720	0 26715 19285 4
S97017721	0 26715 19286 1
S97017727	0 26715 18144 5
S97017728	0 26715 18145 2
S97017729	0 26715 18146 9
S97017730	0 26715 18147 6
S97017731	0 26715 18150 6
S97017732	0 26715 18151 3
S97017734	0 26715 18154 4
S97017735	0 26715 18155 1
S97017736	0 26715 18153 7
S97017739	0 26715 18221 3
S97017753	0 26715 18179 7
S97017754	0 26715 18180 3
S97017755	0 26715 18181 0
S97017756	0 26715 18182 7
S97017757	0 26715 18183 4
S97017758	0 26715 18184 1
S97017759	0 26715 18185 8
S97017760	0 26715 18186 5
S97017767	0 26715 18493 4
S97017768	0 26715 18249 7
S97017769	0 26715 18250 3
S97017772	0 26715 18497 2
S97017774	0 26715 20217 1
S97017775	0 26715 18603 6
S97017776	0 26715 20354 3
S97017782	0 26715 18368 5
S97017783	0 26715 18369 2
S97017784	0 26715 18370 8
S97017794	0 26715 18496 5
S97017795	0 26715 18492 7
S97017798	0 26715 18494 1
S97017799	0 26715 19899 3
S97017806	0 26715 18498 9
S97017824	0 26715 18365 4
S97017842	0 26715 18372 2
S97017843	0 26715 18373 9
S97017846	0 26715 18376 0
S97017848	0 26715 18378 4
S97017849	0 26715 18379 1
S97017850	Repl by S97020049
S97017851	0 26715 18381 4
S97017853	0 26715 18383 8
S97017854	0 26715 18384 5
S97017855	0 26715 18385 2
S97017856	0 26715 18386 9
S97017863	0 26715 18402 6
S97017865	0 26715 22242 1
S97017866	0 26715 22243 8
S97017867	0 26715 22244 5
S97017869	
S97017870	
S97017872	0 26715 22245 2
S97017877	0 26715 22246 9
S97017923	0 26715 18703 4
S97017924	0 26715 19195 6
S97017930	0 26715 22247 6
S97017931	
S97017932	
S97017933	0 26715 22248 3
S97017947	0 26715 22249 0
S97017948	0 26715 22250 6
S97017949	
S97017950	
S97017951	
S97017952	
S97017953	
S97017954	
S97017955	0 26715 22251 3
S97017956	
S97017957	
S97017958	
S97017959	
S97017960	

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S97017961		S97018202	0 26715 19300 4	S97018557	0 26715 20012 2
S97017962	0 26715 22252 0	S97018203	0 26715 19301 1	S97018559	0 26715 20013 9
S97017963		S97018204	0 26715 19302 8	S97018561	0 26715 20031 3
S97017964		S97018205	0 26715 19303 5	S97018562	0 26715 20055 9
S97017965	0 26715 22253 7	S97018206	0 26715 19304 2	S97018564	0 26715 19957 0
S97017966	0 26715 22254 4	S97018207	0 26715 19305 9	S97018567	0 26715 19964 8
S97017967	0 26715 22255 1	S97018218	0 26715 19293 9	S97018568	0 26715 19965 5
S97017968	0 26715 22256 8	S97018220	0 26715 19336 3	S97018569	0 26715 19966 2
S97017969		S97018221	0 26715 19337 0	S97018570	0 26715 19967 9
S97017970		S97018222	Repl by S97018719	S97018571	0 26715 19968 6
S97017971		S97018223	Repl by S97018720	S97018572	0 26715 19969 3
S97017972		S97018224	0 26715 19340 0	S97018573	0 26715 19970 9
S97017973		S97018225	0 26715 19341 7	S97018574	0 26715 19971 6
S97017974		S97018226	0 26715 19342 4	S97018575	0 26715 19972 3
S97017975		S97018227	0 26715 19343 1	S97018578	0 26715 19987 7
S97017976		S97018228	0 26715 19344 8	S97018582	0 26715 19973 0
S97017977		S97018229	0 26715 19345 5	S97018620	0 26715 22286 5
S97017978		S97018230	0 26715 19346 2	S97018621	0 26715 20052 8
S97017979		S97018231	0 26715 19347 9	S97018622	0 26715 20053 5
S97017980		S97018232	0 26715 19348 6	S97018623	0 26715 20134 1
S97017981		S97018233	0 26715 19355 4	S97018629	0 26715 20191 4
S97017982		S97018234	0 26715 19349 3	S97018630	0 26715 20192 1
S97017983		S97018235	0 26715 19350 9	S97018631	0 26715 20193 8
S97017984		S97018236	0 26715 19351 6	S97018635	0 26715 20195 2
S97017985		S97018237	0 26715 19352 3	S97018636	0 26715 20196 9
S97017986		S97018238	0 26715 19353 0	S97018648	0 26715 20276 8
S97017987	0 26715 22257 5	S97018239	0 26715 19354 7	S97018649	0 26715 20277 5
S97017988	0 26715 22258 2	S97018240	0 26715 19356 1	S97018651	0 26715 20127 3
S97017989		S97018241	0 26715 19357 8	S97018652	0 26715 20128 0
S97017990		S97018242	0 26715 19358 5	S97018653	0 26715 20129 7
S97017991		S97018243	0 26715 19359 2	S97018656	0 26715 20130 3
S97017992		S97018244	0 26715 19360 8	S97018658	0 26715 20133 4
S97017993	0 26715 22259 9	S97018245	0 26715 19361 5	S97018659	0 26715 20135 8
S97017998	0 26715 18705 8	S97018246	0 26715 19362 2	S97018660	0 26715 20136 5
S97017999	Repl by S97020044	S97018247	0 26715 19363 9	S97018665	0 26715 20132 7
S97018001	0 26715 18707 2	S97018251	0 26715 19367 7	S97018677	0 26715 22287 2
S97018002		S97018252	0 26715 19368 4	S97018680	0 26715 22290 2
S97018006		S97018253	0 26715 19369 1	S97018701	
S97018010	0 26715 18718 8	S97018254	0 26715 19370 7	S97018702	
S97018011	0 26715 18719 5	S97018255	0 26715 19371 4	S97018704	0 26715 22305 3
S97018014	0 26715 18783 6	S97018256	0 26715 19372 1	S97018711	0 26715 22309 1
S97018015	0 26715 19496 4	S97018257	0 26715 19373 8	S97018712	0 26715 22310 7
S97018016	0 26715 19497 1	S97018260	0 26715 19376 9	S97018716	0 26715 20274 4
S97018026	0 26715 18721 8	S97018261	0 26715 19377 6	S97018717	0 26715 20275 1
S97018027	0 26715 18846 8	S97018262	0 26715 19378 3	S97018718	0 26715 22311 4
S97018028	0 26715 18847 5	S97018271	0 26715 19326 4	S97018719	0 26715 20155 6
S97018029	0 26715 18848 2	S97018272	0 26715 19327 1	S97018720	0 26715 20156 3
S97018030	0 26715 18849 9	S97018273	0 26715 19328 8	S97018721	0 26715 20319 2
S97018035	0 26715 18958 8	S97018274	0 26715 19329 5	S97018731	0 26715 20197 6
S97018036	0 26715 18959 5	S97018287	0 26715 19543 5	S97018733	0 26715 20199 0
S97018037		S97018310	0 26715 19500 8	S97018734	0 26715 20200 3
S97018038		S97018311	0 26715 19501 5	S97018738	0 26715 20736 7
S97018039	0 26715 22260 5	S97018326	0 26715 19502 2	S97018748	0 26715 20280 5
S97018040		S97018327	0 26715 19503 9	S97018749	0 26715 20281 2
S97018041		S97018331	0 26715 20310 9	S97018750	0 26715 20282 9
S97018042	0 26715 22261 2	S97018333	0 26715 19520 6	S97018751	0 26715 20283 6
S97018043	0 26715 22262 9	S97018343	0 26715 19890 0	S97018753	0 26715 20320 8
S97018049	0 26715 18960 1	S97018344	0 26715 19891 7	S97018755	0 26715 20322 2
S97018071	0 26715 23553 7	S97018349	0 26715 20311 6	S97018756	0 26715 20323 9
S97018072	0 26715 19136 9	S97018382	0 26715 20312 3	S97018758	0 26715 20325 3
S97018073	0 26715 19137 6	S97018385	0 26715 19567 1	S97018759	0 26715 20326 0
S97018074	0 26715 19138 3	S97018390	0 26715 19572 5	S97018761	0 26715 20328 4
S97018077	0 26715 19141 3	S97018397	0 26715 19582 4	S97018762	0 26715 20329 1
S97018078	0 26715 19142 0	S97018398	0 26715 19583 1	S97018763	0 26715 20330 7
S97018079	0 26715 19143 7	S97018399	0 26715 19584 8	S97018765	0 26715 20332 1
S97018080	0 26715 19144 4	S97018404	0 26715 19586 2	S97018766	0 26715 20333 8
S97018083	0 26715 19147 5	S97018427	0 26715 19946 4	S97018768	0 26715 20334 5
S97018085	0 26715 19149 9	S97018428	0 26715 19947 1	S97018774	0 26715 20253 9
S97018086	0 26715 19150 5	S97018447	0 26715 23344 1	S97018775	0 26715 20653 7
S97018088	0 26715 19012 6	S97018462	0 26715 22276 6	S97018776	0 26715 20654 4
S97018125	0 26715 19488 9	S97018463	0 26715 22277 3	S97018779	0 26715 20657 5
S97018130	0 26715 19165 9	S97018471	0 26715 20313 0	S97018780	0 26715 20658 2
S97018131	0 26715 19166 6	S97018472	0 26715 20649 0	S97018781	0 26715 20285 0
S97018132	0 26715 19167 3	S97018473	0 26715 20314 7	S97018803	0 26715 20212 6
S97018133	0 26715 19168 0	S97018474	0 26715 20650 6	S97018804	0 26715 20284 3
S97018134	0 26715 19169 7	S97018476	0 26715 20078 8	S97018811	0 26715 20270 6
S97018135	0 26715 19170 3	S97018480	0 26715 19984 6	S97018812	0 26715 20271 3
S97018136	0 26715 19171 0	S97018489	0 26715 20036 8	S97018816	0 26715 20302 4
S97018137	0 26715 19172 7	S97018522	0 26715 21015 2	S97018820	0 26715 20368 0
S97018138	0 26715 19334 9	S97018523	0 26715 20079 5	S97018821	0 26715 20367 3
S97018140	0 26715 19173 4	S97018524	0 26715 20080 1	S97018822	0 26715 20361 1
S97018141	0 26715 19174 1	S97018525	0 26715 20081 8	S97018823	0 26715 20359 8
S97018142	0 26715 19175 8	S97018527	0 26715 20083 2	S97018824	0 26715 20360 4
S97018154	0 26715 19130 7	S97018528	0 26715 20084 9	S97018827	0 26715 20357 4
S97018155	0 26715 19306 6	S97018529	0 26715 19985 3	S97018828	0 26715 20366 6
S97018167	0 26715 20356 7	S97018534	0 26715 20085 6	S97018832	0 26715 20309 3
S97018168	Repl by S97019017	S97018550	0 26715 20011 5	S97018834	0 26715 20303 1
S97018169	0 26715 19263 2	S97018552	0 26715 19986 0	S97018838	0 26715 20338 3
S97018201	0 26715 19299 1	S97018554	0 26715 19960 0	S97018840	0 26715 20339 0

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S97018846	0 26715 22659 7	S97019471	0 26715 23022 8	S97020464	0 26715 25186 5
S97018851	0 26715 20714 5	S97019472	0 26715 23023 5	S97020466	0 26715 25188 9
S97018853	0 26715 20474 8	S97019515	0 26715 23620 6	S97020467	0 26715 25189 6
S97018868	0 26715 20896 8	S97019516	0 26715 23621 3	S97020470	0 26715 25193 3
S97018870	0 26715 20484 7	S97019520	0 26715 23349 6	S97020534	0 26715 25191 9
S97018871	0 26715 20485 4	S97019521	0 26715 23350 2	S97270011	Repl by S99270748
S97018872	0 26715 20486 1	S97019522	0 26715 23351 9	S98000037	
S97018873	0 26715 20487 8	S97019525	0 26715 23148 5	S980000116	
S97018874	0 26715 20742 8	S97019535	0 26715 23149 2	S98000133	
S97018875	0 26715 20746 6	S97019537	0 26715 23150 8	S98000566	
S97018879	0 26715 20754 1	S97019540	0 26715 23146 1	S98000798	
S97018881	0 26715 20738 1	S97019541	0 26715 23147 8	S98000972	0 26715 09782 1
S97018882	0 26715 20739 8	S97019547	0 26715 23343 4	S98000975	Repl by S98003036
S97018883	0 26715 20740 4	S97019561	0 26715 23622 0	S98000977	
S97018889	0 26715 20697 1	S97019565	0 26715 23417 2	S98000985	
S97018890	0 26715 20698 8	S97019570	0 26715 24336 5	S98001135	
S97018891	0 26715 20699 5	S97019582	0 26715 23458 5	S98001187	0 26715 22316 9
S97018892	0 26715 20700 8	S97019584	0 26715 24337 2	S98001197	
S97018894	0 26715 20702 2	S97019640	0 26715 24344 0	S98001290	
S97018895	0 26715 20703 9	S97019676	0 26715 24346 4	S98001291	
S97018896	0 26715 20704 6	S97019743	0 26715 23623 7	S98001293	
S97018897	0 26715 20705 3	S97019745	0 26715 24020 3	S98001322	0 26715 22317 6
S97018898	0 26715 20706 0	S97019781	0 26715 23624 4	S98001338	0 26715 04565 5
S97018899	0 26715 20707 7	S97019782	0 26715 23625 1	S98001398	0 26715 22318 3
S97018902	0 26715 20709 1	S97019785	0 26715 23626 8	S98001469	0 26715 04645 4
S97018903	0 26715 20710 7	S97019786	0 26715 23627 5	S98002550	Repl by S97007965
S97018904	0 26715 20711 4	S97019787	0 26715 23628 2	S98002831	0 26715 14489 1
S97018905	0 26715 20712 1	S97019788	0 26715 23629 9	S98003036	0 26715 03663 9
S97018906	0 26715 20713 8	S97019810	0 26715 23550 6	S98003054	
S97018908	0 26715 20715 2	S97019875	0 26715 24348 8	S98003356	
S97018925	0 26715 20778 7	S97019882	0 26715 23589 6	S98003366	
S97018937	0 26715 20899 9	S97019917	0 26715 23844 6	S98003370	0 26715 22321 3
S97018968	0 26715 20989 7	S97019918	0 26715 23845 3	S98003704	
S97018985	0 26715 20980 4	S97019920	0 26715 23963 4	S98003719	0 26715 18747 8
S97019006	0 26715 21033 6	S97019921	0 26715 23964 1	S98003769	
S97019008	0 26715 21112 8	S97019995	0 26715 24010 4	S98003774	
S97019009	0 26715 21113 5	S97019996	0 26715 24011 1	S98003778	
S97019010	0 26715 21114 2	S97020001	0 26715 23848 4	S98003788	0 26715 22322 0
S97019011	0 26715 21115 9	S97020004	0 26715 23850 7	S98003794	Repl by S98006276
S97019012	0 26715 21116 6	S97020009	0 26715 23851 4	S98003814	0 26715 04551 8
S97019013	0 26715 21117 3	S97020010	0 26715 23852 1	S98004300	Repl by S98006826
S97019014	0 26715 21118 0	S97020011	0 26715 23853 8	S98004514	0 26715 04354 5
S97019015	0 26715 21119 7	S97020012	0 26715 23854 5	S98004517	
S97019016	0 26715 20977 4	S97020013	0 26715 23855 2	S98004576	Repl by S98005568
S97019017	0 26715 20978 1	S97020042	0 26715 23808 8	S98004930	
S97019018	0 26715 20981 1	S97020043	0 26715 23809 5	S98004931	
S97019028	0 26715 20976 7	S97020044	0 26715 23810 1	S98004932	
S97019039	0 26715 20990 3	S97020044	0 26715 23810 1	S98004934	0 26715 18130 8
S97019040	0 26715 22761 7	S97020045	0 26715 23811 8	S98004935	0 26715 18950 2
S97019322	0 26715 22769 3	S97020046	0 26715 23812 5	S98004957	Repl by S98005557
S97019323	0 26715 22770 9	S97020046	0 26715 23812 5	S98005013	
S97019324	0 26715 22766 2	S97020047	0 26715 23813 2	S98005039	0 26715 04631 7
S97019325	0 26715 21032 9	S97020047	0 26715 23813 2	S98005212	0 26715 19484 1
S97019326	0 26715 21035 0	S97020048	0 26715 23814 9	S98005215	
S97019349	Repl by S97020042	S97020048	0 26715 23814 9	S98005221	0 26715 09736 4
S97019353	0 26715 22750 1	S97020049	0 26715 23815 6	S98005222	
S97019355	0 26715 21111 1	S97020050	0 26715 23816 3	S98005223	
S97019363	0 26715 22758 7	S97020051	0 26715 23817 0	S98005224	
S97019364	0 26715 22759 4	S97020052	0 26715 23818 7	S98005314	Repl by S98006765
S97019365	0 26715 22760 0	S97020053	0 26715 23819 4	S98005329	0 26715 22323 7
S97019366	0 26715 22779 2	S97020054	0 26715 23820 0	S98005405	0 26715 22324 4
S97019368	0 26715 22780 8	S97020066	0 26715 23962 7	S98005407	
S97019371	0 26715 22622 1	S97020067	0 26715 23967 2	S98005410	0 26715 05863 1
S97019389	0 26715 23016 7	S97020068	0 26715 23968 9	S98005415	
S97019394	0 26715 22807 2	S97020069	0 26715 23969 6	S98005419	0 26715 04512 9
S97019396	0 26715 22809 6	S97020070	0 26715 23977 1	S98005458	
S97019398	0 26715 22811 9	S97020073	0 26715 23978 8	S98005461	
S97019399	0 26715 22812 6	S97020074	0 26715 24018 0	S98005467	
S97019401	0 26715 22814 0	S97020076	0 26715 24019 7	S98005500	
S97019402	0 26715 22815 7	S97020122	0 26715 23966 5	S98005505	
S97019405	0 26715 23346 5	S97020136	0 26715 23836 1	S98005512	0 26715 22326 8
S97019406	0 26715 23347 2	S97020137	0 26715 23837 8	S98005513	0 26715 05878 5
S97019411	0 26715 23017 4	S97020138	0 26715 23838 5	S98005514	
S97019416		S97020139	0 26715 23839 2	S98005519	
S97019417		S97020140	0 26715 23840 8	S98005526	
S97019430	0 26715 23037 2	S97020141	0 26715 23841 5	S98005527	
S97019431	0 26715 22987 1	S97020142	0 26715 23842 2	S98005531	Repl by S97009892
S97019432	0 26715 23038 9	S97020226	0 26715 24352 5	S98005533	Repl by S95000963
S97019433	0 26715 23039 6	S97020244	0 26715 24353 2	S98005549	
S97019434	0 26715 23040 2	S97020247	0 26715 24031 9	S98005555	Repl by S98006746
S97019447		S97020351	0 26715 24215 3	S98005557	0 26715 22327 5
S97019454	0 26715 23002 0	S97020361	0 26715 24355 6	S98005558	
S97019456	0 26715 23018 1	S97020362	0 26715 24356 3	S98005568	0 26715 03664 6
S97019457	0 26715 23019 8	S97020363	0 26715 24357 0	S98005570	Repl by S98006621
S97019458	0 26715 23020 4	S97020368	0 26715 24362 4	S98005576	0 26715 22330 5
S97019459	0 26715 23003 7	S97020374	0 26715 24330 3	S98005577	0 26715 22331 2
S97019461	0 26715 23021 1	S97020411	0 26715 25071 4	S98005581	0 26715 22332 9
S97019462	0 26715 22988 8	S97020414	0 26715 25073 8	S98005584	0 26715 22333 6
S97019466	0 26715 23348 9				

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S98005585	0 26715 22334 3	S98006717		S98008101	
S98005586	0 26715 22335 0	S98006740		S98008132	
S98005588	0 26715 18896 3	S98006745		S98008144	
S98005595		S98006746	0 26715 04735 2	S98008150	0 26715 13290 4
S98005598	Repl by S98005584	S98006761	0 26715 22350 3	S98008157	
S98005668	Repl by S98005568	S98006763		S98008158	0 26715 05834 1
S98005783	0 26715 18389 0	S98006764		S98008159	0 26715 13291 1
S98005784	0 26715 18952 6	S98006765	0 26715 04747 5	S98008166	
S98005785	0 26715 18953 3	S98006773	0 26715 04527 3	S98008167	0 26715 05822 8
S98005792		S98006791	0 26715 22351 0	S98008168	0 26715 13292 8
S98005850		S98006804	Repl by S97006971	S98008169	0 26715 13293 5
S98005852	0 26715 09248 2	S98006824		S98008173	
S98005860	0 26715 09249 9	S98006834	0 26715 22354 1	S98008174	
S98005876	0 26715 04657 7	S98006849	0 26715 22355 8	S98008175	
S98005960		S98006852		S98008183	0 26715 06618 6
S98005972		S98006855		S98008185	0 26715 05835 8
S98006005		S98006859		S98008186	0 26715 06615 5
S98006025		S98006867	Repl by S98009757	S98008187	0 26715 06622 3
S98006026	0 26715 22337 4	S98006874	Repl by S98008298	S98008223	
S98006028		S98006875	0 26715 22358 9	S98008241	
S98006029		S98006877	0 26715 09739 5	S98008248	Repl by S97014513
S98006039		S98006878	Repl by S98009756	S98008264	0 26715 05816 7
S98006040		S98006879	0 26715 19230 4	S98008277	0 26715 18938 0
S98006041		S98006937	0 26715 09257 4	S98008298	0 26715 05460 2
S98006043		S98006938	0 26715 13286 7	S98008315	0 26715 05794 8
S98006045	Repl by S98006066	S98006969	Repl by S97014809	S98008316	
S98006046	0 26715 18142 1	S98006970	0 26715 09740 1	S98008317	
S98006047	0 26715 22338 1	S98006972		S98008319	Repl by S97011443
S98006048	0 26715 18355 5	S98006973	0 26715 22359 6	S98008337	Repl by S97011447
S98006051		S98006974	0 26715 22360 2	S98008338	Repl by S97011448
S98006055		S98006975	0 26715 09893 4	S98008341	Repl by S97011445
S98006056		S98006986		S98008342	Repl by S97011446
S98006058		S98006987		S98008345	
S98006059	0 26715 22339 8	S98006989		S98008346	
S98006061		S98006990		S98008459	
S98006062	0 26715 18417 0	S98006991	Repl by S97013945	S98008491	0 26715 22367 1
S98006063	Repl by S98007820	S98006993		S98008494	0 26715 20728 2
S98006066	0 26715 04404 7	S98007038		S98008507	0 26715 22368 8
S98006067	0 26715 22340 4	S98007084		S98008509	
S98006073	0 26715 22341 1	S98007086	Repl by S97013821	S98008510	0 26715 22369 5
S98006081	0 26715 22342 8	S98007090		S98008511	0 26715 18898 7
S98006086	0 26715 18129 2	S98007091		S98008588	
S98006117		S98007096	Repl by S99020255	S98008672	0 26715 08912 3
S98006191	0 26715 22343 5	S98007097	Repl by S99020255	S98008740	0 26715 18537 5
S98006223		S98007155	0 26715 13901 9	S98008741	0 26715 18701 0
S98006250		S98007164	0 26715 13386 4	S98008742	0 26715 18702 7
S98006276	0 26715 03665 3	S98007201		S98008868	0 26715 09836 1
S98006296		S98007205		S98008921	Repl by S97013826
S98006297		S98007237	0 26715 09748 7	S98008922	Repl by S97013825
S98006322		S98007238	Repl by S97013822	S98008923	0 26715 09758 6
S98006352	0 26715 18132 2	S98007289		S98008924	0 26715 09759 3
S98006363		S98007291	Repl by S97014514	S98008925	0 26715 18140 7
S98006364		S98007321	Repl by S97014515	S98009110	0 26715 22373 2
S98006365		S98007326		S98009211	Repl by S98006621
S98006367	Repl by S98006699	S98007344	Repl by S25064-00	S98009307	Repl by S98009307P
S98006375		S98007352	0 26715 09259 8	S98009307P	0 26715 18546 7
S98006376		S98007367		S98009357	0 26715 13845 6
S98006377		S98007397	0 26715 22363 3	S98009358	0 26715 13846 3
S98006379	Repl by S98006700	S98007418		S98009416	0 26715 13329 1
S98006381	Repl by S98008132	S98007420		S98009417	0 26715 13330 7
S98006382		S98007422		S98009429	0 26715 22374 9
S98006454	0 26715 18133 9	S98007425	Repl by S98007426	S98009449	0 26715 13355 0
S98006455	0 26715 22344 2	S98007426	0 26715 18327 2	S98009461	0 26715 13356 7
S98006462		S98007430	Repl by S25107-00	S98009463	0 26715 13357 4
S98006475		S98007437	Repl by S25269-00	S98009464	0 26715 13358 1
S98006476		S98007438	Repl by S98010540	S98009497	0 26715 18547 4
S98006479	0 26715 22345 9	S98007441	Repl by S98010543	S98009513	0 26715 13434 2
S98006480		S98007445	Repl by S20076-01	S98009514	0 26715 13435 9
S98006481		S98007447	Repl by S20055-02	S98009516	0 26715 13436 6
S98006482		S98007450	Repl by S25340-01	S98009518	0 26715 13437 3
S98006517		S98007452	Repl by S25075-00	S98009520	0 26715 13438 0
S98006544		S98007456	Repl by S25341-00	S98009522	0 26715 13440 3
S98006545		S98007465	0 26715 22364 0	S98009531	0 26715 13441 0
S98006546	0 26715 13285 0	S98007466	0 26715 07807 3	S98009532	0 26715 13442 7
S98006548		S98007617		S98009537	
S98006549		S98007640	Repl by S99110880	S98009538	0 26715 22375 6
S98006550		S98007641	Repl by S99110881	S98009539	0 26715 22376 3
S98006555		S98007642	0 26715 13367 3	S98009541	0 26715 18924 3
S98006567		S98007763	0 26715 09261 1	S98009544	Repl by S99650049
S98006568		S98007769		S98009575	0 26715 13847 0
S98006583		S98007771	0 26715 14456 3	S98009597	0 26715 15491 3
S98006584		S98007780	Repl by S97018840	S98009611	0 26715 13972 9
S98006621	0 26715 04326 2	S98007819	0 26715 09262 8	S98009612	0 26715 13973 6
S98006642		S98007820	0 26715 04273 9	S98009627	0 26715 13852 4
S98006656		S98007823	0 26715 22365 7	S98009729	
S98006699		S98007825	0 26715 18135 3	S98009756	0 26715 14102 9
S98006700		S98008015	Repl by S97014211	S98009757	0 26715 14103 6
S98006708		S98008019	0 26715 22366 4	S98009773	0 26715 15492 0
S98006714	0 26715 18895 6	S98008047	Repl by S97014516	S98009774	

PART NO.	UPC or REPL BY
S98009802	0 26715 15501 9
S98009803	
S98009804	
S98009816	0 26715 14523 2
S98009855	0 26715 14481 5
S98009886	0 26715 15030 4
S98009890	0 26715 14651 2
S98009908	0 26715 14946 9
S98010005	0 26715 15496 8
S98010013	0 26715 15503 3
S98010015	0 26715 15522 4
S98010088	0 26715 16657 2
S98010089	0 26715 16658 9
S98010090	0 26715 16659 6
S98010091	0 26715 16660 2
S98010102	0 26715 16661 9
S98010105	0 26715 16345 8
S98010173	0 26715 16533 9
S98010226	0 26715 17103 3
S98010267	0 26715 17244 3
S98010268	0 26715 17245 0
S98010286	0 26715 18679 2
S98010295	0 26715 18680 8
S98010306	0 26715 18681 5
S98010342	0 26715 17914 5
S98010405	0 26715 18199 5
S98010407	0 26715 18195 7
S98010409	0 26715 18202 2
S98010540	0 26715 22377 0
S98010541	
S98010542	
S98010543	0 26715 22378 7
S98010583	0 26715 19240 3
S98010614	0 26715 19335 6
S98010628	0 26715 19265 6
S98010725	0 26715 19892 4
S98010814	0 26715 20039 9
S98010817	0 26715 20037 5
S98010818	0 26715 20038 2
S98010831	0 26715 20015 3
S98010839	0 26715 20016 0
S98010876	0 26715 22767 9
S98010877	0 26715 22768 6
S98010900	0 26715 20898 2
S98011003	0 26715 22781 5
S98011023	0 26715 22771 6
S98011050	0 26715 23024 2
S98011158	0 26715 24363 1
S98011159	0 26715 24364 8
S98011160	0 26715 24365 5
S98011668	0 26715 24368 6
S99010032	0 26715 03666 0
S99010033	0 26715 03667 7
S99010039	0 26715 03669 1
S99010042	0 26715 03239 6
S99010046	0 26715 03672 1
S99010049	0 26715 03673 8
S99010085	0 26715 03674 5
S99010088	0 26715 03676 9
S99010089	Repl by S99010049
S99010098	0 26715 03677 6
S99010101	0 26715 03679 0
S99010104	0 26715 03681 3
S99010109	0 26715 17792 9
S99010113	0 26715 03686 8
S99010115	0 26715 03687 5
S99010118	0 26715 03688 2
S99010122	0 26715 03240 2
S99010123	Repl by S97007696
S99010127	Repl by S97007893
S99010131	Repl by S97008537
S99010133	Repl by S97005684
S99010134	Repl by S99010136
S99010135	Repl by S97007808
S99010136	0 26715 03690 5
S99010137	Repl by S97008729
S99010139	Repl by S97007807
S99010141	Repl by S97008730
S99010144	0 26715 10513 7
S99010146	Repl by S97007725
S99010159	Repl by S97007893
S99010172	0 26715 22380 0
S99010175	0 26715 04363 7
S99010181	0 26715 03241 9
S99010182	0 26715 03242 6
S99010183	0 26715 03243 3
S99010184	0 26715 03244 0
S99010185	0 26715 03245 7
S99010186	0 26715 03246 4

PART NO.	UPC or REPL BY
S99010187	0 26715 03247 1
S99010188	0 26715 03691 2
S99010189	Repl by S97009562
S99010190	0 26715 03260 0
S99010191	0 26715 03692 9
S99010192	0 26715 03693 6
S99010193	0 26715 03694 3
S99010194	0 26715 03248 8
S99010195	0 26715 03249 5
S99010196	0 26715 03695 0
S99010197	0 26715 03250 1
S99010198	0 26715 03251 8
S99010199	0 26715 03696 7
S99010200	0 26715 03697 4
S99010201	0 26715 03252 5
S99010202	0 26715 03698 1
S99010203	
S99010207	Repl by S97009561
S99010211	0 26715 09265 9
S99010212	0 26715 03699 8
S99010214	0 26715 03700 1
S99010215	0 26715 03701 8
S99010216	0 26715 03702 5
S99010217	0 26715 03703 2
S99010218	0 26715 03704 9
S99010219	0 26715 03705 6
S99010221	0 26715 03707 0
S99010223	0 26715 03709 4
S99010240	0 26715 03711 7
S99010241	0 26715 03712 4
S99010242	0 26715 03713 1
S99010243	0 26715 03714 8
S99010245	0 26715 03716 2
S99010246	0 26715 03717 9
S99010247	0 26715 03718 6
S99010248	0 26715 09266 6
S99010249	0 26715 09267 3
S99010250	0 26715 09268 0
S99010251	0 26715 22381 7
S99010256	
S99010259	Repl by S99010264
S99010260	Repl by S99010265
S99010263	0 26715 06486 1
S99010264	0 26715 06811 1
S99010265	0 26715 06812 8
S99010268	
S99010271	0 26715 07821 9
S99010299	0 26715 19093 5
S99010300	0 26715 19094 2
S99010301	0 26715 13817 3
S99010302	0 26715 19095 9
S99010303	0 26715 19096 6
S99010304	0 26715 13866 1
S99010305	0 26715 19097 3
S99010306	0 26715 19098 0
S99010307	0 26715 13869 2
S99010308	0 26715 19099 7
S99010309	0 26715 19100 0
S99010310	0 26715 19101 7
S99010316	0 26715 19102 4
S99010317	0 26715 19103 1
S99010330	0 26715 15358 9
S99010331	0 26715 15359 6
S99010353	0 26715 19287 8
S99010354	0 26715 19288 5
S99010357	0 26715 20050 4
S99010358	0 26715 20051 1
S99010360	0 26715 19298 4
S99010361	0 26715 19893 1
S99010365	0 26715 19677 7
S99010366	0 26715 19678 4
S99010367	0 26715 19679 1
S99010368	0 26715 19680 7
S99010370	0 26715 20017 7
S99010381	0 26715 20982 8
S99010382	0 26715 23158 4
S99010383	0 26715 23159 1
S99010384	0 26715 22776 1
S99010385	0 26715 22784 6
S99010430-002	0 26715 25138 4
S99010430-003	0 26715 25139 1
S99010434-002	0 26715 25171 1
S99010436	0 26715 25136 0
S99010438	0 26715 24371 6
S99010439	0 26715 24369 3
S99010440	0 26715 24370 9
S99020002	0 26715 03719 3
S99020004	0 26715 04427 6
S99020010	0 26715 04302 6

PART NO.	UPC or REPL BY
S99020011	0 26715 04369 9
S99020012	0 26715 03720 9
S99020013	Repl by S99020012
S99020014	0 26715 04412 2
S99020015	0 26715 03721 6
S99020027	Repl by S97002096
S99020104	0 26715 04403 0
S99020105	0 26715 04541 9
S99020107	Repl by S99020121
S99020108	Repl by S99020122
S99020111	Repl by S06118-00
S99020116	0 26715 04270 8
S99020118	Repl by S99020290
S99020119	Repl by S06118-00
S99020120	Repl by S06112-00
S99020121	0 26715 22382 4
S99020122	0 26715 09269 7
S99020123	Repl by S06118-00
S99020125	0 26715 04260 9
S99020128	Repl by S97006971
S99020130	0 26715 19022 5
S99020132	Repl by S97006971
S99020133	Repl by S97006971
S99020134	Repl by S99020290
S99020135	Repl by S99020141
S99020138	0 26715 04290 6
S99020139	0 26715 04362 0
S99020140	0 26715 03722 3
S99020141	0 26715 03723 0
S99020142	0 26715 18893 2
S99020143	0 26715 19485 8
S99020144	0 26715 03262 4
S99020145	0 26715 20729 9
S99020146	Repl by S97011423
S99020149	0 26715 03263 1
S99020150	0 26715 03264 8
S99020151	Repl by S99020002
S99020154	Repl by S97006971
S99020157	
S99020158	0 26715 22385 5
S99020161	0 26715 22386 2
S99020165	0 26715 03724 7
S99020166	0 26715 04249 4
S99020167	0 26715 10601 1
S99020172	0 26715 22387 9
S99020173	0 26715 22388 6
S99020174	0 26715 22389 3
S99020175	0 26715 22390 9
S99020176	0 26715 04422 1
S99020181	0 26715 22391 6
S99020182	0 26715 09271 0
S99020187	0 26715 04294 4
S99020192	Repl by S99020255
S99020193	Repl by S99020255
S99020196	Repl by S97009762
S99020200	Repl by S06112-00
S99020201	Repl by S06118-00
S99020202	Repl by S06226-00
S99020203	Repl by S06228-00
S99020244	Repl by S97009890
S99020246	0 26715 14965 0
S99020247	0 26715 05821 1
S99020255	0 26715 09272 7
S99020257	
S99020263	0 26715 09273 4
S99020264	0 26715 18548 1
S99020269	0 26715 09837 8
S99020270	0 26715 09838 5
S99020271	0 26715 14486 0
S99020272	0 26715 11402 3
S99020273	0 26715 13331 4
S99020274	0 26715 13443 4
S99020276	0 26715 13975 0
S99020283	0 26715 16662 6
S99020284	0 26715 16663 3
S99020286	0 26715 17081 4
S99020287	0 26715 17230 6
S99020290	0 26715 17343 3
S99020292	0 26715 17735 6
S99020293	0 26715 18204 6
S99020294	0 26715 18200 8
S99020298	0 26715 20364 2
S99020300	0 26715 19591 6
S99020301	0 26715 20335 2
S99030010	0 26715 09632 9
S99030014	0 26715 04781 9
S99030024	0 26715 04308 8
S99030027	0 26715 04568 6
S99030033	0 26715 04694 2

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S99030040	0 26715 04607 2	S99080062	0 26715 22445 6	S99080263	Repl by S97009316
S99030048	Repl by S97005328	S99080084	Repl by S99670142	S99080267	Repl by S97009317
S99030049	0 26715 10534 2	S99080090	Repl by S97012038	S99080268	Repl by S97009318
S99030072	0 26715 18139 1	S99080093	Repl by S97012038	S99080271	Repl by S97010736
S99030080	Repl by S97007159	S99080094	Repl by S99080166	S99080273	0 26715 10599 1
S99030086	Repl by S97005816	S99080096	Repl by S99080517	S99080274	0 26715 09306 9
S99030103	Repl by S97011282	S99080097	Repl by S97005906	S99080276	0 26715 04495 5
S99030107	Repl by S99030296	S99080098	Repl by S97017062	S99080280	Repl by S97009796
S99030111	Repl by S99030134	S99080099	Repl by S99080166	S99080281	Repl by S02200-54
S99030112	Repl by S99030135	S99080101	Repl by S99080218	S99080287	Repl by S02200-54
S99030113	Repl by S97005816	S99080112	Repl by S97012037	S99080288	Repl by S02200-41
S99030127	Repl by S97006057	S99080115	Repl by S97011222	S99080290	Repl by S02200-51
S99030128	Repl by S97005328	S99080117	Repl by S97005908	S99080291	Repl by S02200-59
S99030130	Repl by S97011803	S99080118	Repl by S99080199	S99080292	Repl by S02200-60
S99030132	0 26715 03727 8	S99080123	Repl by S97009316	S99080294	Repl by S99080166
S99030133	Repl by S97016438	S99080124	Repl by S97009317	S99080295	Repl by S99080590
S99030134	0 26715 03728 5	S99080129	Repl by S97009316	S99080345	Repl by S99080517
S99030135	0 26715 03729 2	S99080130	Repl by S97009317	S99080346	Repl by S99080518
S99030138	0 26715 22393 0	S99080131	Repl by S97009318	S99080347	Repl by S97009754
S99030144	0 26715 04393 4	S99080132	Repl by S97017062	S99080348	Repl by S97009889
S99030148	Repl by S97016970	S99080133	Repl by S99080220	S99080354	Repl by S99080590
S99030149	Repl by S97016970	S99080134	Repl by S99080221	S99080355	0 26715 09312 0
S99030153		S99080136	Repl by S97009721	S99080356	Repl by S97009889
S99030155	Repl by S97007159	S99080137	Repl by S97009721	S99080357	Repl by S97018851
S99030157	0 26715 09276 5	S99080140	Repl by S97010736	S99080359	Repl by S97010736
S99030158	Repl by S97007159	S99080143	Repl by S99080146	S99080362	0 26715 05820 4
S99030161	0 26715 22394 7	S99080145	0 26715 03743 8	S99080363	Repl by S97012248
S99030165	0 26715 09277 2	S99080146	0 26715 03744 5	S99080365	0 26715 05740 5
S99030171	Repl by S97016970	S99080147	Repl by S97007072	S99080366	0 26715 05743 6
S99030172	Repl by S97016970	S99080149	Repl by S97008583	S99080367	0 26715 05741 2
S99030173	Repl by S97016970	S99080150	Repl by S97008584	S99080372	0 26715 18058 5
S99030174	Repl by S97016970	S99080151	0 26715 03746 9	S99080378	Repl by S99080151
S99030176	Repl by S97008413	S99080152	0 26715 05142 7	S99080396	0 26715 17858 2
S99030177	0 26715 04319 4	S99080156	0 26715 03749 0	S99080397	0 26715 22452 4
S99030190	0 26715 20730 5	S99080157	Repl by S99080156	S99080406	Repl by S97012038
S99030191	0 26715 04265 4	S99080158	Repl by S99080160	S99080409	0 26715 09901 6
S99030192	0 26715 14853 0	S99080159	0 26715 13170 9	S99080410	Repl by S97012248
S99030193	Repl by S97013945	S99080160	0 26715 13171 6	S99080417	0 26715 22453 1
S99030194	0 26715 04394 1	S99080165	Repl by S97012038	S99080437	0 26715 18538 2
S99030229	0 26715 05873 0	S99080166	0 26715 05141 0	S99080446	0 26715 09839 2
S99030232	0 26715 09279 6	S99080171	Repl by S97009316	S99080448	0 26715 09840 8
S99030236	0 26715 09280 2	S99080172	0 26715 13296 6	S99080450	0 26715 09841 5
S99030237	Repl by S99030334	S99080173	0 26715 22447 0	S99080460	Repl by S99080596
S99030238	Repl by S99030335	S99080175	0 26715 04288 3	S99080464	0 26715 20725 1
S99030239	0 26715 09282 6	S99080176	0 26715 03751 3	S99080474	0 26715 14366 5
S99030240	Repl by S99030336	S99080177	Repl by S99080596	S99080478	0 26715 18890 1
S99030241	Repl by S99030337	S99080178	0 26715 03753 7	S99080479	Repl by S97017160
S99030243		S99080180	0 26715 03754 4	S99080481	0 26715 13332 1
S99030247	Repl by S97016971	S99080181	0 26715 04346 0	S99080482	0 26715 13333 8
S99030254	0 26715 18349 4	S99080188	Repl by S97007419	S99080483	0 26715 13334 5
S99030258		S99080191	Repl by S99080464	S99080484	0 26715 13335 2
S99030282		S99080192	0 26715 18889 5	S99080485	0 26715 13336 9
S99030283	0 26715 22396 1	S99080194	0 26715 18881 9	S99080486	0 26715 13359 8
S99030285	0 26715 09902 3	S99080195	0 26715 20214 0	S99080487	0 26715 13360 4
S99030307	Repl by S97016972	S99080199	0 26715 04248 7	S99080488	0 26715 13361 1
S99030308	Repl by S97016972	S99080206	Repl by S97009316	S99080490	0 26715 13444 1
S99030310	Repl by S97016970	S99080209	Repl by S97009316	S99080491	0 26715 13445 8
S99030311	Repl by S97016971	S99080210	Repl by S97009317	S99080496	0 26715 13737 4
S99030312	Repl by S97016972	S99080211	Repl by S97009318	S99080498	0 26715 13739 8
S99030313	Repl by S97016973	S99080212	Repl by S97009316	S99080500	0 26715 13741 1
S99030315	Repl by S97016970	S99080216	Repl by S97012038	S99080503	0 26715 13744 2
S99030316	Repl by S97016971	S99080218	0 26715 03269 3	S99080504	0 26715 13745 9
S99030317	Repl by S97016972	S99080219	Repl by S97011222	S99080505	0 26715 13746 6
S99030318	Repl by S97016973	S99080220	0 26715 09429 5	S99080507	0 26715 13748 0
S99030323	0 26715 15494 4	S99080221	0 26715 04687 4	S99080510	0 26715 13751 0
S99030324	0 26715 16392 2	S99080223	Repl by S99080254	S99080516	Repl by S97012041
S99030334		S99080224	Repl by S99080255	S99080517	0 26715 13976 7
S99030335		S99080226	Repl by S97012042	S99080518	0 26715 13977 4
S99030336	0 26715 22397 8	S99080227	0 26715 18888 8	S99080519	0 26715 13978 1
S99030337	0 26715 22398 5	S99080230	Repl by S97012038	S99080520	0 26715 13979 8
S99030342	0 26715 20018 4	S99080232	0 26715 09301 4	S99080521	0 26715 13980 4
S99030347	0 26715 20019 1	S99080233	0 26715 10618 9	S99080522	0 26715 13981 1
S99030355	0 26715 22752 5	S99080237	Repl by S97009316	S99080523	0 26715 13982 8
S99030356	0 26715 22753 2	S99080238	Repl by S97009316	S99080524	0 26715 13983 5
S99030357	0 26715 22754 9	S99080239	Repl by S97009317	S99080526	0 26715 13985 9
S99050013	0 26715 04619 5	S99080240	Repl by S97009318	S99080532	Repl by S99080667
S99050015	0 26715 13294 2	S99080241	Repl by S97008583	S99080538	0 26715 14860 8
S99050018	0 26715 13295 9	S99080242	Repl by S97008584	S99080547	0 26715 15660 3
S99050020	Repl by S97008781	S99080245	Repl by S97012041	S99080553	0 26715 16308 3
S99050021	Repl by S97008782	S99080248	0 26715 09303 8	S99080554	0 26715 16309 0
S99050023		S99080249	0 26715 04784 0	S99080555	0 26715 16310 6
S99050024	Repl by S06137-02	S99080251	0 26715 09763 0	S99080556	0 26715 16664 0
S99050031	Repl by S06233-13	S99080252	0 26715 09304 5	S99080557	0 26715 16404 2
S99078495		S99080254	0 26715 04366 8	S99080558	0 26715 16668 8
S99080006	0 26715 22444 9	S99080255	0 26715 03760 5	S99080559	0 26715 16316 8
S99080010	Repl by S97008639	S99080256	Repl by S97012042	S99080560	Repl by S97017782
S99080048	Repl by S97008342	S99080257	0 26715 22451 7	S99080565	0 26715 16672 5
S99080050	Repl by S97008342	S99080258	Repl by S97012043	S99080566	Repl by S99080595
S99080060	0 26715 03281 5	S99080259	Repl by S97009754	S99080568	Repl by S97016621

PART NO.	UPC or REPL BY
S99080572	0 26715 16865 1
S99080586	0 26715 16944 3
S99080590	0 26715 17325 9
S99080592	0 26715 18686 0
S99080593	0 26715 18687 7
S99080594	0 26715 17495 9
S99080595	0 26715 17469 0
S99080596	0 26715 17453 9
S99080597	0 26715 17913 8
S99080598	Repl by S97017452
S99080599	0 26715 17759 2
S99080602	0 26715 18205 3
S99080605	0 26715 18062 2
S99080606	0 26715 18203 9
S99080624	
S99080625	
S99080626	
S99080629	0 26715 20365 9
S99080634	0 26715 19511 4
S99080656	0 26715 19959 4
S99080666	0 26715 20267 6
S99080667	0 26715 20268 3
S99080669	0 26715 20201 0
S99080731	0 26715 23821 7
S99090011	
S99090310	
S99090397	Repl by S99090632
S99090415	
S99090457	0 26715 18900 7
S99090516	Repl by S99091022
S99090523	Repl by S99090632
S99090525	Repl by S99090634
S99090544	
S99090580	Repl by S99090582
S99090582	0 26715 13297 3
S99090599	Repl by S99090457
S99090602	Repl by S99090457
S99090604	Repl by S97014285
S99090606	0 26715 09764 7
S99090615	0 26715 09765 4
S99090619	Repl by S97010709
S99090620	Repl by S97010709
S99090623	Repl by S97010709
S99090626	
S99090627	Repl by S97010709
S99090628	0 26715 04594 5
S99090629	
S99090631	Repl by S97010709
S99090632	0 26715 22458 6
S99090634	0 26715 22459 3
S99090639	Repl by S97010709
S99090642	Repl by S97010709
S99090646	Repl by S97010709
S99090663	Repl by S99090582
S99090677	0 26715 14428 0
S99090680	0 26715 05296 7
S99090681	0 26715 10575 5
S99090683	0 26715 22460 9
S99090688	0 26715 10574 8
S99090690	
S99090697	0 26715 14429 7
S99090701	Repl by S97010709
S99090712	
S99090713	
S99090714	0 26715 04777 2
S99090723	Repl by S97013142
S99090724	Repl by S97010709
S99090725	
S99090778	0 26715 22462 3
S99090779	0 26715 22463 0
S99090781	0 26715 09743 2
S99090782	
S99090820	Repl by S97010709
S99090827	Repl by S97014286
S99090829	Repl by S99090983
S99090848	Repl by S99091022
S99090849	Repl by S97010709
S99090850	Repl by S97010709
S99090851	Repl by S97010709
S99090852	Repl by S97010709
S99090854	Repl by S97010709
S99090855	Repl by S97010709
S99090856	Repl by S97010709
S99090857	0 26715 22464 7
S99090858	Repl by S97010709
S99090861	
S99090862	Repl by S97010709
S99090863	Repl by S97012926
S99090864	Repl by S97012925

PART NO.	UPC or REPL BY
S99090866	0 26715 22465 4
S99090867	0 26715 22466 1
S99090871	Repl by S97011984
S99090872	Repl by S97011985
S99090875	
S99090877	0 26715 22467 8
S99090881	0 26715 05849 5
S99090882	Repl by S99090881
S99090891	Repl by S99091096
S99090899	0 26715 22468 5
S99090905	0 26715 13298 0
S99090913	
S99090925	
S99090939	0 26715 12869 3
S99090958	Repl by S99090985
S99090983	0 26715 22470 8
S99090985	0 26715 18936 6
S99091020	0 26715 14127 2
S99091021	0 26715 14446 4
S99091022	0 26715 14128 9
S99091027	0 26715 14447 1
S99091029	0 26715 22471 5
S99091030	0 26715 14468 6
S99091031	0 26715 19284 7
S99091077	0 26715 15656 6
S99091096	0 26715 17447 8
S99091114	0 26715 17235 1
S99091116	0 26715 17237 5
S99091122	0 26715 22472 2
S99091126	
S99091127	0 26715 22473 9
S99091129	0 26715 22474 6
S99091149	0 26715 19913 6
S99091152	0 26715 19894 8
S99091163	0 26715 19915 0
S99091165	0 26715 19917 4
S99091166	0 26715 19918 1
S99091168	0 26715 19920 4
S99091171	0 26715 20056 6
S99100011	Repl by S99100443
S99100036	
S99100301	0 26715 22475 3
S99100379	0 26715 22476 0
S99100380	0 26715 10613 4
S99100382	0 26715 18914 4
S99100383	
S99100387	0 26715 22477 7
S99100388	
S99100389	
S99100399	0 26715 04264 7
S99100405	0 26715 06789 3
S99100406	Repl by S97010902
S99100408	0 26715 13299 7
S99100410	0 26715 04300 2
S99100411	0 26715 18352 4
S99100412	0 26715 03762 9
S99100414	Repl by S99100497
S99100416	0 26715 22478 4
S99100424	0 26715 22480 7
S99100428	
S99100429	Repl by S99100484
S99100436	
S99100439	0 26715 09779 1
S99100441	0 26715 18137 7
S99100443	
S99100452	0 26715 18136 0
S99100453	0 26715 22482 1
S99100455	0 26715 22483 8
S99100456	0 26715 22484 5
S99100460	
S99100463	0 26715 14431 0
S99100476	0 26715 10508 3
S99100483	0 26715 09844 6
S99100484	0 26715 09499 8
S99100489	0 26715 10552 6
S99100490	0 26715 09781 4
S99100491	0 26715 09899 6
S99100492	Repl by S99100484
S99100493	
S99100497	0 26715 09749 4
S99100500	
S99100501	
S99100504	Repl by S99100545
S99100505	
S99100517	
S99100518	0 26715 07020 6
S99100528	0 26715 14484 6
S99100530	
S99100531	

PART NO.	UPC or REPL BY
S99100532	0 26715 22487 6
S99100543	0 26715 16259 8
S99100544	0 26715 16260 4
S99100545	0 26715 16261 1
S99100547	0 26715 16262 8
S99100586	0 26715 24016 6
S99110144	Repl by S99140144
S99110379	0 26715 03763 6
S99110385	Repl by S97003932
S99110386	Repl by S97013880
S99110387	Repl by S99110748
S99110388	Repl by S99110751
S99110389	Repl by S99110424
S99110390	Repl by S97013581
S99110391	Repl by S97011813
S99110424	0 26715 04271 5
S99110425	Repl by S97013581
S99110427	Repl by S99110748
S99110428	Repl by S97011813
S99110433	Repl by S97011813
S99110437	0 26715 03273 0
S99110438	Repl by S97011813
S99110446	0 26715 03274 7
S99110454	0 26715 04296 8
S99110464	Repl by S97011723
S99110466	0 26715 22488 3
S99110471	
S99110479	0 26715 03764 3
S99110490	Repl by S97013316
S99110491	Repl by S97007333
S99110506	0 26715 03766 7
S99110507	0 26715 04430 6
S99110518	0 26715 04251 7
S99110519	0 26715 04252 4
S99110522	Repl by S99110751
S99110528	Repl by S97011723
S99110533	Repl by S97011723
S99110535	0 26715 04375 0
S99110536	Repl by S97011802
S99110538	0 26715 10551 9
S99110539	Repl by S97011804
S99110558	Repl by S97011804
S99110559	Repl by S97011789
S99110563	0 26715 04693 5
S99110566	Repl by S97011789
S99110567	Repl by S97014186
S99110568	Repl by S97011789
S99110571	0 26715 13300 0
S99110576	Repl by S97011790
S99110578	Repl by S97015045
S99110580	Repl by S97011723
S99110586	
S99110605	0 26715 03770 4
S99110606	Repl by S97014358
S99110612	0 26715 22491 3
S99110613	0 26715 18348 7
S99110616	Repl by S97011723
S99110620	0 26715 04359 0
S99110630	0 26715 03275 4
S99110637	Repl by S97009341
S99110648	Repl by S97009341
S99110651	Repl by S97009341
S99110655	Repl by S99020292
S99110659	Repl by S99110751
S99110660	Repl by S97011723
S99110668	0 26715 20731 2
S99110675	Repl by S97011813
S99110677	Repl by S97011813
S99110678	Repl by S97011813
S99110683	0 26715 14432 7
S99110687	0 26715 18356 2
S99110699	0 26715 10580 9
S99110733	Repl by S97009281
S99110734	Repl by S97009887
S99110735	0 26715 09766 1
S99110736	0 26715 09767 8
S99110743	Repl by S97009341
S99110746	Repl by S97009341
S99110747	Repl by S97013581
S99110748	0 26715 09331 1
S99110751	0 26715 03774 2
S99110753	Repl by S97013662
S99110754	Repl by S97013662
S99110770	Repl by S97009759
S99110781	Repl by S97009648
S99110783	Repl by S97009649
S99110784	Repl by S76079-00
S99110785	Repl by S06276-00
S99110790	

PART NO.	UPC or REPL BY
S99110805	0 26715 13337 6
S99110807	0 26715 14488 4
S99110808	0 26715 13338 3
S99110842	Repl by S97009755
S99110844	Repl by S97014357
S99110845	Repl by S97014357
S99110846	Repl by S97014357
S99110847	0 26715 09431 8
S99110850	0 26715 09332 8
S99110872	Repl by S97010255
S99110880	0 26715 04329 3
S99110881	0 26715 09334 2
S99110896	0 26715 22493 7
S99110903	0 26715 10527 4
S99110906	Repl by S97014357
S99110907	Repl by S97014357
S99110908	Repl by S97014357
S99110912	0 26715 22494 4
S99110915	0 26715 09338 0
S99110916	0 26715 06340 6
S99110924	0 26715 22495 1
S99110925	0 26715 22496 8
S99110929	Repl by S99111235
S99110938	0 26715 06128 0
S99110940	Repl by S99111236
S99110941	Repl by S99111235
S99110942	0 26715 18891 8
S99110943	Repl by S99111236
S99110944	Repl by S97011723
S99110946	
S99110947	Repl by S99111235
S99110973	Repl by S97011723
S99110974	Repl by S97011723
S99110977	Repl by S97011851
S99110978	Repl by S97011852
S99111002	0 26715 07768 7
S99111007	0 26715 22497 5
S99111013	Repl by S99111230
S99111016	0 26715 14717 5
S99111026	Repl by S97014358
S99111027	Repl by S97014358
S99111028	Repl by S97014358
S99111029	Repl by S97014357
S99111030	Repl by S97014357
S99111031	Repl by S97014357
S99111032	Repl by S97014358
S99111033	Repl by S97014358
S99111034	Repl by S97014358
S99111050	Repl by S97013574
S99111051	Repl by S97013974
S99111052	Repl by S97013836
S99111071	Repl by S97013837
S99111075	Repl by S97013839
S99111076	0 26715 22498 2
S99111123	0 26715 11044 5
S99111124	0 26715 11045 2
S99111127	0 26715 11047 6
S99111128	0 26715 11048 3
S99111184	0 26715 13843 2
S99111195	
S99111214	0 26715 14552 2
S99111215	0 26715 14553 9
S99111216	0 26715 14554 6
S99111230	0 26715 14941 4
S99111235	0 26715 14942 1
S99111236	0 26715 14943 8
S99111271	Repl by S99111461
S99111284	0 26715 16678 7
S99111287	0 26715 16679 4
S99111291	Repl by S99111460
S99111293	Repl by S97018014
S99111330	0 26715 17101 9
S99111331	0 26715 17102 6
S99111332	0 26715 17741 7
S99111345	0 26715 17340 2
S99111346	0 26715 17247 4
S99111370	0 26715 17638 0
S99111371	0 26715 17639 7
S99111377	0 26715 17754 7
S99111379	0 26715 17910 7
S99111380	0 26715 18366 1
S99111381	0 26715 18367 8
S99111399	0 26715 19330 1
S99111400	0 26715 19331 8
S99111401	0 26715 19332 5
S99111406	0 26715 18513 9
S99111408	0 26715 18675 4
S99111410	0 26715 18215 2
S99111414	0 26715 18214 5

PART NO.	UPC or REPL BY
S99111432	0 26715 19085 0
S99111447	0 26715 20363 5
S99111448	0 26715 20362 8
S99111455	0 26715 19457 5
S99111460	0 26715 18961 8
S99111461	0 26715 18962 5
S99111462	0 26715 18832 1
S99111463	0 26715 18833 8
S99111467	0 26715 19938 9
S99111468	0 26715 19939 6
S99111512	0 26715 19948 8
S99111513	0 26715 20336 9
S99111515	Repl by S99111560
S99111529	0 26715 19989 1
S99111530	0 26715 19990 7
S99111532	0 26715 20032 0
S99111538	0 26715 22765 5
S99111539	0 26715 22764 8
S99111542	0 26715 23507 0
S99111560	0 26715 20781 7
S99111563	0 26715 22755 6
S99111567	0 26715 20986 6
S99111568	0 26715 20987 3
S99111569	0 26715 20988 0
S99111570	0 26715 20983 5
S99111571	0 26715 20984 2
S99111572	0 26715 20985 9
S99111573	0 26715 22778 5
S99111575	0 26715 21109 8
S99111594	0 26715 23630 5
S99111615	0 26715 23151 5
S99111618	0 26715 25124 7
S99111640	0 26715 24372 3
S99111641	0 26715 24373 0
S99111673	0 26715 24012 8
S99111675	0 26715 24013 5
S99140100	
S99140101	0 26715 09339 7
S99140102	0 26715 04561 7
S99140113	0 26715 09768 5
S99140115	0 26715 22503 3
S99140119	0 26715 22504 0
S99140127	0 26715 03775 9
S99140135	0 26715 03776 6
S99140137	Repl by S99140144
S99140144	0 26715 03778 0
S99140145	0 26715 18419 4
S99140147	0 26715 22505 7
S99140154	0 26715 18418 7
S99140155	0 26715 04743 7
S99140156	0 26715 04610 2
S99140157	
S99140160	0 26715 14854 7
S99140166	Repl by S99140187
S99140167	Repl by S06184-03
S99140186	
S99140187	0 26715 07142 5
S99140190	0 26715 09845 3
S99140192	0 26715 13992 7
S99140195	0 26715 15461 6
S99140198	0 26715 17248 1
S99140199	0 26715 16682 4
S99140208	0 26715 20337 6
S99140214	0 26715 23631 2
S99140417	Repl by S99150417
S99150155	Repl by S99140155
S99150245	Repl by S99170245
S99150317	Repl by S99150417
S99150475	Repl by S93150458
S99150477	Repl by S99150478
S99150480	Repl by S99150591
S99150498	Repl by S99150479
S99150499	Repl by S99150536
S99150525	Repl by S99150538
S99150528	0 26715 03780 3
S99150530	Repl by S99150538
S99150533	Repl by S99150571
S99150574	Repl by S99150471
S99150575	Repl by S99170245
S99160304	Repl by S97008257
S99160355	Repl by S99160225
S99160382	Repl by S99160384
S99160441	0 26715 23154 6
S99230324	Repl by S99230378
S99230327	Repl by S99250254
S99260422	Repl by S99260419
S99260487	Repl by S99260566
S99260567	0 26715 22527 9
S99260575	0 26715 18514 6

PART NO.	UPC or REPL BY
S99270005	
S99270006	
S99270010	
S99270011	Repl by S99270748
S99270022	
S99270039	Repl by S99270694
S99270107	0 26715 04275 3
S99270356	Repl by S99270530
S99270422	0 26715 22529 3
S99270461	0 26715 14436 5
S99270479	0 26715 04321 7
S99270486	Repl by S97011810
S99270489	0 26715 04716 1
S99270505	Repl by S97011811
S99270507	
S99270513	0 26715 22530 9
S99270515	
S99270517	
S99270518	0 26715 14437 2
S99270519	0 26715 22531 6
S99270520	0 26715 10567 0
S99270521	Repl by S97011812
S99270523	
S99270527	Repl by S97005811
S99270530	0 26715 13365 9
S99270533	Repl by S97010966
S99270535	0 26715 22532 3
S99270536	Repl by S99270530
S99270550	0 26715 13304 8
S99270553	0 26715 04542 6
S99270556	0 26715 22533 0
S99270578	
S99270602	
S99270639	Repl by S97011607
S99270650	0 26715 22536 1
S99270651	0 26715 04783 3
S99270656	
S99270657	
S99270658	
S99270659	
S99270668	0 26715 22537 8
S99270670	0 26715 05373 5
S99270680	
S99270696	Repl by S97011608
S99270700	
S99270705	Repl by S99271148
S99270710	0 26715 22538 5
S99270711	Repl by S97009719
S99270714	
S99270721	0 26715 18539 9
S99270722	0 26715 09882 8
S99270723	0 26715 18164 3
S99270724	0 26715 22540 8
S99270725	0 26715 04686 7
S99270733	Repl by S97008906
S99270735	0 26715 22541 5
S99270738	Repl by S99271091
S99270741	0 26715 18416 3
S99270742	0 26715 09345 8
S99270743	
S99270744	0 26715 09346 5
S99270748	0 26715 03786 5
S99270751	
S99270752	Repl by S97013466
S99270757	0 26715 22542 2
S99270830	Repl by S04116-00
S99270832	0 26715 18332 6
S99270835	Repl by S99271323
S99270842	Repl by S97009969
S99270843	Repl by S99270982
S99270845	Repl by S02153-05
S99270854	Repl by S02153-08
S99270856	Repl by S02124-03
S99270857	Repl by S99270982
S99270858	Repl by S25064-00
S99270888	Repl by S02189-01
S99270913	Repl by S97009720
S99270914	Repl by S97009719
S99270915	0 26715 09347 2
S99270936	Repl by S97009969
S99270937	
S99270954	0 26715 22545 3
S99270955	
S99270958	0 26715 09348 9
S99270960	Repl by S97010906
S99270970	0 26715 10521 2
S99270976	Repl by S97014167
S99270979	0 26715 22547 7
S99270981	0 26715 06800 5

PART NO.	UPC or REPL BY
S99270982	0 26715 05694 1
S99271000	0 26715 13305 5
S99271091	0 26715 18949 6
S99271110	0 26715 22548 4
S99271125	0 26715 18541 2
S99271132	Repl by S97014239
S99271133	Repl by S97014432
S99271144	
S99271148	0 26715 08744 0
S99271168	0 26715 22549 1
S99271169	Repl by S97014243
S99271172	Repl by S99271252
S99271198	
S99271203	0 26715 14911 7
S99271204	0 26715 22550 7
S99271206	0 26715 13858 6
S99271207	0 26715 13859 3
S99271210	0 26715 13860 9
S99271211	0 26715 13861 6
S99271213	0 26715 13862 3
S99271218	0 26715 15470 8
S99271222	
S99271234	0 26715 14820 2
S99271236	0 26715 14521 8
S99271252	0 26715 14455 6
S99271261	0 26715 22552 1
S99271288	0 26715 15203 2
S99271289	0 26715 15516 3
S99271291	0 26715 15480 7
S99271292	0 26715 15479 1
S99271293	0 26715 15517 0
S99271294	0 26715 15518 7
S99271295	0 26715 15478 4
S99271296	0 26715 15457 9
S99271303	0 26715 15519 4
S99271304	0 26715 15497 5
S99271306	0 26715 15477 7
S99271311	0 26715 16278 9
S99271322	0 26715 16405 9
S99271323	0 26715 18124 7
S99271331	0 26715 17323 5
S99271344	0 26715 17341 9
S99271345	0 26715 17496 6
S99271346	0 26715 17907 7
S99271356	0 26715 18328 9
S99271358	0 26715 17799 8
S99271360	0 26715 18213 8
S99271379	0 26715 19196 3
S99271381	0 26715 18963 2
S99271393	0 26715 19505 3
S99271401	Repl by S97019017
S99271418	0 26715 19390 5
S99271422	0 26715 19895 5
S99271426	0 26715 20029 0
S99271433	0 26715 20054 2
S99271448	0 26715 20897 5
S99271449	0 26715 20369 7
S99271452	Repl by S99271393
S99271454	0 26715 20747 3
S99271456	0 26715 20755 8
S99271457	0 26715 20780 0
S99271465	0 26715 22751 8
S99271466	0 26715 22756 3
S99271468	0 26715 22757 0
S99271469	0 26715 22775 4
S99271471	0 26715 23025 9
S99271473	0 26715 22782 2
S99271478	0 26715 22785 3
S99271480	Repl by S99271481
S99271487	0 26715 22783 9
S99271491	0 26715 23026 6
S99271492	0 26715 22862 1
S99271493	0 26715 22864 5
S99271494	0 26715 22865 2
S99271496	0 26715 23012 9
S99271498	0 26715 23027 3
S99271500	0 26715 23028 0
S99271503	0 26715 23029 7
S99271510	0 26715 24376 1
S99271512	0 26715 24377 8
S99271514	0 26715 24378 5
S99271524	0 26715 24382 2
S99271529	0 26715 23965 8
S99271540	0 26715 23545 2
S99271564	Repl by S97020247
S99271573	0 26715 24848 3
S99300351	
S99300356	
S99300372	Repl by S99300381

PART NO.	UPC or REPL BY
S99300381	
S99340022	
S99340025	Repl by S97010944
S99340039	Repl by S97010908
S99340040	Repl by S97010909
S99340042	Repl by S97010944
S99340217	0 26715 08918 5
S99350904	
S99351102	
S99351109	
S99351110	
S99351117	
S99351121	
S99351138	
S99351144	
S99351266	
S99351285	
S99351402	
S99351403	
S99351438	
S99351452	
S99351478	
S99351861	0 26715 15164 6
S99352019	0 26715 22553 8
S99352020	0 26715 22554 5
S99352021	0 26715 22555 2
S99360025	0 26715 04769 7
S99360034	0 26715 04625 6
S99360086	Repl by S99360119
S99360095	0 26715 03788 9
S99360109	Repl by S99360235
S99360112	0 26715 04516 7
S99360113	Repl by S99360218
S99360114	Repl by S97014244
S99360116	0 26715 04426 9
S99360118	0 26715 04560 0
S99360119	0 26715 04414 6
S99360133	0 26715 14440 2
S99360135	0 26715 04415 3
S99360136	0 26715 04724 6
S99360137	Repl by S99360135
S99360138	0 26715 18951 9
S99360140	0 26715 09751 7
S99360161	
S99360162	
S99360163	
S99360164	
S99360165	0 26715 04692 8
S99360168	Repl by S600349
S99360176	
S99360177	
S99360191	0 26715 22558 3
S99360216	Repl by S97011918
S99360218	0 26715 07356 6
S99360229	Repl by S99360234
S99360230	0 26715 09760 9
S99360233	Repl by S600349
S99360234	0 26715 11052 0
S99360235	0 26715 13646 9
S99360240	
S99360248	0 26715 14459 4
S99360249	0 26715 16534 6
S99360253	0 26715 19086 7
S99370355	
S99380104	
S99380613	Repl by S97005030
S99380615	Repl by S97005034
S99380616	Repl by S97005318
S99380617	Repl by S99150566
S99380630	0 26715 10589 2
S99380633	0 26715 14441 9
S99380644	
S99390015	0 26715 04536 5
S99390029	
S99390035	0 26715 04696 6
S99390052	0 26715 09357 1
S99390056	Repl by S97008604
S99390066	Repl by S98007326
S99390073	
S99390075	0 26715 09359 5
S99390098	0 26715 13341 3
S99390099	0 26715 13342 0
S99390104	0 26715 09434 9
S99390105	0 26715 09361 8
S99390106	0 26715 22560 6
S99390113	
S99390114	
S99390115	
S99390134	Repl by S99390106

PART NO.	UPC or REPL BY
S99390174	
S99390176	0 26715 19506 0
S99390200	0 26715 20215 7
S99391082	0 26715 19176 5
S99391083	0 26715 19189 5
S99391084	0 26715 19190 1
S99391085	0 26715 19191 8
S99391086	0 26715 19192 5
S99391087	0 26715 19193 2
S99391088	0 26715 19194 9
S99400024	
S99400035	0 26715 05884 6
S99400039	
S99400041	
S99400042	0 26715 14443 3
S99400048	0 26715 20020 7
S99400052	0 26715 22561 3
S99400054	0 26715 22562 0
S99400055	
S99400058	
S99400059	
S99400060	0 26715 05874 7
S99400061	0 26715 22563 7
S99400075	
S99400079	
S99400084	0 26715 17906 0
S99400088	0 26715 23030 3
S99410005	0 26715 22564 4
S99420040	0 26715 03791 9
S99420313	Repl by S99420643
S99420420	0 26715 04708 6
S99420423	
S99420435	
S99420456	Repl by S99420559
S99420458	0 26715 09775 3
S99420464	0 26715 09776 0
S99420465	
S99420466	
S99420467	
S99420470	0 26715 04417 7
S99420472	0 26715 03792 6
S99420478	0 26715 04601 0
S99420479	0 26715 18549 8
S99420480	0 26715 10588 5
S99420489	
S99420496	
S99420497	0 26715 22567 5
S99420508	Repl by S99420602
S99420509	
S99420510	
S99420514	Repl by S99420603
S99420538	Repl by S99420585
S99420539	Repl by S99420586
S99420540	
S99420551	0 26715 06488 5
S99420553	
S99420554	
S99420559	0 26715 22568 2
S99420581	Repl by S99420580
S99420584	0 26715 07370 2
S99420585	0 26715 07371 9
S99420586	0 26715 07372 6
S99420612	0 26715 22570 5
S99420631	0 26715 16919 1
S99420643	0 26715 22571 2
S99420655	0 26715 22572 9
S99420665	0 26715 18011 0
S99440017	
S99440033	0 26715 09435 6
S99440073	0 26715 22573 6
S99440074	
S99440114	0 26715 22574 3
S99440115	
S99450005	Repl by S97000015
S99450101	0 26715 04387 3
S99470015	0 26715 22575 0
S99480012	Repl by S97014771
S99480019	0 26715 22576 7
S99480022	Repl by SV03172
S99500315	
S99500316	
S99500321	0 26715 20732 9
S99500322	0 26715 20733 6
S99500323	0 26715 22577 4
S99500326	0 26715 22578 1
S99500333	
S99500334	
S99500335	
S99500336	

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S99500337		S99521096	0 26715 11627 0	S99522682	
S99500338		S99521100	0 26715 04303 3	S99522683	
S99500339		S99521102	0 26715 22582 8	S99522684	
S99500340		S99521375	0 26715 04538 9	S99522687	
S99500349		S99521400	0 26715 06179 2	S99522688	
S99500350		S99521402		S99522689	
S99500351		S99521414	0 26715 11628 7	S99522693	
S99500352		S99521429		S99522694	
S99500353		S99521440		S99522695	
S99500356		S99521441		S99522696	
S99500357		S99521442		S99522697	
S99500358		S99521701		S99522780	
S99500359		S99521702		S99522781	
S99500362		S99521704		S99522782	0 26715 19026 3
S99500363		S99521705		S99522804	0 26715 06785 5
S99500364		S99521738		S99522810	
S99500365		S99521758	Repl by S99522899	S99522830	
S99500366		S99521760	0 26715 19023 2	S99522831	0 26715 09390 8
S99500367		S99521761	0 26715 19024 9	S99522899	0 26715 19027 0
S99500388	0 26715 09849 1	S99521763	0 26715 09405 9	S99523312	0 26715 22587 3
S99500389	0 26715 09850 7	S99521764	Repl by S99271288	S99523327	0 26715 22588 0
S99500390	0 26715 13343 7	S99521765	0 26715 09373 1	S99523339	Repl by S99524076
S99500391	0 26715 13344 4	S99521766	Repl by S99020130	S99523357	0 26715 14947 6
S99500392	0 26715 13363 5	S99521767	0 26715 18550 4	S99523459	
S99500393	0 26715 13446 5	S99521769	0 26715 19025 6	S99523460	
S99500394	0 26715 13447 2	S99521797		S99523468	
S99500395	0 26715 13450 2	S99521952		S99523554	0 26715 22589 7
S99500397	0 26715 16859 0	S99521987		S99523555	0 26715 22590 3
S99520034	Repl by S99080192	S99521988		S99523566	0 26715 15263 6
S99520473		S99521989		S99523567	0 26715 15262 9
S99520512		S99522037		S99523579	0 26715 22591 0
S99520516		S99522038		S99523628	0 26715 14078 7
S99520519		S99522050	0 26715 22585 9	S99523639	0 26715 14081 7
S99520527		S99522065	Repl by S99522070	S99523640	0 26715 14082 4
S99520561		S99522069	0 26715 22586 6	S99523652	0 26715 22594 1
S99520593		S99522070	0 26715 04633 1	S99523700	0 26715 14151 7
S99520596		S99522228		S99523702	0 26715 14153 1
S99520597	Repl by S99520618	S99522230		S99523703	0 26715 14154 8
S99520605	0 26715 10591 5	S99522231		S99523717	0 26715 14777 9
S99520606		S99522232		S99523718	0 26715 14778 6
S99520609		S99522234		S99523729	0 26715 14783 0
S99520610		S99522235		S99523770	0 26715 20726 8
S99520611	Repl by S99520610	S99522236		S99523897	0 26715 14863 9
S99520618		S99522237		S99523913	0 26715 15006 9
S99520619		S99522238		S99523916	0 26715 15009 0
S99520620		S99522241		S99523940	0 26715 15023 6
S99520622	Repl by S99520619	S99522242		S99523977	0 26715 15159 2
S99520637		S99522243		S99524041	0 26715 15157 8
S99520655		S99522248		S99524076	0 26715 22595 8
S99520668		S99522249		S99524457	0 26715 15862 1
S99520684		S99522251		S99524664	0 26715 16336 6
S99520734		S99522253		S99524802	0 26715 16406 6
S99520738		S99522254		S99524804	0 26715 16408 0
S99520739		S99522257	0 26715 14724 3	S99524805	0 26715 16409 7
S99520742	Repl by S99520737	S99522258		S99524948	0 26715 16429 5
S99520743		S99522260		S99525160	0 26715 20734 3
S99520768		S99522263		S99525226	0 26715 16544 5
S99520793		S99522286		S99525295	0 26715 16732 6
S99520796		S99522287		S99525296	0 26715 16814 9
S99520842	0 26715 14493 8	S99522292		S99525297	0 26715 16815 6
S99520843	0 26715 22581 1	S99522293		S99525299	0 26715 16817 0
S99520845	Repl by S99420559	S99522294		S99525323	0 26715 16820 0
S99520880		S99522299		S99525325	0 26715 16822 4
S99520939		S99522303		S99526146	0 26715 17930 5
S99520940		S99522340		S99526147	0 26715 17931 2
S99520941		S99522381		S99526148	0 26715 17932 9
S99520942		S99522384		S99526174	0 26715 17935 0
S99520943		S99522393		S99526175	0 26715 17936 7
S99520944		S99522400	0 26715 09385 4	S99526509	0 26715 18054 7
S99520945		S99522422	Repl by S99522804	S99526652	0 26715 18149 0
S99520946		S99522466		S99526653	0 26715 18148 3
S99520947		S99522467		S99526707	0 26715 18187 2
S99520949		S99522471		S99526708	0 26715 18491 0
S99520950		S99522504		S99526716	0 26715 18495 8
S99520951		S99522579		S99526798	0 26715 18426 2
S99520952		S99522643		S99526834	0 26715 18556 6
S99520953		S99522646		S99526835	0 26715 18557 3
S99520954		S99522647		S99526836	0 26715 18558 0
S99520956		S99522648		S99526837	0 26715 18559 7
S99520970		S99522652		S99526838	0 26715 18560 3
S99520979	0 26715 10556 4	S99522662		S99526839	0 26715 18561 0
S99520980		S99522664		S99526840	0 26715 18562 7
S99520983		S99522665		S99526841	0 26715 18563 4
S99520984		S99522673		S99526842	0 26715 18564 1
S99520985		S99522675		S99526843	0 26715 18565 8
S99520994		S99522676		S99526844	0 26715 18566 5
S99520998		S99522678		S99526845	0 26715 18567 2
S99521001	0 26715 09364 9	S99522679		S99526846	0 26715 18568 9
S99521006	0 26715 09366 3	S99522681		S99526847	0 26715 18569 6

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
S99670116		S99670398		S99770086	0 26715 22621 4
S99670117		S99670400		S99770112	0 26715 18682 2
S99670121		S99670401		S99770113	0 26715 17915 2
S99670124		S99670402		S99770115	0 26715 17916 9
S99670125		S99670403		S99770118	0 26715 17882 7
S99670134		S99670404		S99770122	0 26715 18510 8
S99670142	0 26715 09396 0	S99670407		S99770130	0 26715 19310 3
S99670144	Repl by S99080233	S99670408		S99770131	0 26715 19311 0
S99670151		S99670409		S99770138	0 26715 19312 7
S99670152		S99670410		S99770141	0 26715 19266 3
S99670153		S99670411		S99770143	0 26715 19267 0
S99670155		S99670412		S99770144	0 26715 19313 4
S99670156		S99670420	Repl by S97009734	S99770145	0 26715 19314 1
S99670163		S99670430		S99770150	0 26715 20035 1
S99670165		S99670431		S99770154	0 26715 20034 4
S99670173		S99670437		S99770169	0 26715 20779 4
S99670175		S99670438		S99770171	0 26715 20895 1
S99670176		S99670445	0 26715 09401 1	S99780355	
S99670179		S99670455		S99830049	
S99670187		S99670482	0 26715 12345 2	S99830050	
S99670188		S99670486	0 26715 12347 6	S99840023	0 26715 20753 4
S99670191		S99670494	Repl by S99670516	SA97014916	0 26715 13493 9
S99670195	0 26715 12343 8	S99670502		SA98009192	
S99670208		S99670506		SA99271191	Repl by S79270237
S99670211	0 26715 22600 9	S99670507	0 26715 06192 1	SACCCGSFF2	
S99670212	0 26715 22601 6	S99670509		SACCCGSFH	
S99670232		S99670512	0 26715 06197 6	SACCCGSFFP2	
S99670235	0 26715 04376 7	S99670513		SACCCGSFFP2	
S99670240	0 26715 22604 7	S99670516	0 26715 05398 8	SACCCGSUP5	
S99670242	Repl by S97013966	S99670517	0 26715 06201 0	SAVDHKB	Repl by S99523977
S99670243	0 26715 04745 1	S99670518	0 26715 06202 7	SAVDOPFB	
S99670245	0 26715 22605 4	S99670519		SAVDORPB	
S99670246		S99670522	0 26715 06206 5	SAVDWRPB	
S99670250	0 26715 08962 8	S99670523	0 26715 06207 2	SB002010000	0 26715 15132 5
S99670256		S99670525		SB002090220	Repl by SB002090225
S99670258	0 26715 22606 1	S99670526		SB002090225	0 26715 21289 7
S99670266		S99670527	0 26715 06211 9	SB002090245	
S99670276		S99670532	0 26715 06216 4	SB002090246	
S99670277		S99670533	0 26715 06217 1	SB002090377	0 26715 23041 9
S99670278		S99670538		SB003100148	0 26715 23153 9
S99670280		S99670540	0 26715 06184 6	SB003100591	0 26715 21291 0
S99670281		S99670543		SB003100623	0 26715 21292 7
S99670282		S99670544		SB003100624	0 26715 21293 4
S99670283		S99670545		SB003100625	0 26715 21294 1
S99670284		S99670553	0 26715 05399 5	SB003100626	0 26715 21295 8
S99670286		S99670556		SB003100627	0 26715 21296 5
S99670287		S99670561	0 26715 06225 6	SB003101208	0 26715 21297 2
S99670294		S99670562	Repl by S99670593	SB003101216	0 26715 21298 9
S99670296		S99670565	0 26715 06229 4	SB003101217	0 26715 21299 6
S99670325		S99670566		SB003101218	0 26715 21300 9
S99670342		S99670567		SB003101220	0 26715 21301 6
S99670343		S99670568	0 26715 06232 4	SB003101222	0 26715 21302 3
S99670345		S99670573	0 26715 06237 9	SB003101223	0 26715 21303 0
S99670346		S99670579		SB003101224	0 26715 21304 7
S99670347		S99670583	0 26715 06246 1	SB003101227	0 26715 21305 4
S99670348		S99670585	0 26715 06248 5	SB003101228	0 26715 21306 1
S99670349		S99670587	Repl by S99670516	SB003101264	0 26715 21307 8
S99670350		S99670589	0 26715 06252 2	SB003101265	0 26715 21308 5
S99670351		S99670590	Repl by S99670579	SB003102171	
S99670353		S99670591		SB003102220	0 26715 21309 2
S99670354		S99670592	Repl by S99670579	SB003102321	
S99670355		S99670595	0 26715 06258 4	SB003102348	0 26715 18926 7
S99670356		S99670598	Repl by S97011878	SB003102748	0 26715 21316 0
S99670357		S99670623	Repl by S97013966	SB003102866	0 26715 23638 1
S99670358		S99670629	Repl by S99670630	SB003102891	0 26715 23042 6
S99670359		S99670630	0 26715 12289 9	SB003150104	0 26715 12595 1
S99670360		S99670644		SB003150201	0 26715 13534 9
S99670361		S99670645		SB003150202	0 26715 10936 4
S99670363		S99670648		SB003150204	0 26715 13624 7
S99670364		S99670649		SB003150207	0 26715 13625 4
S99670365		S99670651		SB003150209	0 26715 13622 3
S99670366		S99680019	0 26715 13449 6	SB003150211	0 26715 10741 4
S99670367		S99680044	0 26715 20154 9	SB003170569	0 26715 10769 8
S99670368		S99710032	0 26715 09750 0	SB003180038	
S99670369		S99710033	Repl by S99260567	SB003180068	0 26715 13938 5
S99670370		S99760002	0 26715 22619 1	SB003180072	0 26715 13939 2
S99670371		S99770005	Repl by S99770118	SB003180251	0 26715 21317 7
S99670372		S99770027	0 26715 04785 7	SB003180252	0 26715 21318 4
S99670375		S99770028	0 26715 09778 4	SB003180269	0 26715 21319 1
S99670376		S99770029	Repl by S99770118	SB003180491	0 26715 14052 7
S99670377		S99770031	0 26715 22620 7	SB003180557	0 26715 12355 1
S99670378		S99770033	0 26715 09403 5	SB003180569	
S99670379		S99770034	0 26715 10610 3	SB003180584	
S99670380		S99770037	Repl by S99271356	SB003181210	0 26715 13172 3
S99670386		S99770040		SB003181789	0 26715 10771 1
S99670387		S99770047		SB003181790	0 26715 11356 9
S99670388		S99770048		SB003181793	
S99670389		S99770075	0 26715 18346 3	SB003181794	
S99670390		S99770085	0 26715 13988 0	SB003181822	0 26715 13518 9

PART NO.	UPC or REPL BY
SB003181863	0 26715 11656 0
SB003181955	0 26715 21320 7
SB003182146	0 26715 14375 7
SB003182147	0 26715 13511 0
SB003182151	0 26715 14059 6
SB003182341	0 26715 14376 4
SB003182342	0 26715 14390 0
SB003182343	0 26715 14378 8
SB003182344	0 26715 14379 5
SB003183595	
SB003183627	0 26715 21321 4
SB003183758	
SB003185038	
SB003185305	0 26715 18939 7
SB003200306	0 26715 12826 6
SB003260000	Repl by S03200725
SB003270112	0 26715 13408 3
SB003270113	0 26715 13409 0
SB003270114	0 26715 13410 6
SB003270115	0 26715 13411 3
SB003270116	0 26715 13412 0
SB003270140	0 26715 13413 7
SB004100205	0 26715 21324 5
SB004203477	0 26715 23782 1
SB008088621	
SB008088934	
SB008088964	
SB02000098	
SB02000191	0 26715 21326 9
SB020002340	0 26715 10954 8
SB02000293	0 26715 12247 9
SB02000294	0 26715 12248 6
SB02000314	0 26715 14336 8
SB02000509	0 26715 21327 6
SB02000756	0 26715 10894 7
SB02002340	Repl by SB020002340
SB02005032	0 26715 21329 0
SB02005036	0 26715 21330 6
SB02005037	0 26715 21331 3
SB02005069	0 26715 18901 4
SB02005070	0 26715 21332 0
SB02005071	0 26715 21333 7
SB02005078	0 26715 21334 4
SB02005084	0 26715 21335 1
SB02005091	
SB02005095	
SB02005096	0 26715 21336 8
SB02005322	0 26715 23043 3
SB02009091	0 26715 12574 6
SB02009102	0 26715 14339 9
SB02009103	0 26715 14338 2
SB02009186	0 26715 21340 5
SB02009187	0 26715 21341 2
SB02009193	0 26715 15142 4
SB02009208	0 26715 21342 9
SB02009290	0 26715 14106 7
SB02009291	0 26715 13462 5
SB02009292	0 26715 14105 0
SB02009293	0 26715 21343 6
SB02009301	0 26715 14104 3
SB02009322	0 26715 14358 0
SB02009336	0 26715 14216 3
SB02009340	0 26715 21344 3
SB02009346	0 26715 21345 0
SB02011013	0 26715 20757 2
SB02011063	0 26715 12259 2
SB02011064	0 26715 12258 5
SB02011091	0 26715 11413 9
SB02011113	0 26715 14992 6
SB020111650	0 26715 21346 7
SB02011207	Repl by SV05869
SB02011247	0 26715 21348 1
SB02011262	0 26715 21349 8
SB02011341	0 26715 20226 3
SB02011376	0 26715 20944 6
SB02011377	0 26715 23044 0
SB02011389	0 26715 21354 2
SB02011421	0 26715 20227 0
SB02011452	0 26715 19933 4
SB02011557	0 26715 23045 7
SB02300203	0 26715 21355 9
SB02300206	0 26715 11408 5
SB02300233	0 26715 14970 4
SB02300248	0 26715 14977 3
SB02300249	0 26715 15105 9
SB02300264	0 26715 14972 8
SB02300275	0 26715 21356 6
SB02300277	0 26715 21357 3
SB02300280	0 26715 14973 5

PART NO.	UPC or REPL BY
SB02300384	0 26715 21358 0
SB02300388	0 26715 21359 7
SB02300411	0 26715 23401 1
SB02300427	0 26715 24009 8
SB02300428	0 26715 23835 4
SB02300431	0 26715 23639 8
SB02300620	0 26715 21360 3
SB02300653	0 26715 14334 4
SB02300668	Repl by SB02300774
SB02300670	0 26715 14340 5
SB02300674	0 26715 21361 0
SB02300688	0 26715 14337 5
SB02300717	0 26715 10761 2
SB02300719	0 26715 10906 7
SB02300727	0 26715 12276 9
SB02300729	0 26715 10760 5
SB02300730	0 26715 10887 9
SB02300733	0 26715 18906 9
SB02300736	Repl by SB02300790
SB02300739	0 26715 13221 8
SB02300741	Repl by SB02300820
SB02300774	0 26715 20758 9
SB02300781	0 26715 21362 7
SB02300782	0 26715 20759 6
SB02300783	0 26715 15114 1
SB02300787	0 26715 21363 4
SB02300789	0 26715 20760 2
SB02300790	0 26715 19898 6
SB02300791	0 26715 18168 1
SB02300792	Repl by SB02300729
SB02300794	Repl by SB02300906
SB02300796	0 26715 21364 1
SB02300798	0 26715 20920 0
SB02300802	0 26715 21366 5
SB02300804	0 26715 20921 7
SB02300811	0 26715 21367 2
SB02300820	0 26715 24240 5
SB02300822	0 26715 21368 9
SB02300823	0 26715 21369 6
SB02300826	0 26715 21370 2
SB02300827	0 26715 21371 9
SB02300834	0 26715 21372 6
SB02300846	0 26715 18886 4
SB02300861	0 26715 19546 6
SB02300878	0 26715 21373 3
SB02300882	0 26715 20426 7
SB02300885	Repl by SB02300431
SB02300890	0 26715 21375 7
SB02300891	0 26715 18169 8
SB02300899	Repl by SV05921
SB02300906	0 26715 21376 4
SB02300907	0 26715 20228 7
SB02300918	0 26715 21377 1
SB02300974	0 26715 21384 9
SB02300976	0 26715 21385 6
SB02300986	0 26715 20181 5
SB02300987	0 26715 20180 8
SB02300995	0 26715 20229 4
SB02300998	0 26715 20230 0
SB02300999	0 26715 20231 7
SB02301006	0 26715 20428 1
SB02310177	0 26715 14976 6
SB02310183	0 26715 21387 0
SB02310184	0 26715 15103 5
SB02310185	0 26715 15130 1
SB02310186	0 26715 21388 7
SB02310187	0 26715 20762 6
SB02310201	0 26715 20763 3
SB02310203	0 26715 20764 0
SB02310219	0 26715 21390 0
SB02310260	0 26715 21391 7
SB02310272	0 26715 21392 4
SB02310713	0 26715 20179 2
SB02320034	0 26715 22837 9
SB02320348	0 26715 20483 0
SB02320351	0 26715 21011 4
SB02320352	0 26715 21012 1
SB03100011	0 26715 13401 4
SB03102790	0 26715 20429 8
SB03102797	0 26715 20430 4
SB03108826	0 26715 10815 2
SB03109011	0 26715 21394 8
SB03109013	0 26715 12264 6
SB03109014	0 26715 12265 3
SB03109019	0 26715 21395 5
SB03109033	0 26715 21396 2
SB031094722	
SB031097982	0 26715 11600 3
SB03114006	0 26715 13644 5

PART NO.	UPC or REPL BY
SB03114353	
SB03114479	0 26715 21397 9
SB03114480	0 26715 21398 6
SB03114485	0 26715 21399 3
SB03114486	0 26715 21400 6
SB03114957	
SB03114958	
SB03114979	0 26715 21401 3
SB03115251	0 26715 20232 4
SB03115336	0 26715 23046 4
SB031170202	
SB031171752	0 26715 10820 6
SB03117361	
SB03117797	0 26715 21403 7
SB03117798	0 26715 21404 4
SB03117867	0 26715 21405 1
SB03117868	0 26715 21406 8
SB03118136	
SB03118152	0 26715 21407 5
SB03118154	0 26715 21408 2
SB03118873	
SB03118874	
SB03120185	0 26715 21409 9
SB03120186	0 26715 21410 5
SB03127681	Repl by S97018550
SB03127682	0 26715 21411 2
SB031351932	0 26715 13393 2
SB031360822	0 26715 13398 7
SB03136097	0 26715 14048 0
SB031390162	0 26715 13407 6
SB03143112	
SB03146639	
SB03146662	0 26715 10768 1
SB03146667	
SB03159012	
SB03159018	
SB03159021	
SB03159022	
SB03183609	0 26715 21412 9
SB03200351	0 26715 10904 3
SB03200361	0 26715 11414 6
SB03200376	0 26715 13483 0
SB03200618	0 26715 14974 2
SB03200793	0 26715 21413 6
SB03200797	0 26715 12614 9
SB03201014	0 26715 10905 0
SB03202007	Repl by SB03204177
SB03202118	Repl by SB03292293
SB03202129	0 26715 21414 3
SB03202179	
SB03202287	0 26715 14331 3
SB03202288	0 26715 15123 3
SB03202296	0 26715 13544 8
SB03202430	0 26715 12275 2
SB03202433	Repl by S99091031
SB03202436	0 26715 10849 7
SB03202437	0 26715 10850 3
SB03202451	
SB03204094	0 26715 13550 9
SB03204095	0 26715 13549 3
SB03204177	0 26715 21415 0
SB03290377	0 26715 10745 2
SB032904990	0 26715 14979 7
SB03291009	0 26715 13235 5
SB032920200	0 26715 14986 5
SB03292063	
SB03292161	0 26715 12252 3
SB03292162	0 26715 12253 0
SB03292163	0 26715 12254 7
SB03292164	0 26715 14049 7
SB03292165	0 26715 14050 3
SB03292169	0 26715 21416 7
SB03292203	0 26715 21417 4
SB03292256	0 26715 13523 3
SB03292283	0 26715 10902 9
SB03292291	0 26715 12246 2
SB03292293	0 26715 21418 1
SB03292294	0 26715 11707 9
SB03292300	0 26715 15133 2
SB03292301	0 26715 10839 8
SB03292302	0 26715 21419 8
SB03292303	0 26715 18883 3
SB03292304	0 26715 21420 4
SB03292305	0 26715 21421 1
SB03292313	0 26715 11749 9
SB03292314	0 26715 11750 5
SB03292319	0 26715 10744 5
SB03292324	0 26715 14061 9
SB03292326	0 26715 13391 8

PART NO.	UPC or REPL BY
SB03292327	0 26715 13390 1
SB03292328	0 26715 13394 9
SB03292338	
SB03292339	
SB03292349	0 26715 21422 8
SB03292350	0 26715 21423 5
SB03292351	0 26715 12387 2
SB03292357	0 26715 10890 9
SB03292358	0 26715 13634 6
SB03292425	0 26715 21424 2
SB03292426	0 26715 21425 9
SB03292476	0 26715 21426 6
SB03292477	0 26715 21427 3
SB03292499	
SB03292596	
SB03292846	
SB03292937	0 26715 21428 0
SB03293009	
SB03293051	0 26715 18943 4
SB03293065	Repl by SB080814099
SB03293066	
SB03293201	0 26715 20234 8
SB032940130	0 26715 21429 7
SB03294033	0 26715 10891 6
SB03294167	
SB03294170	0 26715 23049 5
SB03294171	0 26715 21430 3
SB03294172	0 26715 21431 0
SB03294173	0 26715 21432 7
SB03294174	
SB03294175	0 26715 21433 4
SB03294740	0 26715 21436 5
SB03294746	0 26715 21437 2
SB03294747	0 26715 21438 9
SB03294757	0 26715 19199 4
SB03294767	0 26715 13513 4
SB03294776	0 26715 10907 4
SB03294779	
SB03294780	0 26715 21439 6
SB03294781	0 26715 21440 2
SB03294785	0 26715 21441 9
SB03294811	0 26715 21442 6
SB03294815	
SB03294816	
SB03294817	
SB03294818	
SB03294836	
SB03294837	
SB03295000	Repl by SB03295076
SB03295001	0 26715 13617 9
SB03295005	0 26715 10888 6
SB03295006	0 26715 12255 4
SB03295008	0 26715 20925 5
SB03295009	0 26715 15121 9
SB03295013	0 26715 15119 6
SB03295014	0 26715 15118 9
SB03295016	0 26715 14983 4
SB03295017	0 26715 21443 3
SB03295018	0 26715 15104 2
SB03295022	
SB03295029	0 26715 14988 9
SB03295030	0 26715 14989 6
SB03295031	0 26715 14990 2
SB03295032	0 26715 14994 0
SB03295033	0 26715 14995 7
SB03295034	0 26715 14997 1
SB03295035	0 26715 21444 0
SB03295036	0 26715 15115 8
SB03295038	Repl by SB080814099
SB03295039	Repl by SB080814099
SB03295040	0 26715 21447 1
SB03295041	0 26715 21448 8
SB03295042	0 26715 21449 5
SB03295043	0 26715 21450 1
SB03295063	0 26715 21451 8
SB03295071	0 26715 20765 7
SB03295072	0 26715 21452 5
SB03295073	0 26715 21453 2
SB03295074	0 26715 21454 9
SB03295075	0 26715 21455 6
SB03295076	0 26715 20766 4
SB03295078	0 26715 21456 3
SB03295080	0 26715 21457 0
SB03295081	0 26715 21458 7
SB03295082	0 26715 21459 4
SB03295083	0 26715 21460 0
SB03295084	Repl by SB080814099
SB03295094	0 26715 21462 4
SB03295095	0 26715 21463 1

PART NO.	UPC or REPL BY
SB03295596	
SB03300424	0 26715 21464 8
SB03300430	Repl by SB03300498
SB03300488	0 26715 18170 4
SB03300495	0 26715 18171 1
SB03300498	0 26715 20767 1
SB03300501	0 26715 21465 5
SB03300502	0 26715 21466 2
SB04302155	0 26715 20480 9
SB05000028	0 26715 12235 6
SB05000029	0 26715 12234 9
SB06001761	0 26715 12485 5
SB06001763	0 26715 10908 1
SB06001768	0 26715 12205 9
SB06001772	0 26715 12267 7
SB06001801	0 26715 13542 4
SB06001802	0 26715 13232 4
SB06001804	0 26715 21467 9
SB06001805	0 26715 13219 5
SB06001892	0 26715 14852 3
SB06001978	0 26715 21469 3
SB06001983	0 26715 14998 8
SB06001987	0 26715 21470 9
SB06001988	0 26715 21471 6
SB06001989	0 26715 15146 2
SB06001991	0 26715 21472 3
SB06001992	0 26715 21473 0
SB06001993	
SB06001994	0 26715 21474 7
SB06001997	0 26715 21475 4
SB06002007	0 26715 21476 1
SB06002008	0 26715 21477 8
SB06002012	0 26715 21478 5
SB06002013	0 26715 21479 2
SB06002017	0 26715 21480 8
SB06002019	0 26715 21481 5
SB06002020	0 26715 21482 2
SB06002036	0 26715 21483 9
SB06002066	0 26715 21484 6
SB06002080	0 26715 21485 3
SB06002096	0 26715 18908 3
SB06002102	0 26715 21486 0
SB06002125	Repl by SB06002013
SB06002126	0 26715 21488 4
SB06002157	0 26715 21489 1
SB06002158	0 26715 21490 7
SB06002195	0 26715 20184 6
SB06002203	0 26715 21169 2
SB06002259	0 26715 22832 4
SB06102235	0 26715 20437 3
SB06102477	0 26715 23161 4
SB06102478	0 26715 23160 7
SB06102518	0 26715 20185 3
SB06102535	0 26715 20237 9
SB06102584	0 26715 22836 2
SB06102585	0 26715 22843 0
SB06102590	0 26715 22852 2
SB06102591	0 26715 22856 0
SB06102592	0 26715 22835 5
SB06102593	0 26715 22855 3
SB06102594	0 26715 22849 2
SB06102595	0 26715 23051 8
SB06102596	0 26715 23052 5
SB06102598	0 26715 22842 3
SB06102599	0 26715 23053 2
SB06102600	0 26715 23054 9
SB06102601	0 26715 22841 6
SB06102602	0 26715 23055 6
SB06102603	0 26715 23056 3
SB06102604	0 26715 23057 0
SB06102605	0 26715 23363 2
SB06102606	0 26715 23058 7
SB06102607	0 26715 23059 4
SB06102608	0 26715 23060 0
SB06102609	0 26715 23061 7
SB06102610	0 26715 23062 4
SB06102611	0 26715 23063 1
SB06102612	0 26715 23064 8
SB06102614	0 26715 23065 5
SB06102615	0 26715 23066 2
SB06102616	0 26715 23067 9
SB06102619	0 26715 23068 6
SB06102620	0 26715 23069 3
SB06102621	0 26715 23070 9
SB06102622	0 26715 23071 6
SB06102632	0 26715 23072 3
SB06102633	0 26715 23073 0
SB06102644	0 26715 23976 4
SB06102702	0 26715 23793 7

PART NO.	UPC or REPL BY
SB06102706	0 26715 23794 4
SB06103241	0 26715 19002 7
SB06103249	0 26715 21491 4
SB06103604	
SB06103644	0 26715 19530 5
SB06103825	0 26715 21492 1
SB06103829	0 26715 21493 8
SB06103830	0 26715 20173 0
SB06103842	0 26715 20238 6
SB06103881	0 26715 21494 5
SB06103882	0 26715 21495 2
SB06103891	0 26715 21497 6
SB06103984	0 26715 20438 0
SB06103990	0 26715 21498 3
SB06104138	0 26715 13635 3
SB06104146	0 26715 13636 0
SB06105067	0 26715 13494 6
SB06105117	0 26715 13495 3
SB06105509	0 26715 13492 2
SB06105515	0 26715 13491 5
SB06105580	0 26715 13490 8
SB06106247	0 26715 10911 1
SB06106254	0 26715 10909 8
SB06106264	0 26715 10937 1
SB06106272	0 26715 12277 6
SB06106285	0 26715 12256 1
SB06106286	0 26715 11599 0
SB06106294	0 26715 12269 1
SB06106297	0 26715 11659 1
SB06106298	0 26715 12268 4
SB06106378	0 26715 12302 5
SB06106380	0 26715 13541 7
SB06106381	0 26715 21500 3
SB06106383	0 26715 13642 1
SB06106500	0 26715 14214 9
SB06106787	0 26715 21501 0
SB06106790	0 26715 21502 7
SB06107068	0 26715 21503 4
SB06107071	0 26715 14496 9
SB06107298	0 26715 21504 1
SB06107333	0 26715 21505 8
SB06107336	0 26715 15127 1
SB06107341	0 26715 15147 9
SB06107351	0 26715 21506 5
SB06107359	0 26715 21507 2
SB06107364	0 26715 21508 9
SB06107370	0 26715 21509 6
SB06107378	0 26715 21510 2
SB06107397	0 26715 21512 6
SB06107398	0 26715 21513 3
SB06107399	0 26715 21514 0
SB06107455	0 26715 21516 4
SB06107500	0 26715 21517 1
SB06107510	0 26715 21518 8
SB06107515	0 26715 21519 5
SB06107526	Repl by SB06103241
SB06107552	0 26715 21521 8
SB06107563	0 26715 21522 5
SB06107567	0 26715 18904 5
SB06107571	0 26715 21523 2
SB06107575	0 26715 21524 9
SB06107579	Repl by SB06103249
SB06107628	0 26715 21525 6
SB06107634	0 26715 21526 3
SB06107638	0 26715 18921 2
SB06107642	0 26715 21527 0
SB06107646	0 26715 21528 7
SB06107652	0 26715 21529 4
SB06107657	0 26715 21530 0
SB06107659	0 26715 21531 7
SB06107665	0 26715 21532 4
SB06107668	0 26715 21533 1
SB06107676	0 26715 21534 8
SB06107677	0 26715 21535 5
SB06107701	0 26715 21536 2
SB06107729	0 26715 21537 9
SB06107752	
SB06107754	0 26715 21538 6
SB06107766	0 26715 21539 3
SB06107782	0 26715 18920 5
SB06107786	0 26715 18902 1
SB06107819	0 26715 21540 9
SB06107821	0 26715 21541 6
SB06107987	
SB06108054	0 26715 21542 3
SB06108077	0 26715 18909 0
SB06108080	0 26715 21543 0
SB06108086	0 26715 21544 7
SB06108090	0 26715 21545 4

PART NO.	UPC or REPL BY
SB06108098	0 26715 21546 1
SB06108101	0 26715 18903 8
SB06108181	0 26715 21547 8
SB06108277	0 26715 21548 5
SB06108494	0 26715 21550 8
SB06108498	0 26715 21551 5
SB06108502	0 26715 21552 2
SB06108512	0 26715 21553 9
SB06108543	0 26715 21554 6
SB06108571	0 26715 21555 3
SB06108584	0 26715 21556 0
SB06108604	Repl by S97018557
SB06108607	0 26715 18937 3
SB06108625	0 26715 21560 7
SB06108718	0 26715 21561 4
SB06108719	0 26715 21562 1
SB06108725	0 26715 21563 8
SB06108760	0 26715 22989 5
SB06108780	0 26715 20927 9
SB06108782	0 26715 20929 3
SB06108783	0 26715 21170 8
SB06108800	0 26715 20768 8
SB06108818	0 26715 21564 5
SB06108858	0 26715 18905 2
SB06108860	0 26715 21565 2
SB06108882	0 26715 18945 8
SB06109827	0 26715 14051 0
SB06142412	0 26715 21566 9
SB06143142	0 26715 21567 6
SB06145168	0 26715 20240 9
SB06145222	0 26715 22834 8
SB06145223	0 26715 22853 9
SB06145225	0 26715 23074 7
SB06145226	0 26715 23075 4
SB079R0043	
SB079R5051	
SB08016368	0 26715 22840 9
SB08016370	0 26715 23076 1
SB08016372	0 26715 23077 8
SB08016373	0 26715 23078 5
SB08016375	0 26715 23079 2
SB08016376	0 26715 23080 8
SB08016379	0 26715 23081 5
SB08080084	0 26715 21568 3
SB08080101	0 26715 17895 7
SB08080135	0 26715 21569 0
SB08080141	Repl by SB08086141
SB08080247	0 26715 21570 6
SB08080288	0 26715 21571 3
SB08080359	0 26715 20241 6
SB08080360	0 26715 21572 0
SB08080375	0 26715 20188 4
SB08080852	0 26715 21574 4
SB08080853	0 26715 21575 1
SB08080854	0 26715 21576 8
SB08080855	0 26715 21577 5
SB08080864	0 26715 20242 3
SB08080865	0 26715 20243 0
SB08080869	0 26715 20892 0
SB08080872	0 26715 23361 8
SB08080877	0 26715 22854 6
SB080810004	0 26715 21578 2
SB080810076	0 26715 10869 5
SB080810111	0 26715 21579 9
SB080810114	
SB080810126	0 26715 21580 5
SB080810168	0 26715 21581 2
SB080810199	0 26715 12270 7
SB080810210	Repl by SB080810511
SB080810235	
SB080810237	
SB080810265	Repl by SB08085018
SB080810282	Repl by SB080810616
SB080810286	0 26715 13891 3
SB080810296	0 26715 11626 3
SB080810320	0 26715 21582 9
SB080810321	
SB080810471	0 26715 21583 6
SB080810474	0 26715 21585 0
SB080810480	0 26715 21587 4
SB080810482	0 26715 21588 1
SB080810495	0 26715 21589 8
SB080810498	0 26715 21590 4
SB080810501	0 26715 21591 1
SB080810502	0 26715 21592 8
SB080810504	0 26715 21593 5
SB080810506	0 26715 21594 2
SB080810507	0 26715 21595 9
SB080810511	0 26715 21596 6

PART NO.	UPC or REPL BY
SB080810517	0 26715 21597 3
SB080810526	0 26715 21598 0
SB080810532	0 26715 21599 7
SB080810533	0 26715 21600 0
SB080810578	0 26715 21601 7
SB080810599	0 26715 21602 4
SB080810601	0 26715 21603 1
SB080810604	0 26715 21604 8
SB080810614	0 26715 21605 5
SB080810616	0 26715 21606 2
SB080810621	0 26715 21607 9
SB080810699	0 26715 21608 6
SB080810707	0 26715 18884 0
SB080810747	0 26715 21611 6
SB080810765	0 26715 21612 3
SB080810768	0 26715 21613 0
SB080810769	0 26715 21614 7
SB080810782	0 26715 21618 5
SB080810849	0 26715 20932 3
SB080810888	0 26715 21619 2
SB080810953	0 26715 21624 6
SB080810954	0 26715 21625 3
SB080810962	0 26715 20244 7
SB080810974	0 26715 20447 2
SB080810993	0 26715 22838 6
SB080810994	0 26715 22845 4
SB080810995	0 26715 23082 2
SB080810996	0 26715 23083 9
SB080811002	0 26715 23084 6
SB080811005	0 26715 23085 3
SB080811011	0 26715 23086 0
SB08081189	0 26715 21626 0
SB080814051	0 26715 23362 5
SB08084040	0 26715 20933 0
SB08084041	0 26715 20934 7
SB08084042	0 26715 20935 4
SB08084044	0 26715 21171 5
SB08085018	0 26715 18941 0
SB08086015	0 26715 13236 2
SB08086084	Repl by SB08080084
SB08086101	Repl by SB08080101
SB08086141	0 26715 21014 5
SB08086202	Repl by SB06106264
SB08086240	0 26715 21630 7
SB08086252	0 26715 21631 4
SB08086253	Repl by SBW0000054
SB08086255	0 26715 14993 3
SB08086263	0 26715 21632 1
SB08086266	0 26715 21633 8
SB08086267	0 26715 21634 5
SB08086279	0 26715 20770 1
SB08086280	0 26715 21635 2
SB08086285	0 26715 18923 6
SB08086286	0 26715 21636 9
SB08086292	0 26715 21637 6
SB08086303	0 26715 18993 9
SB08086625	0 26715 12301 8
SB08086644	Repl by SB08086670
SB08086661	0 26715 15113 4
SB08086662	0 26715 18907 6
SB08086668	0 26715 20771 8
SB08086670	0 26715 20772 5
SB08086673	0 26715 21638 3
SB08086697	0 26715 21639 0
SB08086700	0 26715 21640 6
SB08086701	0 26715 21641 3
SB08086717	0 26715 21642 0
SB08086718	0 26715 21643 7
SB08086720	0 26715 21644 4
SB08086753	0 26715 21645 1
SB08087016	0 26715 21646 8
SB08087017	0 26715 21647 5
SB08087018	0 26715 18916 8
SB08087039	0 26715 18944 1
SB08087047	0 26715 21649 9
SB08087049	0 26715 21650 5
SB08087077	0 26715 21651 2
SB08087078	0 26715 21652 9
SB08087092	0 26715 21655 0
SB08087131	0 26715 18942 7
SB08087132	Repl by SB08087141
SB08087137	0 26715 21656 7
SB08087141	0 26715 20773 2
SB08087149	Repl by SB08087599
SB08087150	0 26715 21657 4
SB08087151	0 26715 21658 1
SB08087152	0 26715 21659 8
SB08087153	0 26715 15743 3
SB08087156	0 26715 21660 4

PART NO.	UPC or REPL BY
SB08087159	0 26715 21661 1
SB08087160	0 26715 21662 8
SB08087161	0 26715 21663 5
SB08087163	0 26715 20774 9
SB08087165	0 26715 21664 2
SB08087169	0 26715 21665 9
SB08087189	0 26715 20775 6
SB08087194	0 26715 21666 6
SB08087198	0 26715 21667 3
SB08087212	0 26715 10938 8
SB08087232	0 26715 13233 1
SB08087233	0 26715 20776 3
SB08087248	0 26715 21668 0
SB08087249	0 26715 21669 7
SB08087250	
SB08087253	
SB08087254	Repl by SB08087599
SB08087292	0 26715 15742 6
SB08087294	0 26715 15101 1
SB08087296	0 26715 21670 3
SB08087298	0 26715 15128 8
SB08087299	0 26715 21671 0
SB08087303	Repl by S08087490
SB08087305	0 26715 14333 7
SB08087320	0 26715 13231 9
SB08087321	0 26715 12392 6
SB08087322	0 26715 12393 3
SB08087359	Repl by S08087390
SB08087367	0 26715 10762 9
SB08087485	0 26715 12204 2
SB08087527	0 26715 20936 1
SB08087599	0 26715 21672 7
SB08087661	Repl by S99010370
SB08087675	0 26715 23088 4
SB08087679	0 26715 23089 1
SB08087687	0 26715 21674 1
SB08087688	0 26715 21675 8
SB08087689	0 26715 21676 5
SB08087691	0 26715 21677 2
SB08087694	0 26715 20190 7
SB08087695	0 26715 20211 9
SB08087696	0 26715 20442 7
SB08087702	0 26715 10836 7
SB08087706	0 26715 10832 9
SB08087707	0 26715 13637 7
SB08087804	0 26715 21678 9
SB08087806	0 26715 23090 7
SB08087823	0 26715 21679 6
SB08087825	0 26715 21681 9
SB08087829	0 26715 20444 1
SB08087951	0 26715 23091 4
SB08087955	0 26715 23092 1
SB08087958	0 26715 23093 8
SB08088176	0 26715 12488 6
SB08088240	Repl by SB080810111
SB08088319	Repl by SB08088323
SB08088323	0 26715 21684 0
SB08088369	0 26715 21685 7
SB08088378	0 26715 18172 8
SB08088750	0 26715 13552 3
SB08089123	0 26715 10893 0
SB08091196	0 26715 21686 4
SB08091198	Repl by SB08092165
SB08091211	0 26715 11387 3
SB08091213	0 26715 21687 1
SB08091239	0 26715 13536 3
SB08091240	0 26715 13535 6
SB08091265	0 26715 14186 9
SB08091266	0 26715 13397 0
SB08091335	Repl by SB08091367
SB08091367	0 26715 18173 5
SB08091377	0 26715 21689 5
SB08091397	0 26715 15106 6
SB08091400	
SB08091429	0 26715 21690 1
SB08091462	0 26715 21691 8
SB08091547	0 26715 21692 5
SB08091602	
SB08091851	0 26715 21696 3
SB08091852	0 26715 21697 0
SB08092014	0 26715 21698 7
SB08092083	0 26715 21701 4
SB08092165	0 26715 21702 1
SB08092167	0 26715 21703 8
SB08092170	0 26715 21704 5
SB08092189	0 26715 21706 9
SB08092208	0 26715 21707 6
SB08092233	0 26715 21708 3
SB08092278	0 26715 21709 0

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
SB08092371		SB10250421	0 26715 21750 2	SBE3345403	0 26715 21200 2
SB08092406	0 26715 21710 6	SB10250422	0 26715 21751 9	SBE3345404	0 26715 18925 0
SB08092501	0 26715 20777 0	SB10250423		SBE3345715	
SB08092518	0 26715 21711 3	SB10250424	0 26715 21752 6	SBE3345965	0 26715 21201 9
SB08092793	0 26715 20247 8	SB10250425		SBE3345966	0 26715 21202 6
SB08092796	0 26715 20482 3	SB10250426	0 26715 21753 3	SBE3346354	0 26715 21203 3
SB08092797	0 26715 20248 5	SB10250429	0 26715 21754 0	SBE3346371	
SB08092798	0 26715 20249 2	SB10250430	0 26715 21755 7	SBE3346372	
SB08092900	0 26715 23094 5	SB10250431	0 26715 21756 4	SBE3346644	0 26715 21204 0
SB08092902	0 26715 23095 2	SB10250432	0 26715 21757 1	SBE3346646	0 26715 21205 7
SB08092904	0 26715 23096 9	SB10250437	0 26715 21761 8	SBE3346761	
SB08092906	0 26715 23097 6	SB10250438		SBE3346765	0 26715 21208 8
SB08092909	0 26715 23098 3	SB183100509	0 26715 21762 5	SBE3346837	0 26715 21209 5
SB08092925		SB183110331		SBE3346838	0 26715 21210 1
SB08092983	0 26715 23099 0	SB88111592	0 26715 15150 9	SBE3346876	0 26715 21211 8
SB08092997	0 26715 20250 8	SB88111595		SBE3347000	0 26715 21212 5
SB08093038	0 26715 20455 7	SB88112220		SBE3347082	0 26715 21213 2
SB08093078	0 26715 22844 7	SBE3200575	0 26715 13160 0	SBE3347083	0 26715 21214 9
SB08093199	0 26715 21717 5	SBE3243821		SBE3347086	0 26715 21215 6
SB08093221	0 26715 20178 5	SBE3244974	0 26715 14971 1	SBE3347088	0 26715 18928 1
SB08093285	0 26715 20458 8	SBE3248026	0 26715 21174 6	SBE3347192	0 26715 21216 3
SB08093286	0 26715 20459 5	SBE3248236		SBE3347193	0 26715 21217 0
SB08093413	0 26715 22848 5	SBE3299992		SBE3347241	0 26715 21218 7
SB08093422	0 26715 23100 3	SBE3300517	0 26715 13700 8	SBE3347251	0 26715 21219 4
SB08093447	0 26715 23101 0	SBE3300576	0 26715 13174 7	SBE3347252	0 26715 21220 0
SB08093448	0 26715 23102 7	SBE3302210	0 26715 14063 3	SBE3347259	0 26715 21221 7
SB08093456	0 26715 23103 4	SBE3302215	0 26715 13395 6	SBE3347340	0 26715 21222 4
SB08093457	0 26715 23104 1	SBE3302216		SBE3347370	0 26715 21223 1
SB08093478	0 26715 23106 5	SBE3333460	0 26715 10767 4	SBE3347372	0 26715 21224 8
SB08093943	0 26715 21172 2	SBE3333698	0 26715 11386 6	SBE3347378	0 26715 21225 5
SB08093944	0 26715 21173 9	SBE3334250	0 26715 21176 0	SBE3347624	0 26715 21226 2
SB082300521	0 26715 12272 1	SBE3334372	0 26715 12249 3	SBE3347625	0 26715 21227 9
SB082300530	0 26715 13458 8	SBE3334373	0 26715 12261 5	SBE3347629	
SB082516943	0 26715 14828 8	SBE3334555	0 26715 11405 4	SBE3347840	
SB082517001	0 26715 13527 1	SBE3335471	0 26715 21177 7	SBE3348018	
SB082517097	0 26715 14848 6	SBE3335472	0 26715 13713 8	SBE3348019	
SB082517284	0 26715 12294 3	SBE3338411	0 26715 21178 4	SBE3348024	
SB082517285	0 26715 12840 2	SBE3341301	0 26715 13698 8	SBE3348093	
SB082517287		SBE3341311	0 26715 13699 5	SBE3348094	0 26715 21229 3
SB082517584		SBE3341633	0 26715 15143 1	SBE3348099	
SB082520803		SBE3341840	0 26715 21180 7	SBE3348100	
SB083110216	0 26715 13533 2	SBE3341841	0 26715 21181 4	SBE3348101	
SB083110221	0 26715 13626 1	SBE3342043	0 26715 15145 5	SBE3348104	0 26715 21230 9
SB083110222	0 26715 13628 5	SBE3342055	0 26715 15137 0	SBE3348181	
SB083110224	0 26715 14202 6	SBE3342056	0 26715 21182 1	SBE3348251	
SB08800177	0 26715 15167 7	SBE3342057	0 26715 15139 4	SBE3348345	0 26715 21233 0
SB08820163		SBE3342079	0 26715 15144 8	SBE3348475	0 26715 21234 7
SB08820164	0 26715 14164 7	SBE3342109	0 26715 15138 7	SBE3348478	
SB08999028		SBE3342283	Repl by SBE3347086	SBE3348500	0 26715 21235 4
SB08999040	0 26715 17852 0	SBE3342284	Repl by SBE3347088	SBE3348505	0 26715 21236 1
SB08999053	0 26715 17878 0	SBE3342289	0 26715 13543 1	SBE3348527	
SB08999102	0 26715 22930 7	SBE3342449	0 26715 11357 6	SBE3348549	
SB08999140	0 26715 20252 2	SBE3342579	0 26715 10895 4	SBE3348550	0 26715 21237 8
SB08999166	0 26715 22916 1	SBE3343134	0 26715 21183 8	SBE3348620	0 26715 21238 5
SB08999174	0 26715 23107 2	SBE3343336	0 26715 14996 4	SBE3348670	0 26715 21239 2
SB08999175	0 26715 23108 9	SBE3343337	0 26715 14991 9	SBE3348672	0 26715 21240 8
SB08999176	0 26715 23109 6	SBE3343338	0 26715 14980 3	SBE3348685	
SB08999177	0 26715 23110 2	SBE3343339	0 26715 14981 0	SBE3348916	
SB08999179	0 26715 23366 3	SBE3343340	0 26715 21184 5	SBE3349127	0 26715 21243 9
SB08999182	0 26715 23111 9	SBE3343376	0 26715 21185 2	SBE3350233	0 26715 20218 8
SB08999183	0 26715 23112 6	SBE3343377	0 26715 21186 9	SBE3351078	
SB08999186	0 26715 23367 0	SBE3343456	0 26715 21187 6	SBE3351462	0 26715 20186 0
SB08999637		SBE3343464	0 26715 18174 2	SBE3351530	0 26715 20222 5
SB08999660		SBE3343513	0 26715 15109 7	SBE3351864	0 26715 23115 7
SB08999729	0 26715 10918 0	SBE3343557	0 26715 15102 8	SBE3351866	0 26715 23116 4
SB08999736	Repl by SB03300498	SBE3343560	0 26715 15111 0	SBE3351870	0 26715 23117 1
SB08999737	0 26715 10919 7	SBE3343563	0 26715 15110 3	SBE3351882	0 26715 23118 8
SB08999740	0 26715 10746 9	SBE3343673	0 26715 15124 0	SBE3351891	0 26715 22850 8
SB08999741	0 26715 10747 6	SBE3343960		SBE3351898	0 26715 23119 5
SB08999745	0 26715 10920 3	SBE3343984		SBE3351906	0 26715 23120 1
SB08999746	0 26715 10921 0	SBE3344061		SBE3351915	0 26715 23121 8
SB10250385		SBE3344096		SBE3351922	0 26715 23122 5
SB10250386	0 26715 21725 0	SBE3344185	Repl by SBE3347082	SBE3351923	0 26715 23123 2
SB10250389	0 26715 21727 4	SBE3344597	0 26715 18175 9	SBE3351924	0 26715 23124 9
SB10250394		SBE3344720		SBE3351928	0 26715 23125 6
SB10250395	0 26715 21730 4	SBE3344803	0 26715 21190 6	SBE3351945	0 26715 23126 3
SB10250397	0 26715 21732 8	SBE3344843	0 26715 21191 3	SBE3351998	0 26715 23127 0
SB10250404	0 26715 21739 7	SBE3344844	0 26715 21192 0	SBE3352013	0 26715 23128 7
SB10250406	0 26715 21741 0	SBE3344846		SBE3352074	0 26715 23129 4
SB10250407		SBE3344847	0 26715 18946 5	SBE3400161	0 26715 21251 4
SB10250408	0 26715 21742 7	SBE3344985	0 26715 15122 6	SBE3400402	0 26715 11655 3
SB10250409	0 26715 21743 4	SBE3345012	0 26715 21193 7	SBE3400447	0 26715 21252 1
SB10250410	0 26715 21744 1	SBE3345043	Repl by SBE3347083	SBE3400820	0 26715 10843 5
SB10250411	0 26715 21745 8	SBE3345106		SBE3401300	0 26715 11001 8
SB10250412	0 26715 21746 5	SBE3345170	0 26715 21195 1	SBE3401302	0 26715 14341 2
SB10250413		SBE3345185	0 26715 21196 8	SBE3401305	0 26715 13871 5
SB10250414		SBE3345252	0 26715 21197 5	SBE3401508	
SB10250415	0 26715 21747 2	SBE3345328	0 26715 21198 2	SBE3401651	0 26715 11409 2
SB10250416	0 26715 21748 9	SBE3345380		SBE3401653	0 26715 00001 2

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
SBE3401923	0 26715 13528 8	SE3337994	0 26715 10402 4	SNT51919000	Repl by SNT5901A000
SBE3402085		SE3338183	0 26715 10461 1	SNT5901A000	0 26715 18554 2
SBE3402102	0 26715 21253 8	SE3338480	0 26715 10036 1	SNT61737000	0 26715 21786 1
SBE3402103	0 26715 21254 5	SE3340040	0 26715 09655 8	SNT63007000	0 26715 18940 3
SBE3402214	0 26715 21255 2	SE3400401	0 26715 09606 0	SNT84719000	0 26715 21787 8
SBE3402692	0 26715 21257 6	SE3400403	0 26715 09607 7	SNT85209000	0 26715 18932 8
SBE3402799	0 26715 21258 3	SE3407417	0 26715 09589 6	SNT85209000	0 26715 18932 8
SBE3402804		SGSA85	0 26715 17518 5	SNT85950000	Repl by S85950000
SBE3402818	0 26715 21259 0	SHCK44		SNT85968000	Repl by S97017702
SBE3402867	0 26715 21261 3	SJ2621701		SNT85974000	0 26715 18125 4
SBE3402869		SK0783000	0 26715 23163 8	SNT86652000	0 26715 21789 2
SBE3402883	0 26715 21262 0	SK0793000	0 26715 23164 5	SNTK44020000	Repl by SR111658
SBE3402884		SK0798000	0 26715 23165 2	SNTK4892000	Repl by SR680508
SBE3402967		SK1224000	0 26715 21766 3	SNTK66300000	0 26715 14033 6
SBE3402994	0 26715 21267 5	SK1346000	Repl by S99030347	SNTK7449000	Repl by S99010317
SBE3403023		SK3565000	0 26715 23167 6	SNTK7450000	Repl by S99010316
SBE34030610		SK3595000	0 26715 23168 3	SNTK7458000	0 26715 14023 7
SBE3403622	0 26715 21271 2	SK3720000	0 55321 61144 2	SNTK7504000	0 26715 14028 2
SBE3403623	0 26715 21272 9	SK4417000	0 26715 23169 0	SPFD75940248	0 26715 21790 8
SBE3403650	0 26715 21274 3	SK4420000	0 26715 23170 6	SR011258	0 26715 17926 8
SBE3403652	0 26715 21276 7	SK4424000	0 26715 23171 3	SR111626	0 27014 01939 2
SBE3403713		SK5471000	0 26715 23172 0	SR111627	Repl by SR111669
SBE3403714	0 26715 21277 4	SK5509000	0 26715 21767 0	SR111628	Repl by SR111668
SBE3403716	0 26715 21278 1	SK5822000	0 26715 23174 4	SR111630	0 26715 14659 8
SBE3403751		SK6388000	0 26715 23175 1	SR111632	Repl by SR111653
SBE3403752	0 26715 21279 8	SK6649000	0 26715 23176 8	SR111638	Repl by SR111663
SBE3403761		SK7457000		SR111641	Repl by SR111670
SBE3403762	0 26715 21280 4	SM100004	0 26715 12875 4	SR111653	0 27014 02096 1
SBE3403765	0 26715 21281 1	SM100012	0 26715 12877 8	SR111658	0 27014 02190 6
SBE3404031		SM100022-2	0 26715 12881 5	SR111663	0 27014 02253 8
SBE3404034		SM101140		SR111668	0 27014 02249 1
SBE3404073	0 26715 21282 8	SM110253-1	0 26715 13207 2	SR111669	0 27014 02254 5
SBE3404074	0 26715 21283 5	SM350059	0 26715 12889 1	SR111670	0 27014 02256 9
SBE3404075	0 26715 21284 2	SM360022	0 26715 12891 4	SR111673	0 26715 21793 9
SBE3404076	0 26715 21285 9	SM360030	0 26715 12892 1	SR111677	Repl by S97018838
SBE3404172		SM360044	0 26715 12893 8	SR111681	0 26715 21795 3
SBE3404174		SM500464-5	0 26715 12907 2	SR111687	0 26715 19992 1
SBE3404365		SM500470-5	0 26715 12912 6	SR169002	0 27014 01975 0
SBE3404989	0 26715 20225 6	SM500517-2	0 26715 12938 6	SR169004	0 27014 01995 8
SBE3405178	0 26715 23130 0	SM500517-4	0 26715 12939 3	SR169005	0 26715 14663 5
SBE3405180	0 26715 23131 7	SM500659-11	0 26715 13158 7	SR169006	0 26715 19993 8
SBE3405182	0 26715 23137 9	SM500667-3	0 26715 12957 7	SR169007	0 26715 14664 2
SBE3405184	0 26715 23132 4	SM500677-1	0 26715 12961 4	SR169008	0 26715 14665 9
SBE3405185	0 26715 23138 6	SM500677-2	0 26715 12962 1	SR169009	0 27014 02009 1
SBE3405187	0 26715 23133 1	SM500723-2	0 26715 14001 5	SR169010	0 26715 14666 6
SBE3405188	0 26715 23139 3	SM530014	0 26715 11371 2	SR169011	0 27014 02016 9
SBE3405190	0 26715 23134 8	SM555057-1	0 26715 13020 7	SR169012	0 27014 02017 6
SBE3405191	0 26715 23140 9	SM555058-4	0 26715 13025 2	SR169013	0 27014 02018 3
SBE3405192	0 26715 23135 5	SM555210-6	0 26715 13062 7	SR169014	0 26715 19994 5
SBE3405258	0 26715 23136 2	SM555211-2	0 26715 13064 1	SR169015	0 27014 02064 0
SBE3407500	0 26715 11765 9	SM555211-3	0 26715 13065 8	SR169016	0 27014 02696 3
SBE3407816	Repl by SBE3403623	SM564047-6	0 26715 13085 6	SR169019	0 26715 21798 4
SBE3407823	Repl by SBE3403622	SM564068-2	0 26715 13108 2	SR334126	0 27014 02094 7
SBE3495228	0 26715 12251 6	SM710185	0 26715 13118 1	SR334156	0 27014 01944 6
SBR2300132	0 26715 12440 4	SM730250	0 26715 11375 0	SR334755	0 26715 14667 3
SBR2300133	0 26715 10714 8	SM777082		SR401646	Repl by SR401647
SBR2300134	0 26715 12266 0	SM777425-1	0 26715 13137 2	SR401647	0 27014 02287 3
SBR2300135	0 26715 21286 6	SM787403	0 26715 13151 8	SR401650	0 27014 02348 1
SBR2300170		SMCV309NWHGL		SR401651	0 27014 02344 3
SBW0000019	0 26715 14975 9	SMSC080	Repl by S97017259	SR401652	0 27014 02345 0
SBW0000021	0 26715 18935 9	SMSC110	Repl by S97017260	SR401653	0 27014 02343 6
SBW0000027	Repl by SBW0000054	SN36	Repl by S97008549	SR401658	0 27014 02354 2
SBW0000054	0 26715 18989 2	SN9530078	Repl by S99530078	SR501025	Repl by SR501031
SBW0000067	0 26715 21288 0	SN9660002	Repl by S99660002	SR501031	0 27014 02250 7
SC88151	Repl by S99010122	SNA200TA		SR501032	Repl by SR501035
SC88152	Repl by S97007696	SNA300TA		SR501033	Repl by SR501034
SE3234206	0 26715 09649 7	SNA4109	Repl by S99010109	SR501034	0 27014 02291 0
SE3320283	0 26715 10291 4	SNA4113	Repl by S99010113	SR501035	0 27014 02292 7
SE3320290	0 26715 09935 1	SNA4115	Repl by S99010115	SR520069	Repl by SR730090
SE3332756	0 26715 09650 3	SNA4140	Repl by S99010118	SR520118	Repl by SR520132
SE3332824	0 26715 09651 0	SNA442	Repl by S99010042	SR520123	Repl by SR520133
SE3332826	0 26715 09652 7	SNT0430A000	0 26715 21776 2	SR520132	0 27014 02289 7
SE3332829	0 26715 09653 4	SNT0444A000	0 26715 21777 9	SR520133	0 27014 02290 3
SE3333463	0 26715 10005 7	SNT0461B000	Repl by S97017702	SR520135	Repl by S99080666
SE3333529	0 26715 09950 4	SNT0871B000	Repl by S97017702	SR531040	0 26715 10338 6
SE3333531	0 26715 10345 4	SNT0893B000		SR531041	0 26715 21806 6
SE3333558	0 26715 10435 2	SNT0894B000		SR531042	0 26715 21807 3
SE3334205	0 26715 09654 1	SNT0895B000		SR531068	0 26715 14673 4
SE3334240	0 26715 10673 8	SNT0896B000		SR531075	0 27014 02692 5
SE3334545	0 26715 09077 8	SNT100272000	Repl by S84756000	SR531076	0 27014 02315 3
SE3334548	0 26715 10502 1	SNT10034000	0 26715 21780 9	SR540991	0 26715 17928 2
SE3334552	0 26715 10503 8	SNT101183000	Repl by S101183000	SR561092	Repl by S97016970
SE3335237		SNT17128000	0 26715 21782 3	SR561093	Repl by S97016970
SE3335435	0 26715 10024 8	SNT23383000	0 26715 21783 0	SR561102	Repl by S97016971
SE3335436	0 26715 10025 5	SNT30652000	Repl by S101183000	SR561103	Repl by S97016971
SE3335643	0 26715 09581 0	SNT32787000	0 26715 18930 4	SR561104	Repl by S97016972
SE3335756	0 26715 10704 9	SNT32788000	0 26715 18929 8	SR561105	Repl by S97016972
SE3335842	0 26715 10022 4	SNT36892000	0 26715 21784 7	SR561107	0 26715 19944 0
SE3336081	0 26715 10455 0	SNT44388000	Repl by S44388000	SR561109	Repl by S97016970

PART NO.	UPC or REPL BY
SR561110	Repl by S97016970
SR561111	Repl by S97016971
SR561112	Repl by S97016971
SR561114	0 26715 21808 0
SR561115	0 26715 14674 1
SR561116	0 26715 14675 8
SR561117	0 26715 14676 5
SR561119	0 26715 14677 2
SR561138	0 26715 14478 5
SR561157	0 27014 02340 5
SR561159	Repl by S97017300
SR561163	Repl by S97017301
SR564073	0 26715 21810 3
SR564074	0 27014 02251 4
SR566088	0 26715 10341 6
SR566097	0 27014 02347 4
SR567046	Repl by S99030132
SR567073	Repl by S99030132
SR600018	0 26715 21813 4
SR600325	0 26715 21815 8
SR602533	Repl by S99150471
SR607215	0 26715 14678 9
SR607222	0 26715 14679 6
SR607225	Repl by SR99420635
SR607657	0 26715 14680 2
SR607660	0 27014 02066 4
SR610027	0 27014 02108 1
SR610038	Repl by SR610080
SR610042	Repl by SR610081
SR610045	0 26715 14533 1
SR610049	0 27014 02111 1
SR610050	0 26715 10339 3
SR610051	0 26715 10340 9
SR610080	0 27014 02271 2
SR610081	0 27014 02272 9
SR610092	0 27014 02349 8
SR627491	0 26715 13476 2
SR627497	0 27014 01962 0
SR627498	0 26715 20009 2
SR627499	0 27014 01964 4
SR627501	0 27014 01997 2
SR627502	0 26715 19997 6
SR627503	0 27014 01999 6
SR627505	0 27014 02020 6
SR627506	0 26715 19998 3
SR627507	0 27014 02022 0
SR627527	0 26715 19999 0
SR627528	0 27014 02000 8
SR627529	0 27014 02023 7
SR627536	Repl by S99091163
SR627543	0 27014 02053 4
SR627623	0 26715 21826 4
SR627624	0 26715 21827 1
SR651967	0 27014 02293 4
SR651973	0 27014 02015 2
SR668771-1	0 26715 11602 7
SR6689601	0 26715 14534 8
SR6689602	0 26715 14535 5
SR6689603	0 26715 14536 2
SR6689604	0 26715 14537 9
SR6689605	0 26715 14538 6
SR680504	0 27014 01973 6
SR680505	0 26715 14681 9
SR680507	0 26715 20000 9
SR680508	0 26715 14682 6
SR680509	Repl by SR730111
SR680511	0 27014 02029 9
SR680512	0 27014 02030 5
SR680519	0 26715 14684 0
SR680520	0 27014 02037 4
SR680521	0 27014 02038 1
SR680526	0 26715 21837 0
SR680527	0 27014 02043 5
SR680528	0 27014 02044 2
SR680578	0 26715 21841 7
SR683000	0 26715 17922 0
SR683001	0 26715 17923 7
SR683002	0 26715 17924 4
SR716017	0 26715 17925 1
SR7201621	Repl by SR7201731
SR7201622	Repl by SR7201732
SR7201624	Repl by SR7201734
SR7201625	Repl by SR7201735
SR720163	Repl by SR720174
SR7201651	Repl by SR7201751
SR7201654	Repl by SR7201754
SR7201655	Repl by SR7201755
SR720166	Repl by SR720176
SR7201671	Repl by SR7201771

PART NO.	UPC or REPL BY
SR7201672	Repl by SR7201772
SR7201674	Repl by SR7201774
SR7201675	Repl by SR7201775
SR720168	Repl by SR720178
SR7201731	0 27014 02295 8
SR7201732	0 26715 20001 6
SR7201734	0 27014 02297 2
SR7201735	0 27014 02298 9
SR720174	0 27014 02299 6
SR7201751	0 27014 02300 9
SR7201752	0 26715 20002 3
SR7201754	0 26715 20003 0
SR7201755	0 26715 20004 7
SR720176	0 27014 02304 7
SR7201771	0 26715 20005 4
SR7201772	0 26715 20006 1
SR7201774	0 27014 02307 8
SR7201775	0 26715 20007 8
SR720178	0 26715 20008 5
SR730079	0 26715 21842 4
SR730088	Repl by SR730090
SR730090	0 27014 02107 4
SR730111	0 27014 02283 5
SR740007	Repl by S97010792
SR740010	Repl by SR740016
SR740013	0 26715 14685 7
SR740014	0 27014 02193 7
SR740016	0 26715 21844 8
SR7500364	0 26715 21845 5
SR7500761	0 26715 21846 2
SR7500764	0 27014 02691 8
SR99020277	Repl by SR531076
SR99020282	Repl by SR531075
SR99030319	0 27014 02192 0
SR99080535	0 27014 02142 5
SR99091033	0 27014 02205 7
SR99091034	0 27014 02206 4
SR99091035	0 27014 02207 1
SR99091036	0 27014 02208 8
SR99091043	0 27014 02213 2
SR99091044	0 27014 02214 9
SR99091045	0 27014 02215 6
SR99091046	Repl by SRK7692
SR99091071	0 27014 02227 9
SR99091072	0 27014 02228 6
SR99091073	0 27014 02229 3
SR99091074	0 27014 02230 9
SR99360244	0 27014 02182 1
SR99360245	0 27014 02184 5
SR99360246	0 27014 02183 8
SR99360247	0 26715 14479 2
SR99420635	0 27014 02144 9
SRK7692	0 26715 14108 1
SRMDDRKBK	0 26715 17530 7
SRMIPWC	0 26715 17529 1
ST81212	0 26715 17547 5
SV00248	0 26715 16843 9
SV00477	0 26715 10966 1
SV00525	0 26715 24938 1
SV00592	0 26715 24483 6
SV00660	0 26715 15779 2
SV00661	0 26715 24939 8
SV00662	0 26715 24940 4
SV00672	0 26715 10794 0
SV00730	0 26715 10967 8
SV00842	0 26715 10970 8
SV00864	0 26715 24486 7
SV00865	0 26715 24487 4
SV00866	0 26715 10959 3
SV00867	0 26715 24941 1
SV00886	0 26715 10784 1
SV00887	0 26715 10785 8
SV01146	0 26715 24488 1
SV01177	0 26715 24942 8
SV01178	0 26715 24489 8
SV01180	0 26715 24943 5
SV01190	0 26715 24944 2
SV01231	0 26715 24490 4
SV01232	0 26715 24491 1
SV01234	0 26715 24492 8
SV01248	0 26715 24493 5
SV01249	0 26715 24494 2
SV01263	0 26715 24495 9
SV01277	0 26715 24945 9
SV01295	0 26715 24496 6
SV01334	0 26715 10963 0
SV01335	0 26715 10960 9
SV01657	0 26715 24946 6
SV01752	0 26715 18229 9

PART NO.	UPC or REPL BY
SV01757	0 26715 18231 2
SV01765	0 26715 18238 1
SV01766	0 26715 14686 4
SV01766E	0 26715 17001 2
SV01810	0 26715 14687 1
SV01816	0 26715 24497 3
SV01817	0 26715 24498 0
SV01819	0 26715 24499 7
SV01825	0 26715 10797 1
SV01857	0 26715 15727 3
SV01988	0 26715 18230 5
SV02001	0 26715 15709 9
SV02014	0 26715 24947 3
SV02015	
SV02017	0 26715 24500 0
SV02020	0 26715 24501 7
SV02021	0 26715 1804 6
SV02023	0 26715 24948 0
SV02031	0 26715 24949 7
SV02041	0 26715 24502 4
SV02104	0 26715 10779 7
SV02129	0 26715 24950 3
SV02131	0 26715 24951 0
SV02160	0 26715 15704 4
SV02169	0 26715 10968 5
SV02240	0 26715 24503 1
SV02253	0 26715 10802 2
SV02256	0 26715 10774 2
SV02257	0 26715 10773 5
SV02264	Repl by SV03685
SV02300	0 26715 24504 8
SV02323	0 26715 24505 5
SV02349	0 26715 24506 2
SV02418	Repl by SV03203
SV02419	Repl by SV03203
SV02420	Repl by SV03203
SV02432	0 26715 24507 9
SV02452	0 26715 24508 6
SV02513	0 26715 24509 3
SV02544	0 26715 11392 7
SV02563	0 26715 15384 8
SV027123	0 26715 24958 9
SV02772	0 26715 11396 5
SV02773	0 26715 11395 8
SV02775	Repl by SB02009102
SV02778	Repl by S08087419
SV02779	Repl by SB03202437
SV02780	Repl by SB03202436
SV03096	0 26715 10795 7
SV03097	0 26715 10796 4
SV03117	Repl by SV03203
SV03124	0 26715 10806 0
SV03134	0 26715 10789 6
SV03135	0 26715 10790 2
SV03136	0 26715 21848 6
SV03137	0 26715 21849 3
SV03172	0 26715 14087 9
SV03203	0 26715 10786 5
SV03240	0 26715 15716 7
SV03241	0 26715 11391 0
SV03255	0 26715 11394 1
SV03308	0 26715 24510 9
SV03311	0 26715 24511 6
SV03399	0 26715 15705 1
SV03400	0 26715 14688 8
SV03428	0 26715 15724 2
SV03435	0 26715 15385 5
SV03436	0 26715 15386 2
SV03457	0 26715 15706 8
SV03461	0 26715 15602 3
SV03462	0 26715 13223 2
SV03493	Repl by S99091031
SV03494	0 26715 15710 5
SV03495	0 26715 16550 6
SV03496	0 26715 16551 3
SV03500	0 26715 15701 3
SV03501	0 26715 15387 9
SV03502	0 26715 15388 6
SV03503	0 26715 15389 3
SV03504	0 26715 15390 9
SV03505	0 26715 15391 6
SV03507	0 26715 14689 5
SV03509	0 26715 14690 1
SV03510	0 26715 14691 8
SV03517	0 26715 15392 3
SV03519	0 26715 15393 0
SV03520	0 26715 15394 7
SV03577	0 26715 15702 0

PART NO.	UPC or REPL BY
SV03598	0 26715 12583 8
SV03623	0 26715 18228 2
SV03649	0 26715 18245 9
SV03657	0 26715 15715 0
SV03685	0 26715 18813 0
SV03686	0 26715 13512 7
SV03796	0 26715 24512 3
SV03888	0 26715 16248 2
SV04295	0 26715 21850 9
SV04311	0 26715 24513 0
SV04318	0 26715 21851 6
SV04320	0 26715 24952 7
SV04328	0 26715 24953 4
SV04391-1	0 26715 24514 7
SV04410	0 26715 21853 0
SV04411	0 26715 21854 7
SV04655	0 26715 21855 4
SV04771	0 26715 24515 4
SV04803	0 26715 24516 1
SV04816	0 26715 24517 8
SV04840	0 26715 24518 5
SV04852	0 26715 24519 2
SV04858	0 26715 24520 8
SV04862-1	0 26715 24521 5
SV04864	0 26715 18555 9
SV05120	0 26715 24522 2
SV05123	0 26715 24523 9
SV05129	0 26715 21856 1
SV05248	
SV05261	0 26715 24954 1
SV05280	0 26715 21857 8
SV05284	0 26715 21858 5
SV05294	0 26715 21859 2
SV05515	0 26715 21860 8
SV05516	0 26715 18544 3
SV05521	0 26715 15395 4
SV05522	0 26715 15396 1
SV05523	0 26715 15397 8
SV05524	0 26715 15398 5
SV05525	0 26715 15399 2
SV05527	0 26715 15400 5
SV05528	0 26715 15401 2
SV05529	0 26715 15606 1
SV05650	0 26715 15620 7
SV05662	0 26715 15621 4
SV05663	0 26715 15622 1
SV05689	0 26715 21861 5
SV05729	0 26715 15697 9
SV05731	0 26715 15700 6
SV05805	0 26715 16273 4
SV05860	
SV05864	0 26715 16552 0
SV05865	0 26715 15811 9
SV05866	0 26715 15807 2
SV05867	
SV05869	0 26715 15808 9
SV05872	0 26715 16268 0
SV05915	0 26715 16270 3
SV05917	0 26715 16553 7
SV05921	0 26715 16554 4
SV05960	0 26715 24524 6
SV06011	0 26715 21862 2
SV06046	0 26715 21863 9
SV06111	Repl by SV01766E
SV06118	0 26715 16967 2
SV06138	0 26715 17785 1
SV062104	
SV06244	0 26715 16936 8
SV06252	0 26715 16971 9
SV06262	0 26715 16972 6
SV06263	0 26715 16973 3
SV06264	0 26715 16937 5
SV06265	0 26715 16934 4
SV06266	0 26715 16935 1
SV06268	0 26715 16977 1
SV06303	0 26715 24525 3
SV06322	
SV06331	0 26715 16555 1
SV06332	0 26715 17117 0
SV06338	0 26715 19423 0
SV06339	0 26715 19422 3
SV06364	0 26715 16556 8
SV06369	0 26715 19424 7
SV06495	0 26715 16557 5
SV06496	0 26715 16558 2
SV06497	0 26715 16559 9
SV06498	0 26715 16560 5
SV06508	0 26715 16561 2
SV06590	0 26715 18542 9

PART NO.	UPC or REPL BY
SV066161	0 26715 24959 6
SV066165	0 26715 24963 3
SV066169	0 26715 24960 2
SV066176	0 26715 24961 9
SV066193	0 26715 24962 6
SV06631	0 26715 18956 4
SV06733-1	0 26715 17047 0
SV06733-2	0 26715 17048 7
SV06734	0 26715 16981 8
SV06735	0 26715 16982 5
SV06741	0 26715 16985 6
SV06744	0 26715 16988 7
SV06745	0 26715 16989 4
SV06746	0 26715 16990 0
SV06749	0 26715 17049 4
SV06750	Repl by S99091031
SV06751	0 26715 16992 4
SV06756	0 26715 18240 4
SV06777	0 26715 16995 5
SV06784	0 26715 16996 2
SV06927	0 26715 18818 5
SV06933	0 26715 17118 7
SV06957	0 26715 17113 2
SV07124	0 26715 17174 3
SV07322	0 26715 17607 6
SV07323	0 26715 17608 3
SV07325	0 26715 17609 0
SV07326	0 26715 17610 6
SV07332	0 26715 17612 0
SV07333	0 26715 17613 7
SV07398	0 26715 17843 8
SV07399	0 26715 17844 5
SV07400	0 26715 17845 2
SV07452	0 26715 17782 0
SV07664	0 26715 17784 4
SV07678	0 26715 17790 5
SV07679	0 26715 17783 7
SV07680	0 26715 18878 9
SV07688	0 26715 17809 4
SV07689	0 26715 17810 0
SV07694	0 26715 17812 4
SV07695	0 26715 17813 1
SV07701	0 26715 18057 8
SV07877	0 26715 21868 4
SV08039	0 26715 18543 6
SV08068	0 26715 18337 1
SV08069	0 26715 18338 8
SV08070	0 26715 18106 3
SV08071	0 26715 18107 0
SV08073	0 26715 18340 1
SV08074	0 26715 18817 8
SV08093	0 26715 18725 6
SV08095	0 26715 20793 0
SV08097	0 26715 18726 3
SV08304	0 26715 22900 0
SV08337	0 26715 18727 0
SV08338	0 26715 18728 7
SV08339	0 26715 18729 4
SV08342	0 26715 19955 6
SV08344	0 26715 18733 1
SV08352	0 26715 18734 8
SV08353	0 26715 18735 5
SV08355	0 26715 18737 9
SV08541	0 26715 18800 0
SV08543	0 26715 18799 7
SV08545	0 26715 18809 3
SV08548	0 26715 18802 4
SV08549	0 26715 20792 3
SV08578	0 26715 18801 7
SV08581	0 26715 19118 5
SV08583	0 26715 19120 8
SV08694	0 26715 19121 5
SV08695	0 26715 19122 2
SV08701	0 26715 19135 2
SV08917	0 26715 22899 7
SV08964	0 26715 19475 9
SV08968	0 26715 20794 7
SV09012	0 26715 19473 5
SV09013	0 26715 19474 2
SV09014	0 26715 19471 1
SV09022	0 26715 19472 8
SV09027	0 26715 19477 3
SV09214	0 26715 24955 8
SV09220	0 26715 24956 5
SV09221	0 26715 24957 2
SV09225	0 26715 21872 1
SV09300	0 26715 24526 0
SV09425	0 26715 19935 8
SV09426	0 26715 19936 5

PART NO.	UPC or REPL BY
SV09427	0 26715 19937 2
SV09434	0 26715 21873 8
SV09435	0 26715 21874 5
SV10177	0 26715 24527 7
SV10905	0 26715 24528 4
SV11197	0 26715 10961 6
SV11607	0 26715 24530 7
SV11608	0 26715 10965 4
SV11705	0 26715 15708 2
SV11891	0 26715 24531 4
SV11892	0 26715 24532 1
SV11937	0 26715 24533 8
SV120200	Repl by SV1604177
SV12026	0 26715 24534 5
SV12027	0 26715 24535 2
SV12029	0 26715 24536 9
SV12064	0 26715 24537 6
SV12065	0 26715 24747 9
SV12108	0 26715 24539 0
SV12452	0 26715 24540 6
SV12454	0 26715 24541 3
SV12459	0 26715 10805 3
SV12460	0 26715 24542 0
SV12514	0 26715 21875 2
SV12515	0 26715 18814 7
SV12516	0 26715 17207 8
SV12606	0 26715 12809 9
SV12620	0 26715 10803 9
SV12643	0 26715 10800 8
SV12645	0 26715 10783 4
SV12646	0 26715 10798 8
SV12647	0 26715 10799 5
SV12648	0 26715 10793 3
SV12649	0 26715 10801 5
SV12664	0 26715 24543 7
SV12873	0 26715 10957 9
SV12888	Repl by SV03136
SV12889	0 26715 10792 6
SV12895	0 26715 10958 6
SV12908	0 26715 24544 4
SV12909	0 26715 24545 1
SV12911	0 26715 24546 8
SV12912	0 26715 24547 5
SV12969	0 26715 11389 7
SV12971	0 26715 11401 6
SV12997	0 26715 15712 9
SV13029	0 26715 24548 2
SV13033	0 26715 24549 9
SV13034	0 26715 24550 5
SV13036	0 26715 24551 2
SV13037	0 26715 24552 9
SV13038	0 26715 24553 6
SV13039	0 26715 24554 3
SV13113	0 26715 21876 9
SV132107	
SV13216	0 26715 14693 2
SV13217	0 26715 14694 9
SV13218	0 26715 15607 8
SV13230	0 26715 15609 2
SV13235	0 26715 19292 2
SV13278	0 26715 15754 9
SV13279	0 26715 15610 8
SV13296	0 26715 14696 3
SV13346	0 26715 24555 0
SV13395	0 26715 24556 7
SV13404	0 26715 16844 6
SV134145	0 26715 24727 1
SV134147	0 26715 24728 8
SV13429	0 26715 15626 9
SV13430	0 26715 15627 6
SV13431	0 26715 15628 3
SV13432	0 26715 15629 0
SV13433	0 26715 24557 4
SV13504	0 26715 21878 3
SV13505	0 26715 21879 0
SV13506	0 26715 21880 6
SV13507	0 26715 21881 3
SV13508	0 26715 21882 0
SV13555	0 26715 21883 7
SV13556	0 26715 24558 1
SV13734	0 26715 24559 8
SV13923	0 26715 17781 3
SV13924	0 26715 17780 6
SV13937	0 26715 21884 4
SV14027	0 26715 21885 1
SV14041	0 26715 21886 8
SV14131	0 26715 18232 9
SV14375	0 26715 24561 1
SV14376	0 26715 21887 5

PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY	PART NO.	UPC or REPL BY
SV14378	0 26715 21888 2	SV1604168	0 26715 12359 9	SV17870	0 26715 18804 8
SV14379	0 26715 21889 9	SV1604169	0 26715 12365 0	SV17871	0 26715 18805 5
SV14380	0 26715 21890 5	SV1604177		SV17872	0 26715 18806 2
SV14381	0 26715 24562 8	SV1604178	0 26715 13682 7	SV17873	0 26715 18807 9
SV14382	0 26715 21891 2	SV1604190		SV17874	0 26715 19124 6
SV14383	0 26715 21892 9	SV1604191	0 26715 24739 4	SV17875	0 26715 19125 3
SV14384	0 26715 21893 6	SV16042	0 26715 17123 1	SV17876	0 26715 19126 0
SV14570	0 26715 21894 3	SV1607255	Repl by SV202382	SV17917	0 26715 19131 4
SV14571	0 26715 21895 0	SV1607456	0 26715 24740 0	SV17918	0 26715 19132 1
SV14572	0 26715 21896 7	SV1607720	Repl by SV13036	SV17938	7 72371 10433 4
SV14573	0 26715 21897 4	SV1607821		SV1803104	Repl by SV1604178
SV14575	0 26715 21898 1	SV1607852	Repl by SV13036	SV1804103P	0 26715 24743 1
SV14576	0 26715 21899 8	SV1608120P	Repl by SV1604168	SV18042	0 26715 22893 5
SV14578	0 26715 21900 1	SV1608151	Repl by SV201805	SV18044	0 26715 24589 5
SV14585	0 26715 21901 8	SV1608152	Repl by SV201805	SV1808130	0 26715 12367 4
SV14586	0 26715 21902 5	SV1608153	Repl by SV201805	SV1808138	0 26715 12373 5
SV14697	0 26715 21904 9	SV1608154	Repl by SV201805	SV1808139	0 26715 12372 8
SV14744	0 26715 15402 9	SV1608155	0 26715 13684 1	SV1808141	0 26715 21928 5
SV14745	0 26715 15403 6	SV1608156	Repl by SV63342	SV1808144	0 26715 12378 0
SV14763	0 26715 15611 5	SV1608700	0 26715 12356 8	SV1808145	0 26715 24741 7
SV14764	0 26715 15612 2	SV16094	0 26715 24574 1	SV1808146	
SV14765	0 26715 15613 9	SV16096	0 26715 17129 3	SV1808147	0 26715 24742 4
SV14766	0 26715 15614 6	SV16117	0 26715 18243 5	SV1808148	0 26715 12371 1
SV14767	0 26715 15615 3	SV16119	0 26715 18244 2	SV1808148P	0 26715 24744 8
SV14768	0 26715 15616 0	SV16158	0 26715 24575 8	SV1808149	0 26715 13689 6
SV14769	0 26715 15617 7	SV16248	0 26715 17176 7	SV1808150	0 26715 13695 7
SV14770	0 26715 15618 4	SV16415		SV18197	0 26715 24590 1
SV14785		SV16416	0 26715 21924 7	SV18198	0 26715 22886 7
SV14786	0 26715 21905 6	SV16569	0 26715 17614 4	SV18199	0 26715 22889 8
SV14787	0 26715 21906 3	SV16571	0 26715 17616 8	SV18200	0 26715 22888 1
SV14790	0 26715 21907 0	SV16572	0 26715 17617 5	SV18202	0 26715 22892 8
SV14808	0 26715 15412 8	SV16580	0 26715 24576 5	SV18203	0 26715 24591 8
SV14809	0 26715 15413 5	SV16581	0 26715 24577 2	SV18204	0 26715 22890 4
SV14810	0 26715 15414 2	SV16582	0 26715 24578 9	SV18205	0 26715 22891 1
SV14811	0 26715 15415 9	SV16584	0 26715 24579 6	SV18206	0 26715 22883 6
SV14862		SV16585	0 26715 24580 2	SV18207	0 26715 22884 3
SV14904	0 26715 24563 5	SV16679	0 26715 17787 5	SV18209	0 26715 24592 5
SV14949	0 26715 16999 3	SV16682	0 26715 17786 8	SV18211	0 26715 24593 2
SV14960	0 26715 15729 7	SV16693	0 26715 17789 9	SV18215	0 26715 24594 9
SV14971	0 26715 15725 9	SV16765	0 26715 17832 2	SV18216	0 26715 22896 6
SV14973	0 26715 15730 3	SV16793	0 26715 17815 5	SV18218	0 26715 22897 3
SV14974	0 26715 15728 0	SV16794	0 26715 17816 2	SV18219	0 26715 24595 6
SV14975	0 26715 15726 6	SV16796	0 26715 17833 9	SV18220	0 26715 22887 4
SV14996	0 26715 21909 4	SV16939	0 26715 17834 6	SV18221	0 26715 22885 0
SV14997	0 26715 21910 0	SV16940	0 26715 17835 3	SV18247	0 26715 19740 8
SV15045	0 26715 24564 2	SV16958	0 26715 17836 0	SV18264	0 26715 21929 2
SV15085	0 26715 15809 6	SV16964	0 26715 17837 7	SV18267	0 26715 21930 8
SV15086	0 26715 15810 2	SV16966	0 26715 17818 6	SV18300	
SV15087	0 26715 16267 3	SV16967	0 26715 17819 3	SV18301	
SV15184	0 26715 24565 9	SV16968	0 26715 17820 9	SV18302	0 26715 24758 5
SV15185	0 26715 24566 6	SV16996	0 26715 17838 4	SV18304	0 26715 22786 0
SV15186	0 26715 24567 3	SV16997	0 26715 17839 1	SV18305	0 26715 24596 3
SV15187	0 26715 24568 0	SV16998	0 26715 17840 7	SV18494	0 26715 19469 8
SV15365	0 26715 21916 2	SV16999	0 26715 17841 4	SV18495	0 26715 19470 4
SV15366		SV17000	0 26715 17842 1	SV18496	0 26715 19467 4
SV15367		SV17020	0 26715 18119 3	SV18497	0 26715 19468 1
SV15368		SV17021	0 26715 18120 9	SV18504	0 26715 19465 0
SV15422	0 26715 16563 6	SV1702115	Repl by SV1604190	SV18505	0 26715 19466 7
SV15432	0 26715 16564 3	SV1702150	Repl by SV1808146	SV18617	0 26715 24597 0
SV15433	0 26715 18241 1	SV17022	0 26715 18121 6	SV18618	0 26715 24598 7
SV15434	0 26715 18242 8	SV17023	0 26715 18122 3	SV18619	0 26715 24599 4
SV15440	0 26715 16565 0	SV17024	0 26715 24581 9	SV18620	0 26715 24600 7
SV15443	0 26715 19391 2	SV17025	0 26715 18117 9	SV18682	0 26715 24601 4
SV15489	0 26715 21917 9	SV17026	0 26715 18118 6	SV18854	0 26715 22867 6
SV15745	0 26715 24570 3	SV17121	0 26715 17827 8	SV18855	0 26715 22881 2
SV15746	0 26715 24571 0	SV17122	0 26715 17828 5	SV18866	0 26715 24603 8
SV15747	0 26715 24572 7	SV17123	0 26715 17829 2	SV18867	0 26715 22877 5
SV15748	0 26715 24573 4	SV17124	0 26715 17830 8	SV18868	0 26715 22878 2
SV15749	0 26715 22898 0	SV17125	0 26715 17831 5	SV18881	0 26715 22879 9
SV15924	0 26715 17175 0	SV172	Repl by S97008064	SV18882	0 26715 24604 5
SV15931	0 26715 17000 5	SV17235	0 26715 24582 6	SV18883	0 26715 22873 7
SV16024	0 26715 17122 4	SV17236	0 26715 24583 3	SV18884	0 26715 24605 2
SV16027	0 26715 17124 8	SV17237	0 26715 24584 0	SV19060	7 72371 13650 2
SV16029	0 26715 17132 3	SV17240	0 26715 24585 7	SV19199	0 26715 22875 1
SV16031	0 26715 17126 2	SV17242	0 26715 24586 4	SV19200	0 26715 22876 8
SV16032	0 26715 17131 6	SV17243	0 26715 24587 1	SV19201	0 26715 24606 9
SV16033	0 26715 17127 9	SV17244	0 26715 22870 6	SV19202	0 26715 24607 6
SV16034	0 26715 17130 9	SV17245	0 26715 24588 8	SV19205	0 26715 24608 3
SV16035	0 26715 17120 0	SV17600	0 26715 18738 6	SV19206	0 26715 22868 3
SV16038	0 26715 17125 5	SV17603	0 26715 18739 3	SV19207	0 26715 22869 0
SV16039	0 26715 17133 0	SV17606	0 26715 18740 9	SV19208	0 26715 22872 0
SV16040	0 26715 17119 4	SV17609	0 26715 18741 6	SV19210	0 26715 24609 0
SV16041	0 26715 17121 7	SV17640	0 26715 18742 3	SV19211	0 26715 22871 3
SV1604150	0 26715 24734 9	SV17641	0 26715 18743 0	SV19212	0 26715 22880 5
SV1604152	0 26715 24735 6	SV17642	0 26715 18744 7	SV19213	0 26715 22882 9
SV1604153	0 26715 24736 3	SV17643	0 26715 18745 4	SV19214	0 26715 24610 6
SV1604154	0 26715 24737 0	SV17645	0 26715 23369 4	SV201586	Repl by SV1808142
SV1604156	0 26715 24738 7	SV17797	0 26715 18746 1	SV201589	Repl by SV63110
SV1604164	Repl by SV225855	SV17852	0 26715 18803 1	SV201594	Repl by SV1808138

PART NO.	UPC or REPL BY
SV201603	0 26715 24729 5
SV201805	0 26715 24730 1
SV201982	0 26715 13688 9
SV201983	Repl by SV225855
SV202069	Repl by SV1604178
SV202070	Repl by SV63330
SV202382	0 26715 15812 6
SV202693	Repl by SV500025914
SV202729	Repl by SV500025915
SV202790	0 26715 24731 8
SV20498	0 26715 24611 3
SV204991	Repl by SV63573
SV20510	0 26715 24612 0
SV20606	0 26715 24613 7
SV20814	0 26715 21123 4
SV20815	0 26715 21124 1
SV20816	0 26715 21125 8
SV20817	0 26715 21126 5
SV20818	0 26715 21127 2
SV20824	0 26715 22985 7
SV20825	0 26715 22979 6
SV20830	0 26715 21128 9
SV208507	0 26715 24733 2
SV21293	0 26715 24614 4
SV21411	0 26715 22982 6
SV21412	0 26715 22978 9
SV21413	0 26715 22975 8
SV21414	0 26715 22974 1
SV21416	0 26715 22983 3
SV21418	0 26715 22984 0
SV21520	0 26715 23370 0
SV21527	0 26715 22874 4
SV21528	0 26715 22894 2
SV21722	0 26715 23494 3
SV21894	0 26715 24615 1
SV22079	0 26715 24616 8
SV22488	7 72371 13651 9
SV225855	
SV40310	0 26715 24618 2
SV40350	0 26715 24619 9
SV40370	0 26715 24620 5
SV40400	0 26715 24623 6
SV40410	0 26715 22915 4
SV40445	0 26715 24625 0
SV500025914	0 26715 24745 5
SV500025915	
SV60622	0 26715 21932 2
SV60675	0 26715 20787 9
SV60695	0 26715 20788 6
SV60696	0 26715 20789 3
SV60797	0 26715 24626 7
SV60798	0 26715 24627 4
SV60799	0 26715 24628 1
SV60800	0 26715 24629 8
SV60801	0 26715 24630 4
SV60803	0 26715 24631 1
SV60804	0 26715 24632 8
SV60805	0 26715 24633 5
SV60806	0 26715 24634 2
SV60807	0 26715 24635 9
SV60808	0 26715 24636 6
SV60809	0 26715 24637 3
SV60810	0 26715 24638 0
SV60811	0 26715 24639 7
SV60812	0 26715 24640 3
SV60818	0 26715 24641 0
SV60821	0 26715 24642 7
SV60822	0 26715 24643 4
SV60879	0 26715 20868 5
SV60887	0 26715 20867 8
SV61044	0 26715 21129 6
SV61045	0 26715 21130 2
SV61046	0 26715 21131 9
SV61049	0 26715 21132 6
SV61127	0 26715 24644 1
SV61184	0 26715 24645 8
SV61213	0 26715 24646 5
SV61214	0 26715 24647 2
SV61215	0 26715 24648 9
SV61216	0 26715 24649 6
SV61217	0 26715 24650 2
SV61218	0 26715 24651 9
SV61219	0 26715 24652 6
SV61220	0 26715 24653 3
SV61221	0 26715 24654 0
SV61223	7 72371 13605 2
SV61224	0 26715 24655 7
SV61227	0 26715 24657 1
SV61228	0 26715 24658 8

PART NO.	UPC or REPL BY
SV61229	0 26715 24659 5
SV61230	0 26715 24660 1
SV61231	0 26715 24661 8
SV61233	7 72371 13706 6
SV61234	0 26715 24663 2
SV61235	0 26715 24664 9
SV61236	0 26715 24665 6
SV61237	7 72371 13604 5
SV61240	0 26715 24666 3
SV61241	0 26715 24667 0
SV61248	0 26715 24668 7
SV61410	0 26715 22910 9
SV61411	0 26715 22911 6
SV61545	0 26715 22901 7
SV61548	0 26715 22902 4
SV61550	0 26715 22903 1
SV61552	0 26715 22904 8
SV61553	0 26715 22905 5
SV61560	0 26715 24669 4
SV61561	0 26715 24670 0
SV61562	0 26715 22970 3
SV61563	0 26715 22907 9
SV61565	0 26715 22908 6
SV61567	0 26715 22909 3
SV61569	0 26715 22912 3
SV61639	0 26715 22976 5
SV61640	0 26715 22977 2
SV61659	0 26715 22973 4
SV61679	0 26715 22993 2
SV61680	0 26715 22991 8
SV61681	0 26715 22992 5
SV61683	0 26715 22998 7
SV61684	0 26715 22999 4
SV61691	0 26715 22981 9
SV61742	0 26715 23371 7
SV61743	0 26715 23372 4
SV61744	0 26715 23373 1
SV61745	0 26715 23374 8
SV61932	0 26715 22994 9
SV61933	0 26715 22995 6
SV61934	0 26715 22996 3
SV61935	0 26715 22997 0
SV62083	7 72371 13291 7
SV62176	0 26715 24671 7
SV62178	0 26715 24672 4
SV62255	0 26715 24673 1
SV62257	0 26715 24674 8
SV62481	7 72371 13652 6
SV62715	7 72371 13373 0
SV62717	0 26715 24675 5
SV62718	0 26715 24676 2
SV62719	0 26715 24677 9
SV62720	0 26715 24678 6
SV62721	0 26715 24679 3
SV62722	0 26715 24680 9
SV62723	0 26715 24681 6
SV62724	0 26715 24682 3
SV62747	7 72371 13977 0
SV62748	7 72371 13978 7
SV62756	7 72371 13980 0
SV62773	7 72371 13981 7
SV63110	0 26715 24683 0
SV63117	0 26715 24748 6
SV63327	0 26715 24684 7
SV63328	0 26715 24685 4
SV63329	0 26715 24686 1
SV63330	0 26715 24687 8
SV63331	0 26715 24688 5
SV63332	0 26715 24689 2
SV63333	0 26715 24690 9
SV63334	0 26715 24691 6
SV63335	0 26715 24692 2
SV63336	0 26715 24693 9
SV63340	0 26715 24694 6
SV63341	0 26715 24695 3
SV63343	0 26715 24696 0
SV63344	0 26715 24697 7
SV63345	0 26715 24698 4
SV63352	0 26715 24699 1
SV63419	0 26715 24700 4
SV63420	0 26715 24701 1
SV63421	0 26715 24702 8
SV63422	0 26715 24703 5
SV63423	0 26715 24704 2
SV63424	0 26715 24705 9
SV63425	0 26715 24706 6
SV63426	0 26715 24707 3
SV63427	0 26715 24708 0
SV63428	0 26715 24709 7

PART NO.	UPC or REPL BY
SV63429	0 26715 24710 3
SV63430	0 26715 24711 0
SV63432	0 26715 24712 7
SV63433	0 26715 24713 4
SV63434	0 26715 24714 1
SV63435	0 26715 24715 8
SV63436	0 26715 24716 5
SV63437	0 26715 24717 2
SV63438	0 26715 24718 9
SV63439	7 72371 13668 7
SV63441	7 72371 13669 4
SV63442	
SV63443	7 72371 13671 9
SV63498	7 72371 13580 2
SV63500	7 72371 13582 6
SV63501	7 72371 13583 3
SV63559	7 72371 13726 4
SV63561	7 72371 13725 7
SV63565	7 72371 13727 1
SV63566	7 72371 13673 1
SV63567	7 72371 13674 8
SV63568	7 72371 13675 5
SV63569	7 72371 13729 5
SV63571	7 72371 13617 5
SV63572	7 72371 13618 2
SV63572	7 72371 13618 2
SV63573	7 72371 13619 9
SV63625	7 72371 13732 5
SVACBLL	0 26715 19887 0
SVX3916	
SVX3918	
SVX3918STD	7 84891 77671 7



The practical beauty of blue.

When the blue LED nightlight is activated, the green-tinted accent plate reveals a stunning glowing edge. But it's more than just beauty—the calming light helps you navigate the room while allowing for return to restful sleep.



NuTone® is America's leading brand of residential built-in convenience products including door chimes, central vacuum systems, intercom systems, ceiling fans, home theater speakers, medicine cabinets, ironing centers and ventilation fans.

Broan® is America's leading brand of residential ventilation products including range hoods, ventilation fans, heater/fan/light combination units, Indoor Air Quality (IAQ) Systems, built-in heaters, whole-house fans, electric and solar-powered attic ventilators, and trash compactors.

America's Choice For Green Builders®
Broan® and NuTone® are proud to be ENERGY STAR® partners.

NuTone®
luna
collection

TRANSFORM
any room
into a unique,
calming space.



NuTone® LunAura™ Collection. There's never been anything like it.

Create a spa-like environment in your home.


Turn it on and you'll see there's nothing quite like the NuTone LunAura Collection. While other bath fans may provide ventilation and light, LunAura takes illumination a step further with a soft blue LED nightlight that casts a soothing glow over any room.

A quiet, energy-efficient ventilation solution.

Behind the elegant design is a powerful Ultra Silent™ fan that quickly ventilates with no more sound than a gentle breeze. And because NuTone LunAura Collection is ENERGY STAR® qualified, you can relax knowing you're using one of the most energy efficient solutions available.




Model QTNLEDB Fan/Light/Nightlight



Rotate the green-tinted plate
45° to create a jewel-like
diamond appearance.



Model QTNLEDA Fan/Light/Nightlight



What's your style?
LunAura is the perfect
complement.

LunAura is available with either a square or round green-tinted light panel that makes a design statement unlike any other. Or, rotate the square light panel 45° to create an entirely new look.



LunAura Specifications

- Powerful 110 CFM ventilation fan
- Nearly silent operation at only 0.7 Sones
- ENERGY STAR® qualified
- Long-lasting, energy-efficient blue LED nightlight
- Operate the fan, light and nightlight in any combination
- Bright 36 watt fluorescent main lighting (2-18 watt GU24 bulbs included)
- 6" or 4" duct connections
- Fits 2"x 8" ceiling construction
- UL Listed for use over bathtubs or showers when connected to a GFCI protected branch circuit

NuTone®

Introducing the NuTone InVent™ SERIES

FLEXIBILITY for new construction
and room-side retrofit from one fan.



SEPTEMBER 2015

InVent™ SERIES A patent-pending

Versatile Installation. Airtight Performance. LED Lighting.

InVent Series gives professionals smart options for new construction or room-side retrofits in one, hard-working product line. InVent is about innovations such as FoldAway™ mounting ears and TrueSeal™ Damper Technology that improves building airtightness like never before. With fresh grille designs and a full range of operating points, there's an InVent Series solution for every installation.



More features from one fan.




FoldAway™ Mounting Ears are precisely positioned for new construction and fold flat for room-side retrofits. Every installation can be handled more efficiently.



With our TrueSeal™ Damper Technology, InVent fans reduce air leakage by up to 50% compared to competitive models¹, resulting in better home performance via blower door tests.



EzDuct™ Connector enables room-side installation without attic access. Attach the housing, pull the duct through, attach the EzDuct™ Connector and reset it with one screw.



LED Lighting offers greater energy efficiency and longevity, and adds a unique design detail to this hard-working fan. 11-watt, 800 Lumens integrated LED module lasts up to 25,000 hours.

¹ Testing reflects total fan housing air tightness. See NuTone.com/InVent for details.

revolution of mid-range fans.

InVent™ Fan & Fan/Lights



Fan. Models: AEN50, AEN80, AEN80B, AN110, AEN110




LED Fan/Light with 11-watt, 800 Lumens, 3000K, 80 CRI integrated module. Models: AEN80L, AEN80BL, AEN110L



Incandescent Fan/Light with A19 Base (bulb not included). Models: AN70L, AN80L, AN110L

InVent™ Series Accessories

A range of accessories ensures a custom fit in any application. Choose optional duct connectors, a radiation damper and a metal grille for commercial installations, and hanger bars for exact positioning.




Model RDM1
Radiation Damper.



Model MQF4
With our QFlow™ Duct Connector, InVent fans reduce air leakage by up to 65% compared to competitive models¹, offering an extremely tight seal when closed and completely open airflow when open.



Model MMG
Metal Grille.



Model MHB4
Hanger Bars.



Model MMDC4
Metal Duct Connector.

¹Testing reflects total fan housing air tightness. See NuTone.com/InVent for details.

INVENT FAN MODELS

New Specifications				Replacing Specifications		
New Model	CFM	Sones	ENERGY STAR®	Replacing Model	CFM	Sones
AEN80	80	0.8	Yes	QTREN080	80	0.8
AEN80	80	0.8	Yes	QTRN080	80	1.0
AEN110	110	1.3	Yes	QTRN110	110	1.5
AEN110	110	1.3	Yes	QTREN110	110	1.3
AEN80B	80	1.5	Yes	80NT	80	2.0
AEN50	50	0.5	Yes	N/A	—	—
AN110	110	3.0	No	672R	110	4.0
AN110	110	3.0	No	671R	90	3.0
AN110	110	3.0	No	8814R	110	4.0

*Metal Grille

INVENT FAN/LIGHT MODELS

New Specifications					Replacing Specifications			
New Model	CFM	Sones	Lighting	ENERGY STAR®	Replacing Model	CFM	Sones	Lighting
AN80L	80	1.0	A19 Base**	No	QTRN080L	80	1.0	A19 Base**
AN110L	110	1.3	A19 Base**	No	QTRN110L	110	1.5	A19 Base**
AN70L	70	2.0	A19 Base**	No	769RL	70	3.0	A19 Base**
AEN80BL	80	1.5	LED	Yes	N/A	—	—	—
AEN80L	80	0.8	LED	Yes	QTREN080FLT	80	0.8	Fluorescent
AEN110L	110	1.3	LED	Yes	QTREN110FLT	110	1.3	Fluorescent

**Bulb Not Included

INVENT FAN FINISH PACKS

New Specifications				Replacing Specifications		
New Model	CFM	Sones	ENERGY STAR®	Replacing Model	CFM	Sones
AN110F	110	3.0	No	110RDB	110	4.0
AN110F	110	3.0	No	672RB	110	4.0
AN80HDF*	80	2.0	No	80RDB	80	2.5
AN80HDF*	80	2.0	No	HD80RDB	80	2.5
AEN50F	50	0.5	Yes	N/A	—	—
AEN80F	80	0.8	Yes	QTREN080F	80	0.8
AEN80F	80	0.8	Yes	QTRN080F	80	1.0
AEN110F	110	1.3	Yes	QTREN110F	110	1.3
AEN110F	110	1.3	Yes	QTRN110F	110	1.5
AEN80BF	80	1.5	Yes	F80NT	80	2.0

*Metal Grille

INVENT FAN/LIGHT FINISH PACKS

New Specifications					Replacing Specifications			
New Model	CFM	Sones	Lighting	ENERGY STAR®	Replacing Model	CFM	Sones	Lighting
AN70LF	70	2.0	A19 Base**	No	769RLB	70	3.5	A19 Base**
AEN80LF	80	0.8	LED	Yes	QTREN080FLFT	80	0.8	Fluorescent
AEN80BLF	80	1.5	LED	Yes	N/A	—	—	—

**Bulb Not Included

NuTone InVent™ Series Project Packs. Keep your job on schedule and your inventory safe. Even if the final fan or fan/light product has not been selected, a project pack enables you to install a fan or fan/light housing now and choose the right-sized finish pack later. You won't have an open box on the jobsite with a motor and grille that could be lost or damaged.

INVENT HOUSING PACKS

New Model	CFM	Description
AN000HF	50/80	Fan Housing
AN110HF	110	Fan Housing
AN000HL	—	Fan/Light Housing

