



173 Flanders Road
 Westborough, MA 01581
 ph 888-467-2836
 fax 877-297-2836

Innovations in plumbing and heating . . .

Ice Maker Valve

Description:

The valve is designed to shut off or supply water to ice makers and humidifiers. An easy to see (red) coated handle allows for easy operation of the reliable ball valve. This valve will eliminate the problem of a clogged pin hole which often occurs with traditional saddle/puncture valves. (The saddle/puncture valve may nullify the manufacturer's warranty in some states.)

Applications:

The valve models will connect into a 1/2" or 3/4" copper tubing to provide water to the 1/4" OD output off the ball valve. The valve provides the option of soldering or simply using the compression fitting to connect to the 1/2" or 3/4" copper supply tubing.

Models:

IMV58
 IMV78


Features:

- Forged brass body
- Brass ball valve
- Teflon seats
- 5/8" or 7/8" OD compression/solder 1/2" and 3/4" copper end x 1/4 OD
- Maximum operating temperature: 150° F
- Minimum operating temperature: 32° F with water, 5° F without water in valve
- Maximum operating pressure: 120 PSI
- Low operating torque
- For use with water
- Lever provides easy on/off operation

Materials:

Handle Nut - Brass
 Handle - Vinyl coated steel
 Stem Packing - PTFE
 Stem - Brass
 Body - Forged Brass
 Seats - PTFE
 Ball - Brass

Dimensions:



MODEL	DIMENSIONS			
	A IN.	B IN.	C IN.	Weight
IMV58	3"	3 1/4"	2 3/4"	7.3 oz
IMV78	3 5/16"	3 1/2"	2 15/16"	9 oz