

A WORLD OF OPTIONS AT YOUR FINGERTIPS

Electronic faucets from Sloan Valve Company embrace styling that is perfectly suited for every application.

Sloan believes that a purifying experience in a beautiful environment can and should exist in commercial settings. That is what drove us to pioneer electronic faucets—and why in brand study after brand study, Sloan is the leading faucet specified for the commercial and institutional marketplaces. Sloan has re-designed and re-defined the faucet concept, starting with the introduction of our fiber-optic models more than two decades ago.

Today, Sloan faucets use as little as one-half gallon of water per minute—a conservative flow that saves water while aptly supporting proper hand-washing hygiene. Sloan sensor-operated faucets are either hardwired or powered by battery or solar energy. Sloan solar faucets resourcefully derive power from any natural or artificial light source, and in so doing, they reduce reliance on two precious commodities: water and energy.

Eco-minded professionals throughout North America tap our technologies to achieve their water-efficiency goals and LEED® objectives. Once one considers the wide range of faucet models available from Sloan, however, it is apparent that these faucets do much more than just fulfill a functional need: These faucets serve the commercial space with elegance. Thus, Sloan focuses on delivering the beauty of quality.

The sleek, European-styled LINO™, Sloan Lumino™ and Sloan SOLIS® faucets (from top to bottom) run automatically, yet allow guests to adapt the water temperature at their discretion.

BATTERY-POWERED FAUCETS

Sloan battery-powered faucets combine craftsmanship, superior durability and style to complement all types of environments.

EBF-650

The EBF-650, a 4-inch centerset-style faucet, comes standard with a water-efficient spray outlet.

- 0.5 gpm/1.9 Lpm vandal-resistant non-aerated pressure compensating spray head
- Below-deck electronics extend product life through protection from surface contaminants
- 2.2 gpm/8.3 Lpm spray head options for medical applications

EBF-615

The pedestal silhouette styling of the EBF-615 mounts on a single-hole lavatory or deck for easy installation.

- Simplicity of design
- Ideal for remodel or retrofit applications
- Splash-proof circuit control module

EBF-85

The EBF-85 pedestal-style faucet includes a self-adaptive infrared sensor linked to the faucet by a fiber optic cable.

- Self-adaptive range adjustment for quick and easy installation
- Classic styling with advanced electronic technology
- Self-cleaning bypass reduces maintenance
- Mounts on single-hole lavatory or deck

SF-SERIES

The SF-Series is designed for affordability, as well as installation and maintenance ease.

- Contemporary styling integrates with any décor
- Choose from pedestal, gooseneck and 4-inch centerset styles
- Hardwired models available

i.q.® EAF-150

European-styled, single-hole *i.q.* faucets bring high-end looks and adjustable operation to restroom visitors who demand more from electronic faucets.

- Choice of single supply for pre-tempered water or integral temperature mixer for hot and cold water flow
- Optional drain pop-up and *i.q. cliq™* feature, which lets users select function modes such as continuous run and temporary off
- All operating components are above the sink
- Select either battery-powered or hardwired models

EBF-550

This back-mounted faucet with a gooseneck spout is ideal for various applications, including foodservice and healthcare environments.

- Back-mounted design is out of the user's way when handwashing
- 2.2 gpm/8.3 Lpm vandal-resistant laminar flow spray head
- Shower spray head and spout options

EBF-750

The EBF-750 gooseneck faucet is designed primarily for healthcare, surgical and foodservice applications.

- Various 2.2 gpm/8.3 Lpm spout options to match application requirements
- Electronics operate in the most extreme lighting conditions with accurate target detection
- Available with above or below deck mixing valves

HOW TO SELECT THE IDEAL SLOAN FAUCET

Choose Electronic Faucets by Features

HARDWIRE FAUCETS	BATTERY-POWERED FAUCETS	SOLAR-POWERED FAUCETS	Fiber Optics	Gooseneck Spout	Surgical Bend (8" Reach)	0.5 gpm/1.9 Lpm Spray Head	Adaptive Sensing	Below Deck Mixing	Above Deck Mixing	Integral Spout Mixer	Plug-In Transformer Option	Battery Backup Option	4" Centerset	Pedestal	Wall Mount	i.q.-cliq Function	Drain Pop-Up (DPU)
ETF-80						■		■	■		■		■	■			
	EBF-85		■			■	■	■	■				■	■			
	EBF-187		■			■	■	■	■				■	■			
ETF-500/ETF-500-S				■	■			■			■				■		
	EBF-550/EBF-550S			■	■			■			■	■			■		
ETF-600						■		■			■		■				
	EBF-650					■		■			■	■	■				
ETF-610						■		■	■		■		■	■			
	EBF-615					■		■	■		■	■	■	■			
ETF-660						■		■	■		■		■				
ETF-700/ETF-700S				■	■			■	■		■		■	■			
	EBF-750/EBF-750S			■	■			■	■		■	■	■	■			
ETF-770				■				■	■		■		■				
ETF-800								■			■				■		
ETF-880						■		■	■		■		■	■			
EAF-100							■		■	■	■		■	■		■	■
EAF-200						■	■		■	■	■		■	■		■	■
	EAF-150						■		■	■	■		■	■		■	■
	EAF-250					■	■		■	■	■		■	■		■	■
		EAF-275				■	■		■	■			■	■		■	■
EAF-225						■	■			■	■		■	■		■	■
SF-2100						■		■			■	■	■	■			
	SF-2150					■		■					■	■			
SF-2200				■				■			■	■	■	■			
	SF-2250			■				■					■	■			
SF-2300						■		■			■	■	■				
	SF-2350					■		■					■				
SF-2400						■		■			■	■	■	■			
	SF-2450					■		■					■	■			

Choose Electronic Faucets by Markets

HARDWIRE FAUCETS	BATTERY-POWERED FAUCETS	SOLAR-POWERED FAUCETS	Healthcare		Commercial			Education		Hospitality/Foodservice			
			Patient Rooms	Nurses' Stations/Surgical	Public Restrooms	Executive Suites	Airports/Stadiums	Classrooms	Laboratories	Hotel Rooms	Commercial Kitchens/Hand Washing Stations	Restaurants/Resorts (upscale)	Fitness Centers/Clubs
ETF-80					■	■	■					■	■
	EBF-85				■	■							
	EBF-187				■	■	■					■	
ETF-500/ETF-500-S			■	■					■		■		
	EBF-550/EBF-550S		■	■									
ETF-600					■		■	■			■		■
	EBF-650				■		■	■			■		■
ETF-610					■		■	■			■		■
	EBF-615				■		■	■			■		■
ETF-660					■		■	■	■		■		
ETF-700/ETF-700S			■	■					■		■		
	EBF-750/EBF-750S		■	■					■		■		
ETF-770			■	■					■		■		
ETF-800						■	■			■		■	
ETF-880					■		■			■		■	■
EAF-100			■			■	■		■	■		■	
EAF-200					■	■	■		■	■		■	
	EAF-150		■			■		■	■	■		■	
	EAF-250				■			■	■	■		■	■
		EAF-275			■	■		■	■	■		■	■
EAF-225						■		■		■	■	■	
SF-2100					■	■							
	SF-2150				■	■							
SF-2200			■	■					■				
	SF-2250		■	■					■				
SF-2300					■		■	■			■		
	SF-2350				■		■	■			■		
SF-2400								■	■				
	SF-2450							■	■				

Visit the Sloan Web site at www.sloanvalve.com or call 800-9-VALVE-9 (800-982-5839) for more faucet variations and options. Or ask a Sloan representative for suggestions on which faucets to specify for your requirements.