FBM Series Filter Boxes

Manufactured for MITSUBISHI ELECTRIC US, INC.
CITY MULTI® PEFY-P-NMAU-E3 and M-P PEAD-A*AA7 Medium-Static Indoor Units



Job Name:

System Reference: Date:




PRODUCT OVERVIEW

- FBM filter boxes include 2" thick pleated MERV 13 filter(s) installed
 - Rated MERV 13 when tested in accordance with ANSI/ASHRAE 52.2 Standard
 - Rated Class 2 under UL Standard 900
- · Low static loss design
- · Cabinet is constructed of non-insulated G-60 galvanized steel
- · Knurled thumb screws on access door allow easy filter replacement
- · Cabinet may be inverted to locate access from other side
- · Foam gasket provides airtight connection to indoor unit and access door
- · Gasket material complies with UL 723 requirements
- · Screw-through cabinet design for secure attachment to indoor unit
- · Return connection in rear easily field converted to bottom return
- Filter access door includes area to record maintenance schedule


Part Number	Used on CITY MULTI® Models	Used on M- and P-Series Ducted Models	Filters Included	Net Weight Ibs.
FBM2-1-A	PEFY-P06, P08, P12-NAMU-E/E2/E3	_	(1) - 14" x 25" x 2"	20
FBM2-2-A	PEFY-P15, P18-NAMU-E/E2/E3	PEAD-A09, A12, A15, A18AA7	(1) - 14" x 20" x 2" (1) - 14" x 14" x 2"	24
FBM2-3-A	PEFY-P24, P27, P30-NAMU-E/E2/E3	PEAD-A24, A30AA/AA4/AA5/AA7	(2) - 14" x 20" x 2"	29
FBM2-4-A	PEFY-P36, P48-NAMU-E/E2/E3	PEAD-A36, A42AA/AA4/AA5/AA7	(2) - 14" x 20" x 2" (1) - 14" x 14" x 2"	35
FBM2-5-A	PEFY-P54-NAMU-E/E2/E3	_	(3) - 14" x 20" x 2"	37


FBM DIMENSIONS





Part Number	"A"	"B"	
FBM2-1-A	27 - 5/8"	26"	
FBM2-2-A	35 - 1/2"	34"	
FBM2-3-A	43 - 3/8"	42"	
FBM2-4-A	55 - 1/8"	53 - 5/8"	
FBM2-5-A	63"	61 - 1/2"	













































1340 Satellite Boulevard. Suwanee, GA 30024

Toll Free: 800-433-4822 www.mehvac.com