

# LOW VOLTAGE HOSES & UTILITY HOSES



**372**

## Low Voltage Utility/Garage Hose

This crushproof hose springs back to retain original shape. Perfect durability for tough jobs in the garage. Rotary control on handle regulates vacuum.

- 32' length
- Includes convenient hose hanger to store hose



**CH230L**

## 42' Crushproof Low Voltage Hose

A dark gray standard hose features on-off switch and vinyl reinforced construction. The 42' length provides longer reach. Rotary control regulates vacuum. Includes universal hose end which fits all NuTone and most other standard inlets.

- 42' length
- Includes convenient hose hanger to store hose



**CH235**

## 30' Crushproof Low Voltage Hose

This crushproof, low voltage hose springs back to retain original shape. Includes on-off switch. Includes Universal hose end which fits all NuTone and most other standard inlets.

- 30' length
- Includes convenient hose hanger to store hose

# HOSE ACCESSORIES



## CA130

A knitted hose sock can help prevent scratching corners of walls and marking furniture as you move from room to room while vacuuming.

- Washable
- Treated with ultra fresh antimicrobial protection
- For 30-32' hoses



1. Fit sock over tube end
2. Slide entire sock onto tube
3. Feed nozzle end through tube
4. Slide sock off tube onto hose; zip tie at handle
5. Slide sock off of tube to cover remainder of the hose

## HOSE SELECTION CHART

Model No.	Description	Hose Length	Inside Diameter	Power Head Switch	Power Unit Switch	Color
<b>372</b>	Low Voltage Utility/Garage Hose	32'	1-1/4"	No	No	Dark Gray
<b>CH230L</b>	Low Voltage Standard Hose	42'	1-3/8"	No	Yes	Dark Gray
<b>CH235</b>	Crushproof Low Voltage Hose	30'	1-3/8"	No	Yes	Dark Gray
<b>CH515</b>	Current-Carrying Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Dark Gray
<b>CH615</b>	Direct-Connect Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Dark Gray

## HOSE ACCESSORIES

Model No.	Description	Hose Length	Inside Diameter	Color
<b>CA130</b>	Hose Sock	30' -32'	1" & 1-3/8" diameter hoses	Gray

# PLUG INTO POWER AND CONVENIENCE

## with NuTone Inlets.

Turn to the source for power and intelligence. NuTone's line of central cleaning inlets include built-in, low-voltage terminals where direct-connect hoses plug right into the inlet – alleviating the need for a power cord. The electrified inlets make it a simple one-step operation to plug in a current-carrying hose.

The system turns on automatically when an unswitched hose is inserted or is ready for immediate activation with a switched hose.

NuTone inlets are the source of ease and convenience when working with a central vacuum system.

## ELECTRIFIED INLETS

Electrified Inlets make it a simple one-step operation to plug in a Current-Carrying hose – no 120V extension cord to carry around. Compatible with NuTone CH615.



White

### CI390 Series

#### Standard

The ElectraValve® Electrified Inlet operates on standard house wiring. It eliminates the need for the extension of electrical cords from the inlet to an electrical outlet. The molded power receptacle clips to a mounting plate and the housing wire is run to the nearest outlet box.

- UL listed Assembly
- Available in white or almond



White

### CI358W

#### Supervalue

The Supervalue Electrified Inlet operates on standard house wiring. Includes wall valve, rough-in plate with junction box and strain relief.

- UL listed assembly

### CI395RK

#### Rough-In Kit

The Electrified Inlet Rough-In Kit includes everything you need to install the CI390. Includes mounting plate, snap-in power receptacle, 6' of 12-gauge cable assembly, plaster guard, CF382S elbow and mounting screws for plaster guard.



### HOSE-INLET COMPATIBILITY

		INLET TYPE					
		CI390W	CI358W	360W	330W	CF372	
HOSE TYPE	Current Carrying	CH615	●	●			●
		*CH515	○	○	●	●	●
	Low Voltage	372			○	○	●
		CH235	○	○	●	●	○
	CH230L	○	○	●	●		

\* Includes 6' line cord ● Full Function ○ Limited Function (suction only/non-powered)