# **Exposed TECK® Flush Valve**





## Specification: (example)

### (FOR TOP INLET URINAL FIXTURE)

- Quiet action, TECK® exposed diaphragm flush valve
- Chloramine resistant diaphragm
- Forged brass diaphragm retainer
- Renewable seat
- Polished chrome plated finish
- External water conserving flush volume adjustment, factory set to 1.9 litre (0.50 gal.)
- Vandal resistant cover screw
- Metal "non hold open" handle
- 1" FIP/3/4" copper sweat inlet adaptor angle check stop with protecting cap
- Adjustable 121mm (4-3/4") plus or minus 11mm (7/16") inlet/valve outlet centers
- Vacuum breaker
- Cover tube and S/S wall flange, spud flange and spud nut

#### FOR 3/4" TOP INLET URINAL FIXTURE

□ 81T231

As above

□ 81T231-38

Same as 81T231, but set to 3.8 litre (1.0 gal.), Not field adjustable.

□ 81T231-19

Same as 81T231, **Not field adjustable**.



Same as 81T231, but set to 0.5 litre (0.125 gal.), Not field adjustable.



#### FOR 1-1/4" TOP INLET URINAL FIXTURE (with 1" copper inlet adaptor)

**□ 81T291** 

As above

#### **OPTIONS AVAILABLE** (for Field Conversion):

**□** 060253A

3/4" x 19-1/2" VB Tube (for 81T231)






### **Approvals:**

- IAPMO listed to CSA B125.3 and ASSE 1037
- Indicates compliance to ICC/ANSI A117.1

(Contact Delta Representative for State and/or Local Approvals.)



Note: For high and low pressure applications, please see page FEA-81T High Water Pressure note for more details.

Verify flow requirements with bowl manufacturer.

## **Engineer/Architect Approval**

Refer to www.specselect.com for individual models.

Model Specified:

Date: Approval:

Note: Measurements may vary ± 6mm (0.25")

Note: Use this page as a product submittal sheet.