

VERTICAL CROSS SECTION

X = GLASS HEIGHT - 6" - 2
Y = 12", 18", 24"



DOOR GLASS DETAIL
HINGE RIGHT SHOWN
REVERSE FOR HINGE LEFT

NOTES

1. THE SC4030 STRIKE JAMB MAGNET SHOULD BE CENTERED IN THE JAMB WITH SCV314 JAMB SEAL VINYL ABOVE AND BELOW IT (SEE DETAIL).
2. TOWEL BAR ASSEMBLIES ARE AVAILABLE IN 12", 18" & 24" SIZES. ALL SIZES ARE MEASURED CENTER TO CENTER OF THE MOUNTING HOLES.



HORIZONTAL CROSS SECTION

REV. #1
DATE: 06/20/07

NOTE: GLAZING MATERIAL FOR ALL KD UNITS AND GLAZED UNITS MUST CONORM TO ANSI Z97.1 AND CPSC STANDARD 16 CFC 1201 CATEGORY I AND II.

SERIES	*UNIT*	*GLASS HEIGHT*	*DOOR GLASS*
1422 1722 1822 INFINITY FRAMLESS CONT. HINGE	1422 1722 1822	66-3/16 69-11/16 73-11/16	WITDH AS DETERMINED

BASCO®
SHOWER ENCLOSURES
7201 Snider Road - Mason, Ohio 45040
Phone (513) 573-1900 Toll Free 1-800-45-BASCO