

Oval 10" rainhead with Katalyst® technology K-26293-G

### Features

- Single-function oblong rainhead features Full Coverage with Katalyst technology, a drenching spray experience ideal for rinsing shampoo from hair.
- MasterClean<sup>™</sup> sprayface features an easy-to-clean surface that withstands mineral buildup.
- Optimized sprayface for maximum performance.
- 1.75 gpm (6.6 lpm) maximum flow rate at 80 psi (5.5 bar).

### Material

- Premium material construction for durability and reliability.
- KOHLER finishes resist corrosion and tarnishing.

### Technology

 Katalyst<sup>®</sup> air-induction technology infuses water with air, creating bigger drops for a more powerful spray.

### Installation

- 1/2 -14 NPT connection.
- Requires single-function rainhead shower arm and flange (sold separately).

### Water Conservation & Rebates

 This product can help a building earn Water Efficiency points in LEED<sup>®</sup> Green Building Rating System.

### **Required Products/Accessories**

- K-26319 3" ceiling-mount rainhead arm and flange  $\ensuremath{\text{or}}$ 
  - K-26320 6" ceiling-mount rainhead arm

#### or

- K-26321 12" ceiling-mount rainhead arm and flange or
- K-26322 16" wall-mount rainhead arm and flange
- or

K-26307 19" wall-mount rainhead arm and flange

### **Recommended Products/Accessories**

K-23723 Faucet cleaner





### **Codes/Standards**

ASME A112.18.1/CSA B125.1 DOE - Energy Policy Act 1992 EPA WaterSense® California Energy Commission (CEC)

# KOHLER<sup>®</sup> Faucet Lifetime Limited Warranty

See website for detailed warranty information.

### **Available Colors/Finishes**

Color tiles intended for reference only.

## Color Code Description




- CP Polished Chrome
- BN Vibrant® Brushed Nickel
- BL Matte Black

2MB Vibrant® Brushed Moderne Brass



# KOHLER. Faucets

## Oval 10" rainhead with Katalyst® technology K-26293-G



### **Technical Information**

All product dimensions are nominal.

#### Showerhead/Body Spray:

Rated maximum 1.75 gal/min (6.6 l/min) flow: Pressure: 80 psi (5.5 bar)

#### Notes

Install this product according to the installation instructions.

