

# **Institutional Quality - Specification Grade**

**Contemporary Design** • Individually Pressure Tested



# **Heavy Duty - Wall Mount - 8" Centers**

- · Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator
- · Color coded handles
- Full flow with a quarter turn of the handle



333 Series Stems 33029 - Handle Use Swing or Goose Spout

PART NUMBER	SPOUT LENGTH	ADJUSTS
33006	6"	
33008	8"	7-1/2"
33010	10"	to
33012	12"	8-1/2"
33014	14"	

# **Medium Duty - Wall Mount - 8" Centers**

- · Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



333 Series Stems 33029 - Handle Use Swing or Goose Spout

PART NUMBER	SPOUT LENGTH	ADJUSTS
33306	6"	
33308	8"	7-1/2"
33310	10"	to
33312	12"	8-1/2"
33314	14"	



Highest Quality · Durable · Reliable · Economical



### **Heavy Duty - Deck Mount - 4" Centers**


- · Chrome plated brass
- 1/2" FPT inlets
- Satin finished brass water ways
- 55/64" Female water saver aerator
- Twin Seal chrome plated brass tubular swing spout



330 Series Stems 33029 - Handle Use Swing or Goose Spout

PART NUMBER	SPOUT LENGTH
33105	6"
33106	12"
33105-G	6" Gooseneck

## Medium Duty - Deck Mount - 4" Centers - Sink or Laundry Tray



Supplied with hose thread adapter



331 Series Stems

33160 - Set of Handles

PART NUMBER	SPOUT LENGTH
33151	6" Gooseneck
33152	6"
33153	8"
33154	10"
33155	12"

# Medium Duty - Wall Mount - 4" Centers

 Same features as above models but a lighter pattern style and plain brass water ways



331 Series Stems 33160 - Set of Handles

PART NUMBER	SPOUT LENGTH
33161	6" Gooseneck
33162	6"
33163	8"
33164	10"
33165	12"



# **Special Duty Commercial Faucets**

**Highest Quality** • **Durable** • **Reliable** • **Economical** 

### Service Sink Faucets - 8" Centers - 8" Spout

- · Integral check stems
- 1/2" FPT inlets
- · Satin chrome plated brass
- 3/4" Male hose thread on spout
- Chrome plated brass hinged wall support
- 7-1/2" to 8-1/2" Wall centers



33110-B Wall Bracket only

330 Series Stem

33029 Hot/Cold Handle

33101 Brass Slide for

Vacuum Breaker

33102 Vacuum Breaker

Replacement Kit, includes Slide and

Insert

33103 Plastic Insert for

Vacuum Breaker



\*Not For Potable Water

### Service Sink Faucets - 8" Centers - 2-1/2" Spout

Same features as above model, with the exception of no hinged wall support.



330 Series Stem

33029 - Handle



\*Not For Potable Water

# **Rubber Mop Sink Hose**

- 3/4" female hose thread
- 36" braided hose (shortened photo)



Hose and Bracket sold separately



PART NUMBER 489

# **Mop Sink Hose Bracket**

- · Cam action wall bracket to hold hose
- · With mounting screws







Compliant **V** 

AB 1953

# **Commercial Faucet Replacement Parts**

### **Heavy Duty Swing Spout**



**Compliant** 

AB 1953

· Chrome plated brass

55"/64" Female water saver aerator



PART NUMBER	LENGTH
33806	6"
33808	8"
33810	10"
33812	12"
33814	14"

### **Heavy Duty Gooseneck Spout**

· Twin Seal -Tubular -Chrome plated brass

• 55"/64" Female aerator




PART NUMBER	LENGTH
33831	6"

### **Replacement Handles**

· 20 Spline - Cold or Hot, Sold by the each





## **Blade Style Handles**

· 20 Spline - Cold or Hot, Sold by the each,

• 4-1/2" Length

red or blue indicator disks



NUMBER 33104

### Stems with Handles



## **Replacement Handles**

· Hot/Cold handles fit 3315 Series Faucets





# **Replacement Stems**



PART NUMBER	FITS FAUCET SERIES	TYPE	DESCRIPTION
33027*	330	Cold	Quarter turn
33028*	330	Hot	Quarter turn
33158	331	Cold	Quarter turn
33159	331	Hot	Quarter turn
33320	333	Cold	Quarter turn
33321	333	Hot	Quarter turn

# **Female Supply Inlet Couplings**

- · Chrome plated brass 1/2" FPT inlets
- · 33350 and 33352 fit heavy duty wall mount faucets
- · 33351 fits moderate duty wall mount faucets



PART NUMBER	FITS	ADJUSTS
33350	Heavy Duty	7-1/2" to 8-1/2"
33351	Medium Duty	7-1/2" to 8-1/2"
33352	Heavy Duty	4-1/2" to 12-1/2" with stops

330 Series

\*Fits T&S



## **Commercial Pre-Rinse Assemblies**

Chrome Plated Brass · Built for Rugged Use



### Wall Mount - 8" Centers

Available with either standard 7-1/2" to 8-1/2" adjustable female supply inlet couplings or, with 4-1/2" to 12-1/2" female supply inlet couplings with stops.

- Metal handle plastic grip spray
- 1/2" FPT inlets
- 3/8" IPS X 24" Chrome plated brass riser
- · 38" Stainless steel hose
- · 12" Wall bracket
- · Food service grade
- · Uses 33614 Pre-Rinse Faucet



330 Series Stem 33029 - Handle


Interchanges with T&S

PART NUMBER	ADJUSTS
33013	7-1/2" to 8-1/2"
33016	4-1/2" to 12-1/2"
	with stops



# **Pre-Rinse Spray Assembly Parts**

#### **Pre-Rinse Add On Faucet**



- · Chrome plated brass
- 3/8" X 2-3/4" MIP inlet
- · Fits all manufacturers




PART NUMBER	SPOUT LENGTH
33614	6"
33614-8	8"
33614-10	10"
33614-12	12"

Compliant **V** 

AB 1953

### **Pre-Rinse Hoses**

- Flexible stainless steel
- Food grade inner hose withstands continuous working temperature



## **Pre-Rinse Spray**



- · Chrome plated brass
- · Metal handle plastic grip
- · Connects directly to hose
- · High pressure wash
- · Positive shut off
- Stay ring included


PART NUMBER	DESCRIPTION
33018	Complete unit
33020	Bumper ring only
33021	Spray face only
33030	Insulated brass
	handle

Replaces T & S


### **Pre-Rinse Spray Cartridge**



# Pre-Rinse Spring - Riser Nipple & Spring Coupling



# Pre-Rinse Wall Bracket & Riser Hook







### Lever & Twist Commercial Sink Drain

Plated brass body, stainless steel handle, stainless steel strainer, plated brass stopper. Replaces Franklin, Klein, Chicago Faucet, T&S

### **Lever & Twist Handle Drain without Overflow**



### Lever & Twist Handle Drain with 1-1/4" Overflow Outlet




# Lever & Twist Commercial Sink Drain with 1-1/4" Overflow Outlet





### **Commercial Sink Drain Tool**


- · Removes Lever & Twist Drains
- Fits 3" & 3-1/2" drains
- · Constructed from 304 stainless steel
- Drain Sold Separately






### Lever & Twist Commercial Sink Drain - Replacement Parts

Handles and strainer are stainless steel. Drain body and stopper are nickel plated brass



PART NUMBER	DESCRIPTION
33133	Lever Handle
33136	3-1/2" Strainer Flange
33137	O-Ring for Stopper
33138	3-1/2" Strainer
33139	Stopper with O-Ring
33140	Twist Handle
33143	2" x 1-1/2" Slip Joint Drain
	Reducer Bushing*

# **Twist Lever Drain Washer Repair Kit**







# Sink or Laundry Tray Faucet 7-1/2" to 9-1/2 Adjustment




Part #: 2139 - Lead Free

# Deck - Patio - Pool - Campground Exposed Shower

- Economical, yet ruggedly constructed for outdoor installations.
- · Wall mount

**Potable Water** 

- · Chrome Plated Brass
- 7" to 9-1/2" wall adjustment
- · Adjustable low flow showerhead
- 6" Adjustable Wall Bracket
- · Cross Handles
- 24" Riser
- 1/2" IPS Female Inlets



\*Not For Potable Water



### **Quarter Turn Lavatory Faucet**

Not self-closing

- · Plumbers Quality
- · Chrome plated brass
- · Low flow aerator
- · Hot or cold cross handle
- 1/2" IPS shank
- · Complete with locknut and rosette





PART NUMBER	HANDLE
21805	Hot
21806	Cold

## **Self-Closing Lavatory Faucets -Heavy Duty**

### **New Design** · Star or lever handle Vandal proof cap and aerator Chrome plated brass

- 1/2" IPS shank
- · Low flow aerator
- · Complete with locknut and rosette

*Not For Potable Water	
PART NUMBER	HANDLE STYLE
21931	Star
21932	Lever

## **Self-Closing Wall Faucets -Heavy Duty**



### **New Design**

- · Star or lever handle
- Vandal proof cap
- · No aerator
- · Chrome plated brass
- 1/2" FPT inlet


W.	
1	
	101
	740

\*Not For **Potable Water** 

PART NUMBER	HANDLE STYLE
21936	Star
21937	Lever

### **Push Button Self-Closing Lavatory Faucet-Econo**

- Economical
- · Chrome plated brass
- Low flow aerator
- 1/2" IPS shank
- · Complete with locknut and rosette
- · Non-adjustable slow close
- Closes in approximately 6 seconds at 60 PSI.



21803

### **Push Button Self-Closing Lavatory Faucet**

- · Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- · Plumbers Quality
- · Chrome plated brass
- · Low flow aerator
- 1/2" IPS shank
- Complete with locknut and rosette





### **Push Button Drinking Fountain**

• 3/8" FPT

- Chrome plated brass
- · Lead-free cartridges
- Replaces HAWS HW5010



PART NUMBER	DESCRIPTION
2194	Bubbler w/lead free cartridge
2195	Lead-free brass replacement
	cartridges

PART NUMBER	REPAIR PARTS
2194-1	Chrome collar for button
2194-2	Chrome push button
2194-3	Cartridge retention bushing
2194-6	Inlet washer
2194-M	Mouthpiece set

### **Push Button Drinking Fountain Retro Fit Kit**

#### **Replaces fountains** on china fixtures

Kit contains:

AB 1953

- # 2194 Chrome plated brass bubbler head with lead-free cartridges
- 1/2" x 3/8" x 3-1/2" inlet nipple
- · Polished stainless steel flange
- · Rosette & locknut
- 1-3/4" cockhole cover



PART NUMBER	DESCRIPTION
2197	Retro-fit Kit
1270	SS flange only
2187	Brass nipple only
2197-K	Repair kit contains all the above except 2194 Bubbler

# Self-Closing Drinking Fountain

- 1/2" FPT
- · Chrome plated brass
- · Flow regulator screw
- · Cross handle
- · Precision ball bearing actions



PART NUMBER	FPT
2190	1/2"
2190-RK	Repair Kit

Compliant **1** 

AB 1953

# **Replacement Parts For Drinking Fountains**

for part numbers:

- 2194
- · 2197



PART NUMBER	DESCRIPTION
2194-1	Chrome collar for button
2194-2	Chrome push button
2194-3	Cartridge retention bushing
2194-6	Inlet washer
2194-M	Mouthpiece set



**Compliant** 

AB 1953

# **Pure Flow Drinking Fountain Cartridge**

- The simple yet durable design allows thousands of on/off cycles
- · Fits similar style of fountains like our 2194
- This new design replaces the old style 2195 and 2196 cartridges
- · Durable Lead Free -Easily Adjusted

Replaces: HAW VRK5010 HALSEY-TAYLOR 15010 TOMLINSON 1016337

To adjust water flow, use the "Serrated Dial Counter." DO NOT USE A SCREWDRIVER. Position the dial turning clockwise to decrease water flow. To increase water flow, turn the dial in a counter clockwise direction. Note the position of the notch on the dial (if turned past 180° the water flow will start to decrease.)





NUMBER 2195 2195-SS

### **Remote Bush Button Valve**

- · Superior quality
- **Compliant** AB 1953 · Chrome plated brass button
- 1/4" FPT
- · Lead-free cartridge

and escutcheon



2179


### **Fountain Bushing & Valve Wrench 2-in-1 Tool**

· Tightens or loosens cartridge retaining bushing





### **Glass Fillers - 3 Styles**




# **Replacement Parts**



### **Commercial Sink Overflow**

- · Chrome plated brass
- 1-1/4" x 14" x 18" Tube
- 1-1/4" Satin chrome plated elbow
- · Stainless steel overflow strainer & screw





### **Self-Closing Valve**



### **Push Button Self-Closing** 90 Degree Valve

- · Chrome plated brass
- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- 1/2" FPT inlet and outlet valve ONLY, no nipples



### **Push Button Self-Closing 180 Degree Valve**


- · Chrome plated brass
- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- 1/2" FPT inlet and outlet valve ONLY, no nipples



NUMBEF 21830

## **Self-Closing Shower Valve**

- · Chrome plated brass
- 1/2" FPT inlet and outlet





## **Push Button Self-Closing** 90 Degree FlushValve with Vacuum Breaker

- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- · Plumbers quality
- Chrome plated brass
- 1/2" FPT inlet
- Vacuum breaker with 9" overall length
- · Chrome plated brass urinal spud flange with spud nut, washers
- 1/2" IPS wall flange



PART NUMBER	DESCRIPTION
21849	Complete flushvalve WITH
	vacuum breaker
21850	Valve ONLY with vacuum
	breaker adapter
21333	Cartridge ONLY
2020	3/4" x 1-1/2" Chrome plated
	brass valve to vacuum breaker
	adapter ONLY
980	Spud nut ONLY, with washer
981	Chrome plated brass
	escutcheon ONLY
982	Spud nut, escutcheon & washer

## **Push Button Self-Closing** 90 Degree FlushValve

- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- · Plumbers quality
- Chrome plated brass
- 1/2" FPT inlet
- 3/4" OD x 8" CP brass tailpiece
- · Chrome plated brass urinal spud flange with spud nut, washers
- 1/2" IPS wall flange



PART NUMBER	DESCRIPTION
21840	Complete flushvalve LESS
	vacuum breaker
21845	Valve ONLY with nut & washer
21333	Cartridge ONLY
980	Spud nut ONLY, with washer
981	Chrome plated brass
	escutcheon & washer
982	Spud nut, escutcheon & washer
997	3/4" OD x 8" CP Brass tube,
	no threads with washers

## Vacuum Breaker with Flush Tailpiece

- 1-1/2" Top connection



# Vacuum Breaker Repair Kit

